MX ®

**CONNECTING THE FUTURE**

Home | Hotel | Office

NUEVO

www.mdrelectronics.com

MX

CONNECTING THE FUTURE

Mukesh Panjwani | CEO

"The future is a canvas awaiting the strokes of those who believe in the beauty of their dreams". At MX MDR Technologies Ltd, we embody this ethos with our unwavering commitment to connecting the future. As the torchbearer of excellence, MX, which emanates from the magic of Xcellence, was founded in 1978 by the visionary entrepreneur, Mr. Mukesh V Panjwani.

Pioneering the industry, MX stands as the leading manufacturer of Electronics, Audio Video cables and Electrical accessories. Our state-of-the-art manufacturing unit is nestled in Vasai, Dist. Palghar, Maharashtra, while our dynamic Experience center is based in Mumbai & Bangalore, India.

Since its inception, MX has been at the forefront, providing tailored electrical and electronic solutions for Architects, Interior designers, Furniture Manufacturers, System Integrators, Electrical Contractors, Service Providers, and Corporate Clients. Our network of distributor's spans across India and our footprint extends to the Middle East, Saudi Arabia, Turkey, Nepal, Bangladesh, Sri Lanka, and South Africa. "MX is not just a brand but a heritage of trust, credibility & sustained value creation."

Our Principles:
• SERVICE
• QUALITY
• DESIGN
• INNOVATION
• MADE IN BHARAT

In 2016, MX Power emerges as a new vertical, illuminating the path with electrical power and cable management systems. Tailored for Residential, Industrial, Institutional, Hospitality, and Healthcare segments, MX Power is a testament to our relentless pursuit of progress.

About Us

IT power distribution

47 years of experience

in developing, manufacturing and distributing high-quality power distribution solutions, AV accessories & pro audio products

over **10000** standard products

1978
Year founded

WORLDWIDE

POWER DISTRIBUTION UNITS

PROVIDING **LIFE** QUALITY

AROUND
200
EMPLOYEES
WORLDWIDE

MADE IN **BHARAT**

HOME

connecting the **future**

BASED IN MUMBAI

HOTEL

MX **POWER**

OFFICE

Contents

Product Innovations

Multiple Socket:

MX revolutionizes power outlets with innovative Multi-Nation Sockets, including Indian, Universal, and UK variants. Our cutting-edge designs enhance compatibility and convenience, ensuring seamless connectivity for global users. Experience the future of power solutions & wireless charging.

Multi colors :

Our multi-colored and customizable power outlets are more than just functional tools; they are design statements. By embracing this innovation, you can transform your workspace into a vibrant and inspiring environment that reflects your unique personality and brand.

Quick & Wireless Charging :

We unveil our groundbreaking innovation by seamlessly integrating Qualcomm Quick Charge 3.0 for Power Delivery (PD) charging directly into our power outlets. Elevate your charging experience with MX's state-of-the-art technology, featuring wireless charging options for swift and efficient power delivery to your devices. Experience accelerated charging, thanks to our unwavering commitment to advanced solutions.

Made In Bharat :

We have played a pivotal role in India's growth through our participation in the "Make in India" initiative. By manufacturing homegrown power outlets, we contribute to the nation's self-reliance goals. These locally-produced outlets adhere to global standards, showcasing our commitment to quality and innovation. This not only boosts the domestic manufacturing sector but also positions us as a key player in India's technological advancement.

Function Modules

Childproof product

Our power outlets boast a childproof protection system, rigorously tested to meet international standards. Designed with utmost safety in mind, these outlets ensure a secure environment, adhering to globally recognized benchmarks. Rest assured that our childproof features provide robust protection, guaranteeing a safe and reliable electrical solution for your home.

Surge protection

We take power safety to the next level with built-in surge protection on our power outlets. Safeguard your devices from voltage spikes and surges, ensuring uninterrupted performance and extending the lifespan of your electronics. Trust us for advanced surge protection, providing peace of mind for your connected devices.

EMI/Noise filters with Advanced X3 Mov technology

Our power outlets stand out with EMI/Noise filters and Advanced X3 MOV technology, ensuring a clean and efficient power supply. This innovative combination eliminates electromagnetic interference and unwanted noise, guaranteeing a reliable and stable power source for your devices. Experience optimal performance and protection with our advanced technology.

Circuit Breaker

Redefines safety with our power outlets featuring a built-in circuit breaker switch. This smart addition ensures immediate protection against overloads and short circuits, providing a reliable shield for your devices and peace of mind for users. Experience a new level of safety.

USB Charging

Enhance convenience with built-in USB slots on our power outlets. Charge your devices directly without the need for adapters, providing a seamless and efficient charging solution. With multiple options like USB A 3.0, USB A+ C, and USB C up to 95 watts power. Experience the future of connectivity with us, where power and versatility meet in a single outlet.

Safety Shutter

Safety is paramount with our power outlets featuring innovative safety shutters. These built-in shutters provide an extra layer of protection, preventing accidental contact with live components. We ensure peace of mind, prioritizing safety in every socket for a secure and worry-free power experience.

BIS Standards Indian Socket

We prioritize safety by featuring BIS (Bureau of Indian Standards) standard Indian sockets in our power outlets. Compliant with strict standards, these outlets offer a secure and reliable connection for your electronic devices, ensuring both safety and performance.

Universal Sockets & UK sockets

Our power outlets feature Universal Socket, offering a versatile solution for global connectivity. This innovative feature accommodates a variety of plug types, including the UK plug, making it convenient for users worldwide. Experience seamless compatibility and enhanced flexibility with Universal Socket – where power meets adaptability

Modular Power Tracks
MX NUEVO C55
RECESS MOUNT POWER & DATA TRACK

The MX C55 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Electrical
Rated Voltage : 250V— Single-phase
Rated Current : 32 Amps (Max)
Frequency : 50 / 60Hz
Terminal Capacity : 1.25 mm² - 4 mm²

Material
Track Housing : Anodized Aluminum
End Cap : Polycarbonate
Busbar Carrier : Polycarbonate
Conductor : Phosphor Bronze (Copper)

Size
Standard Length : 400mm-1200mm (refer table)
Customization : Lengths & configuration available upon request

MX Nuevo C55

MX No	Sizes	Dimensions
6301	400mm	75 x 55
6301 A	500mm	75 x 55
6301 B	600mm	75 x 55
6301 C	800mm	75 x 55
6301 D	900mm	75 x 55
6301 E	1000mm	75 x 55
6301 F	1200mm	75 x 55

Customized Multimedia & Sockets on Request :

USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger

USB A+C SOCKET 30 W PD WITH DISPLAY

USB C DATA SOCKET

HDMI 4K SOCKET

RJ - 45 CAT-6/CAT-6A SOCKET

GST MALE / FEMALE CONNECTORS

FLUSH ON/OFF SWITCH

ACCESS DOOR SWITCH

Modular Power Tracks
MX NUEVO C55 WIRELESS
RECESS MOUNT COMPACT POWER & DATA TRACK

The MX C55 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Electrical
Rated Voltage : 250V— Single-phase
Rated Current : 32 Amps (Max)
Frequency : 50 / 60Hz
Terminal Capacity : 1.25 mm^2 - 4 mm^2
Wireless Charger : 15 Watts

Material
Track Housing : Anodized Aluminum
End Cap : Polycarbonate
Busbar Carrier : Polycarbonate
Conductor : Phosphor Bronze (Copper)
Finish: Black, Silver

Size
Standard Length : 400mm-1200mm (refer table)
Customization : Lengths & configuration available upon request

MX Nuevo C55 Wireless

MX No.	Sizes	Dimensions
6301 Qi	400mm	75 x 55
6301 A Qi	500mm	75 x 55
6301 B Qi	600mm	75 x 55
6301 C Qi	800mm	75 x 55
6301 D Qi	900mm	75 x 55
6301 E Qi	1000mm	75 x 55
6301 F Qi	1200mm	75 x 55

Customized Multimedia & Sockets on Request :

USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger

USB A+C SOCKET 30 W PD WITH DISPLAY

USB C DATA SOCKET

HDMI 4K SOCKET

RJ - 45 CAT-6/CAT-6A SOCKET

GST MALE / FEMALE CONNECTORS

FLUSH ON/OFF SWITCH

ACCESS DOOR SWITCH

Modular Power Tracks
MX NUEVO C34
RECESS MOUNT COMPACT POWER TRACK

The MX C34 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Electrical
Rated Voltage : 250V— Single-phase
Rated Current : 32 Amps (Max)
Frequency : 50 / 60Hz
Terminal Capacity : 1.25 mm² - 4 mm²

Material
Track Housing : Anodized Aluminum
End Cap : Polycarbonate
Busbar Carrier : Polycarbonate
Conductor : Phosphor Bronze (Copper)
Finish: Black, Silver

Size
Standard Length : 400mm-1200mm (refer table)
Customization : Lengths & configuration available upon request

MX Nuevo C34

MX No.	Sizes	Dimensions
6302	400mm	75 x 34
6302 A	500mm	75 x 34
6302 B	600mm	75 x 34
6302 C	800mm	75 x 34
6302 D	900mm	75 x 34
6302 E	1000mm	75 x 34
6302 F	1200mm	75 x 34

Customized Multimedia & Sockets on Request :

USB A+C SOCKET
12W (2.4Amp)
18W (3.1Amp)
30 W PD (5Amp)
30 W PD GaN Charger

USB A+C SOCKET
30 W PD WITH DISPLAY

USB C DATA SOCKET

HDMI 4K SOCKET

RJ - 45 CAT-6/CAT-6A SOCKET

GST MALE / FEMALE CONNECTORS

FLUSH ON/OFF SWITCH

ACCESS DOOR SWITCH

Standard Power Tracks

We sets the standard with on-surface and in-surface tracks, providing a mid-height power solution ideal for office spaces, server rooms, display counters, kitchens, schools, and various shared environments. Engineered for effortless usability, it seamlessly integrates with free tabletop-mounted solutions. MX tracks are customizable, offering voice/data modules such as Cat 6, Cat 6a, Cat 6 shielded, and audio/video modules like HDMI, USB C, USB A 2.0/3.0, VGA, 3.5mm Stereo, Display Ports, USB C Charging and Retractable Modules.

MX Wall to Wall in-surface modular track series is the sleek and perfect solution for recessed power & data installations allowing easy access to power for tables, desk, partitions and kitchen dado. Plastically sleek and perfect to go with modular kitchen, living room OEM segment.

SPECIFICATION

Electrical
Rated Voltage : 250V— Single-phase
Rated Current : 32 Amps maximum
Frequency : 50 / 60Hz
Terminal Capacity : 1.25 mm² - 4 mm²

Material
Track Housing : Anodized Aluminum
End Cap : Polycarbonate
Busbar Carrier : Polycarbonate
Conductor : Phosphor Bronze (Copper)
Finish: Black, Silver & Rose Gold

Size
Standard Length : 400mm-1500mm (refer table)
Customization : Lengths & configuration available upon request

MX Surface Mount Track With Switch

MX No.	Sizes	Dimensions
6000	400mm	70 x 25
6000A	600mm	70 x 25
6000B	800mm	70 x 25
6000C	1000mm	70 x 25
6000D	1200mm	70 x 25
6000E	1500mm	70 x 25

MX Surface Mount Track Without Switch

MX No.	Sizes	Dimensions
6100	400mm	70 x 25
6100A	600mm	70 x 25
6100B	800mm	70 x 25
6100C	1000mm	70 x 25
6100D	1200mm	70 x 25
6100E	1500mm	70 x 25

MX Recess Mount Track

MX No.	Sizes	Cutout (mm)
6200	400mm	390 x 71
6200A	600mm	590 x 71
6200B	800mm	790 x 71
6200C	1000mm	990 x 71
6200D	1200mm	1190 x 71
6200E	1500mm	1490 x 71

Wall to Wall Power Track

**WALL TO WALL POWER TRACK
WITH INTERNAL & EXTERNAL
CORNER CAPS & LINKS**

13

OUR COLLECTION AT A GLANCE

Tired of dealing with scarce power points and hefty electrician bills?

Dive into the seamless world of our power tracks – hassle-free installation, user-friendly design, and artistic outlets that cater to everyone's taste. Enjoy the flexibility of various adaptors and accessories, all at an unbeatable value.

Each track is a masterpiece, meticulously hand-assembled and precision-perfected by cutting-edge machinery. At MX, our track record spans over a decade, marked by unwavering reliability, top-notch safety, and global acclaim. Crafted with precision in India, our products feature aerospace-grade aluminum, copper, stainless steel, and specially formulated polycarbonate for maximum durability.

Not just practical, our tracks exude elegance, sophistication, and undeniable functionality, sparking conversations with your guests and clients alike.

Don't miss out – take control and elevate your power game today!

Elegance and Sophistication

Freedom and Convenience

Safety and Durability

Advanced Technology

Premium Design

Durable Build Quality

Connected and Integrated

Home and Office

Form and Function

International Socket

Multimedia Accessories

Modular Terminals

▶ YouTube

SCAN AND WATCH COMPLETE VIDEO ON YOUTUBE

Premium Series LED Adaptors

Triple Safety

The MX Power track is an open circuit that can only be closed with an adaptor which matches up in depth, height and length. while a solid state shield prevents any current leakage.

High Temperature Flame Retardant FR-PC Material

Adaptor shell apots PC high-effiency flame retardant casing, preventing accidents

MX 6021
6 Amperes
Indian Standard
BIS Approved

MX 6015
6/10/13 Amperes
IN/EU/BS

MX 6016
6/13 Amperes
IN/BS

MX 6017
13 Amperes
BS

MX 6018
15 Amperes
USA-JPN

MX 6019
C & A 20 Watts
USB Charger

MX 6020
C & A 30 Watts
USB Charger

MX 6022 WIFI
6/13 Amperes
IN/EU/BS

MX 6023 WIFI
6/13 Amperes
IN/BS

MX 6024 WIFI
6 Amperes
Indian Standard

MX 6025
6/16 Amperes
Indian Standard
BIS Approved

MX 6026
C & A 20 Watts
USB Charger

MX 6027
C & A 30 Watts
USB **PD Charger**

67

31

Premium Adaptors
Blue LED

60

33.5

Classic Indian Adaptors
6/16A

60

28.5

Classic Compact Adaptors

Classic Series Adaptors

MX 6001	
6/10/13 Amperes IN/EU/BS	

MX 6002	
6/13 Amperes IN/BS	

MX 6003	
6/16 Amperes India BIS Approved	

MX 6005	
13 Amperes BS	

MX 6006	
5V, 2400 mA USB Charger	

MX 6007-20W MX 6008-30W	
USB C+A Fast Charger	

MX 6011	
16 Amperes Plug With Fuse	

MULTIMEDIA CONNECTOR

MX 6031 Cat 3 Voice	MX 6032 USB 3.0	MX 6033 USB 2.0	MX 6034 VGA 15 Pin	MX 6035 Aux / Stereo 3.5 mm	MX 6037 Display Port	MX 6038 C+A 12W (2.4Amp)	MX 6039 C+A 18W (3.1Amp)	MX 6041 Cat-6 / CAT-6A Data

MX 6042 HDMI (4K)	MX 6043 USB Type C	MX 6044 USB 2.0	MX 6045 C+A PD 30W (5Amp)	MX 6046 C+A PD 30W Digital Display	MX 6047 Blank Plate	MX 6048 Access Door Switch	MX 6049 FLUSH 6/16 Amperes ON/OFF Switch

www.mdrelectronics.com

Modular Power Tracks
MX NUEVO S68
UNDER DESK POWER & DATA TRACK

The MX NUEVO S68 Under Desk Modular Track Series offers an ideal solution for power and data installations, providing easy access to power beneath the workstation and offering convenience for any under-desk application. Its modular design, including customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements. Suitable for various applications, including research facilities, libraries, laboratories, workshop desks, and more.

SPECIFICATION

Electrical
Rated Voltage : 250V— Single-phase
Rated Current : 32 Amps (Max)
USB Charging: 2 A Type Ports, 5V-2400mA (Side Caps)
Frequency : 50 / 60Hz
Terminal Capacity : 1.25 mm² - 4 mm²

Material
Track Housing : Anodized Aluminum
End Cap : Polycarbonate
Busbar Carrier : Polycarbonate
Conductor : Phosphor Bronze (Copper)
Finish : Black & Silver

Size
Standard Length : 400mm-1200mm (refer table)
Customization : Lengths & configuration available upon request

2 USB
Charging
2.4 A

MX Nuevo S68

MX No.	Sizes	Dimensions
6303	400mm	68 x 68
6303 A	500mm	68 x 68
6303 B	600mm	68 x 68
6303 C	800mm	68 x 68
6303 D	900mm	68 x 68
6303 E	1000mm	68 x 68
6303 F	1200mm	68 x 68

Mounting Features

On Wall

Above Desk

360° ROTATE

Under Desk

Customized Multimedia & Sockets on Request :

USB A+C SOCKET
12W (2.4Amp)
18W (3.1Amp)
30 W PD (5Amp)
30 W PD GaN Charger

USB A+C SOCKET
30 W PD WITH DISPLAY

USB C DATA SOCKET

HDMI 4K SOCKET

RJ - 45 CAT-6 /CAT-6A SOCKET

GST MALE / FEMALE CONNECTORS

FLUSH ON/OFF SWITCH

ACCESS DOOR SWITCH

Modular Power Tracks
MX NUEVO D88
DESKTOP POWER & DATA TRACK

The MX D88 Desktop Modular Track Series presents an ideal solution for power and data installations, providing convenient access to power from the above tables and catering to all desktop applications. The end cap with USB charging ensures effortless connectivity and efficient space management. Desktop Modular Track is an ideal choice for workspace environments. They stand as the most popular solution for streamlined power and cable management, adjustable to fit specific length requirements

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase
Rated Current : 32 Amps (Max)
USB Charging: 2 A Type Ports, 5V-2400mA (Side Caps)
Frequency : 50 / 60Hz
Terminal Capacity : 1.25 mm² - 4 mm²

Material

Track Housing : Anodized Aluminum
End Cap : Polycarbonate
Busbar Carrier : Polycarbonate
Conductor : Phosphor Bronze (Copper)
Finish : Black & Silver

Size

Standard Length : 400mm-1200mm (refer table)
Customization : Lengths & configuration available upon request

MX Nuevo D88

MX No.	Sizes	Dimensions
6304	400mm	88 x 85
6304 A	500mm	88 x 85
6304 B	600mm	88 x 85
6304 C	800mm	88 x 85
6304 D	900mm	88 x 85
6304 E	1000mm	88 x 85
6304 F	1200mm	88 x 85

Customized Multimedia & Sockets on Request :

| USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | USB A+C SOCKET 30 W PD WITH DISPLAY | USB C DATA SOCKET | HDMI 4K SOCKET | RJ - 45 CAT-6/CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | FLUSH ON/OFF SWITCH | ACCESS DOOR SWITCH |

MX Freestanding TOWER TRACK

Freestanding Tower Tracks provide a stable and convenient solution for sharing power in any space. Their flexible design allows them to seamlessly integrate into any environment, bringing power and USB charging to previously unpowered areas. Supporting a wide variety of international sockets and offering optional integrated USB-A, USB-C charging ports and wireless charging, the Tower Tracks is ideal for situations where power needs to be relocated, making it perfect for open spaces inside or in front of experience centers, living rooms, lounges, public buildings, concourses and breakout areas. Customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

SPECIFICATION

Electrical
Rated Voltage : 250V— Single-phase
Rated Current : 16 Amperes (Max)
USB Charging: 2 A Type Ports, 5V-2400mA
USB Charging: Type C & A PD 30W
Frequency : 50 / 60Hz

Material
Profile Housing : Anodized Aluminum
End Cap : Polycarbonate
Busbar Carrier : Polycarbonate
Conductor : Phosphor Bronze (Copper)
Finish: Silver & Black

Size
Standard Track : 400mm
Customization : Available upon request

ONE WAY
MX 6400 / MX 6401

TWO WAY
MX 6402 / MX 6403

THREE WAY
MX 6404 / MX6405

MX FREESTANDING TOWER TRACK

MX No.	USB A	USB A & C	Dimensions
6400	YES	--	438 x 150 x 140
6401	–	YES	438 x 150 x 140
6402	YES	–	438 x 150 x 140
6403	–	YES	438 x 150 x 140
6404	YES	–	438 x 150 x 140
6405	--	YES	438 x 150 x 140

1 WAY

2 WAY

3 WAY

MX Freestanding
POWER POLE

Freestanding Power Pole offer stable and convenient power-sharing in any space, featuring automatic power cut-off protection in case of a fall. This flexible solution seamlessly integrates power and USB charging into previously unpowered areas. With universal sockets, HDMI, Cat-6, and optional integrated USB ports, the Power Pole is perfect for open spaces, including experience centers, living rooms, lounges, public buildings, concourses, and breakout areas. Customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase

Rated Current : 32 Amps (Max) & 6/16 Amps (Max)

Wireless Charger : 15 Watts

Frequency : 50 / 60 Hz

1 USB A + 1 USB C : 30W PD Fast Charging

1 USB A + 1 USB C : 30W PD Fast Charging
with Voltage Display

RJ-45 : CAT-6

Port : HDMI

Size

Standard Track : 400mm

Customization : Available upon request

Material

Profile Housing : Anodized Aluminum, ABS, FRP, GRP (Flame retardant)

Conductor : Phosphor Bronze (Copper)

End Cap & Bus bar Carrier: Polycarbonate

Finish: Silver - White - Black

Wireless on Top

ONE WAY SQUARE
6406 (Power Pole)
6407 (Power Pole)
6408 (Power Pole)
6409 (Power Pole)

Wireless on Top

ONE WAY CONSOLE
6410 (Power Pole)
6411 (Power Pole)
6412 (Power Pole)
6413 (Power Pole)

Auto power cut-off

800MM   260MM   800MM   260MM

1 WAY   SQUARE   2 WAY   CONSOLE

MX FREESTANDING POWER POLE

MX No.	Universal Socket 6-13A	Power Track	Switch 6 A	USB A & C	USB A & C With Voltage Display	CAT 6	HDMI (4K)	Dimensions in MM
6406 Power Pole	04	–	1	Yes	–	Yes	Yes	800 x 260
6407 Power Pole	04	–	1	–	Yes	Yes	Yes	800 x 260
6408 Power Pole	–	Yes	–	Yes	–	Yes	Yes	800 x 260
6409 Power Pole	–	Yes	–	–	Yes	Yes	Yes	800 x 260
6410 Power Pole	04	–	1	Yes	--	Yes	Yes	800 x 260
6411 Power Pole	04	–	1	–	Yes	Yes	Yes	800 x 260
6412 Power Pole	–	Yes	–	Yes	–	Yes	Yes	800 x 260
6413 Power Pole	–	Yes	–	--	Yes	Yes	Yes	800 x 260
6414 Power Pole	--	Yes	1	Yes	--	--	--	800 x 260

Customized Multimedia & Sockets on Request :

| USB A + C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | USB A + C SOCKET 30 W PD WITH DISPLAY | USB C DATA SOCKET | HDMI 4K SOCKET | RJ - 45 CAT-6/CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | FLUSH ON/OFF SWITCH | ACCESS DOOR SWITCH |

www.mdrelectronics.com

Vertical Power and Data Pole Floor to Ceiling

MX Vertical Power and Data Pole Floor to Ceiling. Protects cable running vertically. Maintenance a neat & clean look in your office. Its rigid cable protection unique profile. Compact & Sleek Design. The ultimate power pole is to route cables from the ceiling to the floor or from the ceiling to any table or counter top. Comes in BLACK & SILVER Finish. Our MX Power Pole can be any customized length from 2.5mtrs to 4mtrs. Just PLUG-n-PLAY, with all the supported cables supplied for a plug-n-play installation. We have multiple modules as per Customer Requirement.

SPECIFICATION

Rated Voltage : 250 Volts — Single-phase

Rated Current : 6 -16 Amperes

Standard Finish: Black & Silver

Material : Aluminum, FRP, GRP (flame retardant)

Customization : Length Upon Request (1 WAY, 2 WAY & 4 WAY)

CEILING

1 WAY

2 WAY

4 WAY

FLOOR

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes | UNIVERSAL SOCKET 6 / 13 Amperes | INDIAN SOCKET 6 / 13 Amperes | UNIVERSAL SOCKET 6 / 16 Amperes | INDIAN SOCKET 6 / 16 Amperes | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | RJ - 45 CAT-6 /CAT-6A SOCKET |

Desktop Console

The Desktop Consoles redefine power and cable management systems with their unmatched speed of installation, strength, versatility, aesthetics, and configurability. Featuring easy connectivity and space management, their end cap provides built-in USB charging for convenient access. Available in BIS standard Indian Socket (6 & 16 Amperes) with USB A 3.0, USB A + C, & USB C charging sockets, the Desktop Consoles are an ideal choice for workspace environments. They stand as the most popular solution for streamlined power and cable management, customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase

Rated Current : 6-16 amps (Max)

USB Charger: 2 type A Ports 5V, 2400mA (Side Cap)

Finish: Silver - Black

Material : Aluminum, ABS, FRP, GRP (flame retardant)

Wiring : Pre -Wired 300mm Cable With Screwless Connector

Standard Pack : C type mounting clamps with fastening key.

Customization : Upon Request

142

67

88

85

Key Features :

| PD Qualcomm Fast Charging for tablets & laptop | Customizable Configuration & Mounting's | Can be used above desk & on wall | USB Charging on End Cap | Modular Design |

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes | UNIVERSAL SOCKET 6 / 13 Amperes | INDIAN SOCKET 6 / 13 Amperes | UNIVERSAL SOCKET 6 / 16 Amperes | INDIAN SOCKET 6 / 16 Amperes | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | USB A+C SOCKET 30 W PD WITH DISPLAY | HDMI 4K SOCKET | RJ - 45 CAT-6/CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | FLUSH ON/OFF SWITCH |

30

DESKTOP CONSOLES

MX No.	Universal Socket 6/13 Amperes	Universal Socket 6/16 Amperes	Switch 16/16 Amperes	USB A 3.0 USB C 65 Watts	USB A 3.0 USB C 95 Watts	USB A 5V 2400mA Side Cap	Dimensions in MM
4173	2		6 Amperes			2	152 x 88 x 85
4174	3		6 Amperes			2	200 x 88 x 85
4175	4		6 Amperes			2	246 x 88 x 85
4176	6		6 Amperes			2	340 x 88 x 85
4177		2	16 Amperes			2	152 x 88 x 85
4178		3	16 Amperes			2	200 x 88 x 85
4179		4	16 Amperes			2	246 x 88 x 85
4180		6	6 Amperes			2	340 x 88 x 85
4181	2		6 Amperes	1		2	200 x 88 x 85
4182	3		6 Amperes	1		2	246 x 88 x 85
4183	4		6 Amperes	1		2	394 x 88 x 85
4184	6		6 Amperes	1		2	388 x 88 x 85
4185	2		6 Amperes		1	2	205 x 88 x 85
4186	3		6 Amperes		1	2	251 x 88 x 85
4187	4		6 Amperes		1	2	299 x 88 x 85
4188	6		6 Amperes		1	2	393 x 88 x 85
4189		2	16 Amperes	1		2	200 x 88 x 85
4190		3	16 Amperes	1		2	246 x 88 x 85
4191		4	16 Amperes	1		2	394 x 88 x 85
4192		6	16 Amperes	1		2	388 x 88 x 85
4193		2	16 Amperes		1	2	205 x 88 x 85
4194		3	16 Amperes		1	2	251 x 88 x 85
4195		4	16 Amperes		1	2	299 x 88 x 85
4196		6	16 Amperes		1	2	393 x 88 x 85

DESKTOP CONSOLES ROTATABLE SOCKETS 180°

MX No.	Universal Socket 6/13 Amperes	Switch 6 Amperes	USB A 3.0 USB C 65 Watts	USB A 3.0 USB C 95 Watts	USB A 5V 2400mA Side Cap	Dimensions in MM
4197	2	6 Amperes			2	184 x 88 x 85
4198	3	6 Amperes			2	234 x 88 x 85
4199	4	6 Amperes			2	284 x 88 x 85
4200	6	6 Amperes			2	384 x 88 x 85
4201	2	6 Amperes	1		2	232 x 88 x 85
4202	3	6 Amperes	1		2	282 x 88 x 85
4203	4	6 Amperes	1		2	332 x 88 x 85
4204	6	6 Amperes	1		2	432 x 88 x 85
4205	2	6 Amperes		1	2	236 x 88 x 85
4206	3	6 Amperes		1	2	286 x 88 x 85
4207	4	6 Amperes		1	2	336 x 88 x 85
4208	6	6 Amperes		1	2	436 x 88 x 85

Under Desk Console

The Under Desk Consoles revolutionize power management with their unparalleled features: rapid installation, exceptional strength, unmatched versatility, sleek aesthetics, and remarkable configurability. The convenient end-cap with built-in USB charging ensures easy access and efficient space utilization. Available in BIS standard Indian Socket (6 & 16 Amperes) with USB A 3.0, USB A + C, & USB C charging sockets, the Under Desk Consoles are an ideal choice for workspace environments. They stand as the most popular solution for streamlined power and cable management, customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase
Rated Current : 6-16 amps (Max)
USB Charger: 2 type A Ports 5V, 2400mA (Side Cap)
Finish: Silver & Black Anodized
Material : Aluminum, ABS, FRP, GRP (flame retardant)
Wiring : Pre -Wired 300mm Cable With Screwless Connector
Customization : Upon Request

On Wall

Above Desk

Under Desk

Key Features :

| PD Qualcomm Fast Charging for tablets & laptop | Customizable Configuration & Mounting's | Can be used above desk & on wall | USB Charging on End Cap | Modular Design |

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes | UNIVERSAL SOCKET 6 / 13 Amperes | INDIAN SOCKET 6 / 13 Amperes | UNIVERSAL SOCKET 6 / 16 Amperes | INDIAN SOCKET 6 / 16 Amperes | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | USB A+C SOCKET 30 W PD WITH DISPLAY | HDMI 4K SOCKET | RJ - 45 CAT-6/CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | FLUSH ON/OFF SWITCH |

UNDER DESK CONSOLES

MX No.	Universal Socket 6/13 Amperes	Universal Socket 6/16 Amperes	Switch	USB A 3.0 USB C 65 Watts	USB A 3.0 USB C 95 Watts	USB A 5V 2400mA Side Cap	Dimensions in MM
6407	2		6 Amperes			2	235 x 68 x 68
6408	3		6 Amperes			2	285 x 68 x 68
6409	4		6 Amperes			2	335 x 68 x 68
6410	6		6 Amperes			2	435 x 68 x 68
6411		2	16 Amperes			2	235 x 68 x 68
6412		3	16 Amperes			2	285 x 68 x 68
6413		4	16 Amperes			2	335 x 68 x 68
6414		6	16 Amperes			2	435 x 68 x 68
6415	2		6 Amperes	1		2	285 x 68 x 68
6416	3		6 Amperes	1		2	335 x 68 x 68
6417	4		6 Amperes	1		2	385 x 68 x 68
6418	6		6 Amperes	1		2	485 x 68 x 68
6419	2		6 Amperes		1	2	290 x 68 x 68
6420	3		6 Amperes		1	2	340 x 68 x 68
6421	4		6 Amperes		1	2	390 x 68 x 68
6422	6		6 Amperes		1	2	490 x 68 x 68
6423		2	16 Amperes	1		2	285 x 68 x 68
6424		3	16 Amperes	1		2	335 x 68 x 68
6425		4	16 Amperes	1		2	385 x 68 x 68
6426		6	16 Amperes	1		2	485 x 68 x 68
6427		2	16 Amperes		1	2	290 x 68 x 68
6428		3	16 Amperes		1	2	340 x 68 x 68
6429		4	16 Amperes		1	2	390 x 68 x 68
6430		6	16 Amperes		1	2	490 x 68 x 68

UNDER DESK CONSOLES ROTATABLE SOCKETS 180°

| MX No.	Universal Socket 6/13 Amperes	Switch	USB A 3.0 USB C 65 Watts	USB A 3.0 USB C 95 Watts	USB A 5V 2400mA Side Cap	Dimensions in MM
6431	2	6 Amperes			2	270 x 68 x 68
6432	3	6 Amperes			2	320 x 68 x 68
6433	4	6 Amperes			2	370 x 68 x 68
6434	6	6 Amperes			2	470 x 68 x 68
6435	2	6 Amperes	1		2	350 x 68 x 68
6436	3	6 Amperes	1		2	400 x 68 x 68
6437	4	6 Amperes	1		2	450 x 68 x 68
6438	6	6 Amperes	1		2	550 x 68 x 68
6439	2	6 Amperes		1	2	355 x 68 x 68
6440	3	6 Amperes		1	2	405 x 68 x 68
6441	4	6 Amperes		1	2	455 x 68 x 68
6442	6	6 Amperes		1	2	555 x 68 x 68

MX NUEVO C55

## IN-SURFACE POWER DISTRIBUTION UNIT WITH POWER & DATA

Engineered for effortless recessed installation, the C55 In-surface power distribution unit series seamlessly integrates power, data, and multimedia connectivity within a dedicated cable management compartment. Its sleek aluminum alloy housing makes it suitable for a variety of workstations and executive tables, making it a highly recommended solution for office and system furniture OEMs.

MX NUEVO C34

IN-SURFACE SLEEK POWER DISTRIBUTION UNIT

MX C34 In-surface power distribution unit series is engineered for simple recessed mount installation to carter power, data and multimedia in a low depth profile. A perfect solution for recessed power & data installations allowing easy access to power for tables, desk, and partitions. Plastically sleek and perfect to go with the home & office workspace.

SPECIFICATION

Electrical
Rated Voltage : 250v — Single - phase
Rated Current : 6/16 Amperes (Max)
1USB A + 1USB C : 30W PD Fast Charging
1USB A + 1USB C : 30W PD Fast Charging with Voltage Display
RJ-45 : CAT -6 / CAT 6 A
Port : HDMI 4K
Finish : Silver - Black
Wiring : Pre -Wired 300mm Cable With Screwless Connector
Material : Aluminum, ABS, FRP, GRP(Flame retardant)
Conductor : 100% Copper Contacts Plated
Size Standard length : 2/3/4 & 6 Way
Customization : Upon Request

Key Features :

- PD Qualcomm Fast Charging for tablets & laptop
- Customizable Configuration & Mounting's
- Can be used above desk & on wall
- USB Charging on End Cap
- Modular Design

MX NUEVO C55

MX No.	Universal Socket 6/13 Amperes	Universal Socket 6-16 Amperes	Switch	USB A & C	USB A & C With Voltage Display	CAT 6	HDMI	Dimensions Cut Size
7031	02		6 Amperes	Yes		Yes	Yes	235 x 67 x 55
7032	03		6 Amperes	Yes		Yes	Yes	290 x 67 x 55
7033	04		6 Amperes	Yes		Yes	Yes	345 x 67 x 55
7034	06		6 Amperes	Yes		Yes	Yes	424 x 67 x 55
7035		02	16 Amperes	Yes		Yes	Yes	235 x 67 x 55
7036		03	16 Amperes	Yes		Yes	Yes	290 x 67 x 55
7037		04	16 Amperes	Yes		Yes	Yes	344 x 67 x 55
7038		06	16 Amperes	Yes		Yes	Yes	424 x 67 x 55
7039	02		6 Amperes		Yes	Yes	Yes	260 x 67 x 55
7040	03		6 Amperes		Yes	Yes	Yes	315 x 67 x 55
7041	04		6 Amperes		Yes	Yes	Yes	368 x 67 x 55
7042	06		6 Amperes		Yes	Yes	Yes	424 x 67 x 55
7043		02	16 Amperes		Yes	Yes	Yes	260 x 67 x 55
7044		03	16 Amperes		Yes	Yes	Yes	315 x 67 x 55
7045		04	16 Amperes		Yes	Yes	Yes	368 x 67 x 55
7046		06	16 Amperes		Yes	Yes	Yes	424 x 67 x 55

MX NUEVO C34

MX No.	Universal Socket 6/13 Amperes	Universal Socket 6-16 Amperes	Switch	USB A & C	USB A & C With Voltage Display	CAT 6	HDMI	Dimensions Cut Size
7047	02		6 Amperes	Yes		Yes	Yes	235 x 67 x 40
7048	03		6 Amperes	Yes		Yes	Yes	290 x 67 x 40
7049	04		6 Amperes	Yes		Yes	Yes	345 x 67 x 40
7050	06		6 Amperes	Yes		Yes	Yes	424 x 67 x 40
7051		02	16 Amperes	Yes		Yes	Yes	235 x 67 x 40
7052		03	16 Amperes	Yes		Yes	Yes	290 x 67 x 40
7053		04	16 Amperes	Yes		Yes	Yes	344 x 67 x 40
7054		06	16 Amperes	Yes		Yes	Yes	424 x 67 x 40
7055	02		6 Amperes		Yes	Yes	Yes	260 x 67 x 40
7056	03		6 Amperes		Yes	Yes	Yes	315 x 67 x 40
7057	04		6 Amperes		Yes	Yes	Yes	368 x 67 x 40
7058	06		6 Amperes		Yes	Yes	Yes	424 x 67 x 40
7059		02	16 Amperes		Yes	Yes	Yes	260 x 67 x 40
7060		03	16 Amperes		Yes	Yes	Yes	315 x 67 x 40
7061		04	16 Amperes		Yes	Yes	Yes	368 x 67 x 40
7062		06	16 Amperes		Yes	Yes	Yes	424 x 67 x 40

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes | UNIVERSAL SOCKET 6 / 13 Amperes | INDIAN SOCKET 6 / 13 Amperes | UNIVERSAL SOCKET 6 / 16 Amperes | INDIAN SOCKET 6 / 16 Amperes | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | USB A+C SOCKET 30 W PD WITH DISPLAY | HDMI 4K SOCKET | RJ - 45 CAT-6 /CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | FLUSH ON/OFF SWITCH |

www.mdrelectronics.com

Embedded Power & Data Socket - Screw Type

The MX Embedded Power and Data Socket Interlink, a seamless solution for power access and integrated connectivity in your workstation. Designed for a neat and organized workspace, this product comes with a dedicated power supply for a consistent and reliable source. The all-in-one power supply includes multiple sockets, USB A+C chargers, CAT 6 ports, HDMI, and a lengthy power cable. Elevate your workspace with this user-friendly solution that combines power and connectivity in one sleek package.

SPECIFICATION

Rated Voltage : 250 Volts — Single-phase
Rated Current : 6 -13 Amperes
USB Charger: 1USB A+C 12/18/30 Watts PD Fast Charging
Finish: Black, Silver, & White Anodized
Material : Aluminum, FRP, GRP (flame retardant)
Wiring : Pre -Wired 300mm Cable With Screwless Connector
Data : HDMI, Cat6, Cat3 & USB-C
Customization : Length Upon Request

MX No.	Indian or Universal Socket	USB A+C 30W PD	CAT 6	HDMI 4K	Dual Pole Switch 6 AMP	Dimensions	Dimensions Cut Size
7075	3	Yes	Yes	Yes	Yes	280x57x50	252 x 52

CABLE

Key Features :

| PD Qualcomm Fast Charging for tablets & laptop | Customizable Configuration & Mounting's | Can be used above desk & on wall | Modular Design |

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes | UNIVERSAL SOCKET 6 / 13 Amperes | INDIAN SOCKET 6 / 13 Amperes | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30W PD (5Amp) 30 W PD GaN Charger | USB A+C SOCKET 30 W PD WITH DISPLAY | HDMI 4K SOCKET | RJ - 45 CAT-6/CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | FLUSH ON/OFF SWITCH |

41

Embedded Power & Data Socket - Push Type

The MX Embedded Power and Data Socket Interlink, a seamless solution for power access and integrated connectivity in your workstation. Designed for a neat and organized workspace, this product comes with a dedicated power supply for a consistent and reliable source. The all-in-one power supply includes multiple sockets, USB A+C chargers, CAT 6 ports, HDMI, and a lengthy power cable. Elevate your workspace with this user-friendly solution that combines power and connectivity in one sleek package.

SPECIFICATION

Rated Voltage : 250 Volts — Single-phase
Rated Current : 6 -13 Amperes
USB Charger: 1USB A+C 12/18/30 Watts PD Fast Charging
Finish: Black, Silver, & White Anodized
Material : Aluminum, FRP, GRP (flame retardant)
Wiring : Pre -Wired 300mm Cable With Screwless Connector
Data : HDMI, Cat6, Cat3 & USB-C
Customization : Length Upon Request

MX No.	Indian or Universal Socket	USB A+C 30W PD	CAT 6	HDMI 4K	Dual Pole Switch 6 AMP	Dimensions	Dimensions Cut Size
7076	3	Yes	Yes	Yes	Yes	280x57x50	252 x 52

280

57

250

45

CABLE

50

Key Features :

PD Qualcomm Fast Charging for tablets & laptop	Customizable Configuration & Mounting's	Can be used above desk & on wall	Modular Design

Customized Multimedia & Sockets on Request :

INDIAN SOCKET 6 Amperes	UNIVERSAL SOCKET 6 / 13 Amperes	INDIAN SOCKET 6 / 13 Amperes	USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger	USB A+C SOCKET 30 W PD WITH DISPLAY	HDMI 4K SOCKET	RJ - 45 CAT-6/CAT-6A SOCKET	GST MALE / FEMALE CONNECTORS	FLUSH ON/OFF SWITCH

42

Under Desk Socket

The MX Under Desk Socket revolutionize power management with their unparalleled features: rapid installation, exceptional strength, unmatched versatility, sleek aesthetics, and remarkable configurability. space utilization. Available in BIS standard Indian Socket (6 & 16 Amperes) with USB A 3.0, USB A + C, & USB C charging sockets, the Under Desk Consoles are an ideal choice for workspace environments. They stand as the most popular solution for streamlined power and cable management, customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Rated Voltage : 250V— Single-phase
Rated Current : 6-16 amps (Max)
USB Charger: 2 type A Ports 5V, 2400mA
Finish: Black Anodized
Material : Aluminum, FRP, GRP (flame retardant)
Wiring : Pre -Wired 300mm Cable With Screwless Connector
Customization : Length Upon Request

MX No.	Indian or Universal Socket	USB A+C 30W PD	CAT 6	HDMI 4K	2 USB A 5W 2400mA	Dimensions
7077	4	Yes	Yes	Yes	Yes	383x59x34

Key Features :

PD Qualcomm Fast Charging for tablets & laptop

Customizable Configuration & Mounting's

Can be used above desk & on wall

USB Charging on End Cap

Modular Design

Customized Multimedia & Sockets on Request :

INDIAN SOCKET 6 Amperes

UNIVERSAL SOCKET 6 / 13 Amperes

INDIAN SOCKET 6 / 13 Amperes

USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger

USB A+C SOCKET 30 W PD WITH DISPLAY

HDMI 4K SOCKET

RJ - 45 CAT-6/CAT-6A SOCKET

GST MALE / FEMALE CONNECTORS

FLUSH ON/OFF SWITCH

www.mdrelectronics.com

Power Cubby Slider Flap

The Power Cubby with Slider Flap boasts quick and simple installation. Shrouded screw terminals simplify power connections, while feed-through multimedia ports ensure seamless connectivity. It comes with a wireless charging option, and the convenient sliding flap provides easy access with magnetic soft closing to keep your workspace organized. Crafted from durable aluminum alloy, this cubby seamlessly integrates into various workstation and executive table setups. It is customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

SPECIFICATION

Rated Voltage : 250V~ Single Phase

Rated Current : 6-16 Amperes (Max)

USB Charger : Type A & C Ports 12, 18, 30 PD Watts

Material : Aluminium, Polycarbonate

Finish Colors : Silver & Black (Anodized)

Rose Gold **(ON REQUEST)**

Wiring : Pre -Wired 300mm Cable With Screwless Connector

| MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7005-2U	2	1	1	1	Yes	–	280x100x30	275x72
7005-3U	3	1	1	1	Yes	–		
7005A	2	1	1	1	–	Yes		
7005A-3U	3	1	1	1	–	Yes		

Power Cubby Slider Flap Wireless

The Power Cubby with Slider Flap, featuring an additional wireless charger, offers quick and simple installation. Shrouded screw terminals simplify power connections, while feed-through multimedia ports ensure seamless connectivity. It includes a wireless charging option, and the convenient sliding flap provides easy access with a magnetic soft closing mechanism to keep your workspace organized. Crafted from durable aluminium alloy, this cubby seamlessly integrates into various workstation and executive table setups. It is customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

SPECIFICATION

Rated Voltage : 250V~ Single Phase

Rated Current : 6-13 Amperes (Max)

USB Charger : Type A & C Ports 12, 18, 30 PD Watts

Wireless Charger : 15 Watts

Material : Aluminium, Polycarbonate

Finish Colors : Silver & Black (Anodized)

Rose Gold **(ON REQUEST)**

Wiring : Pre -Wired 300mm Cable With Screwless Connector

MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7005 SD Qi -2U	2	1	1	1	Yes	–	280x100x30	300x72
7005 SD Qi-3U	3	1	1	1	Yes	–		
7005A SD Qi- 2U	2	1	1	1	--	Yes		
7005A SD Qi - 3U	3	1	1	1	--	Yes		

Customized Multimedia & Sockets on Request :

|										
INDIAN SOCKET 6 Amperes	UNIVERSAL SOCKET 6 / 13 Amperes	INDIAN SOCKET 6 / 13 Amperes	UNIVERSAL SOCKET 6 / 16 Amperes	INDIAN SOCKET 6 / 16 Amperes	USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger	USB A+C SOCKET 30 W PD WITH DISPLAY	HDMI 4K SOCKET	RJ - 45 CAT-6/CAT-6A SOCKET	GST MALE / FEMALE CONNECTORS	FLUSH ON/OFF SWITCH

Power Cubby Double Flap

Power Cubby with Slider Flap allows the installation processes to be adapted quickly & simply. Easy power connection with shrouded screw terminals for power and feed-through multimedia connectivity. Sliding flap function gives convenience to open and close the panel. Aluminum alloy material, suitable for varieties of workstation & executive tables.

SPECIFICATION

Rated Voltage : 250V~ Single Phase
Rated Current : 6-13Amps (Max)
USB Charger : Type C &A Ports 12, 18, 30 PD Watts
Material : Aluminium, Polycarbonate
Finish Colors : Silver & Black (Anodized)
Wiring : Pre -Wired 300mm Cable With
Screwless Connector

MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7005 DD	2	1	1	1	Yes	–	275x87x55	267x67
7005-3U DD	3	1	1	1	Yes	–	329x87x55	321x67
7005A DD	2	1	1	1	–	Yes	275x87x55	267x67
7005A-3U DD	3	1	1	1	--	Yes	329x87x55	321x67

# Power Cubby Double Flap Wireless

The Power Cubby with Double Flap ensures a swift and straightforward installation process. Shrouded screw terminals simplify power connections, while feed-through multimedia ports guarantee seamless connectivity. The convenience of a double sliding flap allows easy access, facilitated by a magnetic soft closing mechanism to maintain workspace organization. Crafted from durable aluminium alloy, this cubby seamlessly integrates into a variety of workstation and executive table setups. It offers customization options for any plug or multimedia socket configuration and is adjustable to meet specific length requirements.

SPECIFICATION

Rated Voltage : 250V~ Single Phase
Rated Current : 6-13Amps (Max)
USB Charger : Type C &A Ports 12, 18, 30 PD Watts
Material : Aluminium, Polycarbonate
Finish Colors : Silver & Black (Anodized)
Wiring : Pre -Wired 300mm Cable With
Screwless Connector

MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7005 DD Qi - 2U	2	1	1	1	Yes	–	370x87x55	362x67
7005 DD Qi -3U	3	1	1	1	Yes	–	478x87x55	470x67
7005A DD Qi - 2U	2	1	1	1	–	Yes	370x87x55	362x67
7005A DD Qi-3U	3	1	1	1	--	Yes	478x87x55	470x67

Customized Multimedia & Sockets on Request :

|										
INDIAN SOCKET 6 Amperes	UNIVERSAL SOCKET 6 / 13 Amperes	INDIAN SOCKET 6 / 13 Amperes	UNIVERSAL SOCKET 6 / 16 Amperes	INDIAN SOCKET 6 / 16 Amperes	USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger	USB A+C SOCKET 30 W PD WITH DISPLAY	HDMI 4K SOCKET	RJ - 45 CAT-6/CAT-6A SOCKET	GST MALE / FEMALE CONNECTORS	FLUSH ON/OFF SWITCH

Power Cubby Flap Up

Power Cubby with Flap Up simplifies installation with its quick and simple design. Easy power connection is enabled by shrouded screw terminals, while feed-through multimedia ports provide seamless connectivity. The convenient up-flap function enables effortless access and closure, ensuring a clutter-free workspace. Crafted from durable aluminum alloy, this power cubby seamlessly integrates with various workstation and executive table configurations. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements

SPECIFICATION

Rated Voltage : 250V~Single phase
Rated Current : 6-13Amps (Max)
USB Charger: Type C & A 12, 18, 30 PD Watts
Material : Aluminium, Polycarbonate
Finish Colors : Silver & Black (Anodized)
Wiring : Pre -Wired 300mm Cable With Screwless Connector

MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7008-2U	2	1	1	1	Yes	–	275x87x55	267x67
7008-3U	3	1	1	1	Yes	–	329x87x55	321x67
7008A-2U	2	1	1	1	–	Yes	275x87x55	267x67
7008A-3U	3	1	1	1	--	Yes	329x87x55	321x67

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes | UNIVERSAL SOCKET 6 / 13 Amperes | INDIAN SOCKET 6 / 13 Amperes | UNIVERSAL SOCKET 6 / 16 Amperes | INDIAN SOCKET 6 / 16 Amperes | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | USB A+C SOCKET 30 W PD WITH DISPLAY | HDMI 4K SOCKET | RJ - 45 CAT-6/CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | FLUSH ON/OFF SWITCH |

# Power Cubby Flap Up Wireless

The Power Cubby with Flap Up, featuring an additional wireless charger, simplifies installation with its quick and straightforward design. Shrouded screw terminals facilitate easy power connections, while feed-through multimedia ports ensure seamless connectivity. The convenient up-flap function enables effortless access and closure, ensuring a clutter-free workspace. Crafted from durable aluminum alloy, this power cubby seamlessly integrates with various workstation and executive table configurations. It is customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

SPECIFICATION

Rated Voltage : 250V~Single phase
Rated Current : 6-13Amps (Max)
USB Charger: Type C & A 12, 18, 30 PD Watts
Material : Aluminium, Polycarbonate
Finish Colors : Silver & Black (Anodized)
Wiring : Pre -Wired 300mm Cable With Screwless Connector

MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
7008 SD Qi-2U	2	1	1	1	Yes	–	309x87x55	301x67
7008 SD Qi-3U	3	1	1	1	Yes	–	363x87x55	355x67
7008A SD Qi- 2U	2	1	1	1	–	Yes	309x87x55	301x67
7008A SD Qi-3U	3	1	1	1	--	Yes	363x87x55	355x67

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes | UNIVERSAL SOCKET 6 / 13 Amperes | INDIAN SOCKET 6 / 13 Amperes | UNIVERSAL SOCKET 6 / 16 Amperes | INDIAN SOCKET 6 / 16 Amperes | USB A + C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | USB A + C SOCKET 30 W PD WITH DISPLAY | HDMI 4K SOCKET | RJ - 45 CAT-6/CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | FLUSH ON/OFF SWITCH |

www.mdrelectronics.com

Power Cubby
Flap-Meld Sockets

Power cable cubby featuring melded sockets for seamless cable management, buffer damping for silent operation, and a convenient up-flap design, the Power Flap simplifies installation and enhances user experience. Pre-wired power code and feed-through multimedia connectivity ensure effortless setup, while the up-flap function provides easy access, cable management, and a smooth, quiet operation. Crafted from durable aluminum alloy, this power flap seamlessly integrates into diverse workstation and executive table configurations. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements

SPECIFICATION

Electrical

Rated Voltage : 250V~ Single Phase

Rated Current : 6-13 Amperes (Max)

USB Charger : A+C Type 12, 18, 30 PD Watts

Material : Aluminium, Polycarbonate

Finish Colors : Silver & Black (Anodized)

Wiring : Pre -Wired 300mm Cable With Screwless Connector

Customized : Upon Request

MX No.	Universal Socket 6-13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	USB A Data	VGA 15 Pin	Aux 3.5	Silver	Black	Dimensions (mm)	Cutout (mm)
7009	3	1	1	1	–	–	–	Yes	–	325X160X50	310X148
7009A (Black)	3	1	1	1	–	–	–	–	Yes	325X160X50	310X148

310

325

146

160

50

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes	UNIVERSAL SOCKET 6 / 13 Amperes	INDIAN SOCKET 6 / 13 Amperes	USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger	HDMI 4K SOCKET	RJ - 45 CAT-6/CAT-6A SOCKET	GST MALE / FEMALE CONNECTORS	FLUSH ON/OFF SWITCH

51

Desktop Power Grommet

The Desk Power Grommet is a sophisticated solution designed to enhance workspace efficiency and organization. Seamlessly integrating power outlets and USB charging, it fits precisely into a standard 80mm diameter cutout, ensuring effortless installation, upgrades, and replacements. This innovative in-desk unit features easily accessible Indian or universal sockets, along with USB-A and USB-C ports offering 30W fast charging capabilities. Its adjustable clasp ring ensures a secure fit on desks, tables, and worktops up to 50mm thick, effectively eliminating cable clutter while delivering a streamlined and functional workspace experience.

- Secure Fit for Various Surfaces
- Adaptable Installation
- Clutter-Free Workspace
- Individually Configurable

SPECIFICATION

Rated Voltage : 250V~ Single Phase
Rated Current : 6-13 Amperes
USB Charger : Type A + C 30 Watts PD Fast Charging
Material : Flame Retardent Nylon Glass Field
Finish Colors : Black & White
Wiring : Pre -Wired 300mm Cable With Screwless Connector
Standard pack : Locking clasp ring.
Dimension : 104 x 110 x 79.8 mm
Cutout Dimension: Ø 80 mm

90

74

76

3⅛"

MX No.	Universal Socket 6-13 Amperes	Indian Socket	USB A+C 30 Watts PD	Wireless 15 Watts	Dual Pole Switch 6 Amperes
7071	1	-	Yes	-	Yes
7072	-	1	Yes	-	Yes

Customized Multimedia & Sockets on Request :

INDIAN SOCKET 6 AMP

UNIVERSAL SOCKET 6 / 13 AMP

USB A+C SOCKET
12W (2.4Amp)
18W (3.1Amp)
30 W PD (5Amp)
30 W PD GaN Charger

GST MALE / FEMALE CONNECTORS

Wireless Desktop Power Grommet

The Desk Power Grommet with Wireless Charging is an advanced solution designed to enhance workspace functionality and organization. Seamlessly integrating into a standard 80mm diameter cutout, it allows for hassle-free installation, upgrades, and replacements. This innovative in-desk unit features 15W wireless charging capability, providing a convenient, clutter-free way to power your devices. Its adjustable clasp ring ensures a secure fit on desks, tables, and worktops up to 50mm thick, delivering a sleek and efficient workspace experience.


**MX 7073
BLACK**

**MX 7073
WHITE**

- Secure Fit for Various Surfaces
- Adaptable Installation
- Clutter-Free Workspace
- Individually Configurable

SPECIFICATION

Material : Flame Retardent Nylon Glass Field

Finish Colors : Black & White

Wireless Charger : 15 Watts

Standard pack : Locking clasp ring.

Dimension : 104 x 110 x 79.8 mm

Cutout Dimension: Ø 80 mm

Sockets :

Wireless
15 W

GST
MALE / FEMALE
CONNECTORS

Desktop Power Grommet with Manual Pass Through

The MX 4-way manual cable pass through is a sophisticated, furniture-mounted round cable pass-through, designed for easy installation into table or podium tops. This sleek retractor is ideal for managing up to four cables, with a maximum cable diameter of 8 mm and a minimum strain relief width of 9 mm. A cutout of 80 mm is required for installation. Perfect for maintaining a clean, organized workspace, this cable management solution combines functionality with a polished, professional appearance.

MX 7074
BLACK

MX 7074
WHITE

- Secure Fit for Various Surfaces
- Adaptable Installation
- Clutter-Free Workspace
- Individually Configurable

SPECIFICATION

Material : Flame Retardent Nylon Glass Field

Finish Colors : Black & White
4 Way cable Pass Through
Standard pack : Locking clasp ring.

Dimension : 104 x 110 x 79.8 mm

Cutout Dimension: Ø 80 mm

Pluto Dock

PLUTO redefines power and data connectivity in informal spaces with unparalleled versatility. Its 3 outlets and 180° socket access provide seamless power and device charging for small teams using AC mains plugs, USB-A, and USB-C Power Delivery. This product effortlessly blends style and function to meet the growing demand for easily accessible mobile device charging. Available in polished white, black, silver, and 8 vibrant colors, PLUTO perfectly complements any interior design.

- 180° Socket Access
- Infinitely Customizable
- Versatile Installation
- Radiant LED Glow

SPECIFICATION

Rated Voltage : 250V~ Single Phase
Rated Current : 6-13A
USB Charger : Type A + C 12 / 18/ 30W PD Fast Charging
Material : Polycarbonate
Finish Colors : Black / Red / Yellow / Blue / Orange / White
Wiring : Pre -Wired 300mm Cable With Screw Less Connector
Standard pack : Locking clasp ring.
Dimension : 152 x 149 x 79.5 mm
Cutout Dimension: PCD-120 mm With 3 Screw for Lock

MX No.	Universal or Indian Socket	USB A+C 30 W PD	LED	HDMI or Cat-6
7067	2	1	–	–
7068	2	1	Yes	–
7069	2	–	–	1
7070	2	–	Yes	1

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 AMP | UNIVERSAL SOCKET 6 / 13 AMP | UK SOCKET 13 AMPS | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30W PD (5Amp) 30 W PD GaN Charger | HDMI 4K SOCKET | RJ - 45 CAT-6 / CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS |

www.mdrelectronics.com

Pluto Grommet

PLUTO with Locking clasp ring revolutionizes power and data connectivity in casual environments, offering unmatched versatility. With 3 outlets and 360° socket access, it ensures seamless power and device charging for small teams utilizing AC mains plugs, USB-A, and USB-C Power Delivery. This product seamlessly combines style and functionality to address the increasing need for convenient mobile device charging. Available in polished white, black, silver, and a selection of 8 vibrant colors, PLUTO perfectly harmonizes with any interior design.

- 180° Socket Access
- Infinitely Customizable
- Versatile Installation
- Radiant LED Glow

SPECIFICATION

Rated Voltage : 250V~ Single Phase
Rated Current : 6-13A
USB Charger : Type C & A 12 / 18 / 30 W PD
Material : Polycarbonate
Finish Colors : Black / Red / Yellow / Blue / Orange / White
Wiring : Pre -Wired 300mm Cable With Screw Less Connector
Standard pack : Locking clasp ring.
Dimension : 173 mm x 144 mm
Cutout Dimension: Ø 80 mm

MX No.	Universal or Indian Socket	USB A+C 30 W PD	LED	HDMI or Cat-6
7063	2	1	–	–
7064	2	1	Yes	–
7065	2	–	–	1
7066	2	–	Yes	1

Standard pack : Locking Clasp Ring
Dimension   : 152 x 149 x 79.5mm
Cutout Dimension : 80mm

152
76
149
79,5

Cut-Out Size
Ø80 mm

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 AMP | UNIVERSAL SOCKET 6 / 13 AMP | UK SOCKET 13 AMPS | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30W PD (5Amp) 30 W PD GaN Charger | HDMI 4K SOCKET | RJ - 45 CAT-6 / CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS |

Power Post Push-Up

The Power Post Push-Up features a hydraulic bar pop-up mechanism for effortless pop-up functionality just press down to activate. This innovative design combines universal electrical outlets with efficient charging options, making it perfect for compact spaces. With a sleek 65mm diameter, it seamlessly raises or lowers with a simple press. It offers comprehensive connectivity and is equipped with USB-A ports, a 20W USB-C port with Power Delivery for rapid charging, HDMI 4K, and RJ-45 sockets. This compact, retractable solution is ideal for powering devices in homes, offices, and commercial settings.

SPECIFICATION

2 Universal 6/13 Amperes Power Socket
With 3 x 1.5 mm^2 Cord 1.6 Meter
Ø170 x 280 mm Length
Cut Out Size - Ø65 mm

- MX 7078   - BLACK
- MX 7078A - WHITE
- MX 7078B - SILVER

SPECIFICATION

1 Universal 6/13 Ampere Power Socket
1 USB A + C 20W PD
Charger With 3 x 1.5 mm^2 Cord 1.6 Meter
Ø170 x 280 mm Length
Cut Out Size - Ø65 mm

- MX 7079   - BLACK
- MX 7079A - WHITE
- MX 7079B - SILVER

SPECIFICATION

2 Universal 6/13 Ampere Power Socket
1 USB A + C 20W PD
Charger With 3 x 1.5 mm^2 Cord 1.6 Meter
Ø230 x 385 mm Length
Cut Out Size - Ø65 mm

- MX 7080   - BLACK
- MX 7080A - WHITE
- MX 7080B - SILVER

| MX No.	Universal or Indian Socket	USB A+C 30 W PD	HDMI or Cat-6	WIRELESS CHARGING
7078	2	-	-	-
7079	1	1	-	-
7080	2	1	-	-

65

Power Post Push-Up Wireless

The Power Post Push-Up Wireless includes 15W wireless charging, offering a convenient, cable-free power solution. Featuring a hydraulic bar mechanism for effortless pop-up functionality, it activates with a simple press. This innovative design combines universal electrical outlets with efficient charging options, making it perfect for compact spaces. With a sleek 65mm diameter, it seamlessly raises or lowers as needed. It offers comprehensive connectivity with USB-A ports, a 20W USB-C port with Power Delivery for rapid charging, HDMI 4K, and RJ-45 sockets. This compact, retractable solution is ideal for powering devices in homes, offices, and commercial settings.

SPECIFICATION

2 Universal 6/13 Ampere Power Socket
1 USB A + C 20W PD Charger
1 Top Wireless Charger 15W
3 x 1.5 mm^2 Cord 1.6 Meter
Ø230 x 385 mm Length
Cut Out Size - Ø64 mm

- MX 7081 Qi - BLACK
- MX 7081A Qi - WHITE
- MX 7081B Qi - SILVER

SPECIFICATION

2 Universal 6/13 Ampere Power Socket
1 HDMI (4K) W/Cable
1 RJ-45 (CAT 6) W/Cable
1 Top Wireless Charger 15W
With 3 x 1.5 mm^2 Cord 1.6 Meter
Ø230 x 385 mm Length
Cut Out Size - Ø64 mm

- MX 7082 Qi   - BLACK
- MX 7082A Qi - WHITE
- MX 7082B Qi - SILVER

SPECIFICATION

1 Universal 6/13 Ampere Power Socket
1 USB A + C 20W PD Charger
1 HDMI (4K) W/Cable
1 RJ-45 (CAT 6) W/Cable
1 Top Wireless Charger 15W
With 3x1.5 mm^2 Cord 1.6 Meter
Ø230 x 385 mm Length
Cut Out Size - Ø65 mm

- MX 7083 Qi   - BLACK
- MX 7083A Qi - WHITE
- MX 7083B Qi - SILVER

| MX No.	Universal or Indian Socket	USB A+C 30 W PD	HDMI or Cat-6	WIRELESS CHARGING
7081 Qi	2	1	-	Yes
7082 Qi	2	-	1	Yes
7083 Qi	1	1	1	Yes

Power Post Push-Up Wireless

The Power Post comes with a hydraulic bar pop-up mechanism, simply push the top panel to pop the unit up for use. A unique product for electrical outlets and charging electronic devices, by using patch cord or wireless. The wireless feature is compatible with all devices that comply with Qi standards. This product delivers 3 universal electrical receptacles, 1 USB A type & 1 USB C type with power delivery 20 Watts and a wireless charger on top

SPECIFICATION

Rated Voltage : 250V~ Single Phase
Rated Current : 6-13A
Universal Sockets : 6/10/13Amps x 3
USB Charger : 1 USB ports A type 20 Watts (Single Use)
USB Charger : 1 USB ports C type 20 Watts (Single Use)
Wireless Charger : 15 Watts
Material : Polycarbonate
Finish Colors : Glass Black
Wiring: 3 x 1mm² Cable 1.5 meter with 6 Amps Plug.
Standard pack : Locking clasp ring.
Dimension : Ø 128 mm x 160 mm
Cutout Dimension: Ø 110mm

GLASS BLACK
MX 7011

128
104
160
108

# Power Post Touch-Up Wireless Feather Touch Light

The Power Post sets itself apart with its unique touch-activated pop-up mechanism, allowing you to easily access power by simply "figuring touching" the switch icon on the top panel. This innovative unit combines both wired and wireless charging capabilities, featuring four universal electrical outlets, two high-power USB-A ports (3.0Amps), two USB-C ports with Power Delivery (30W), and a Qi-compatible wireless charging pad on top (15W). Its compact, retractable design, built from durable engineered polycarbonate, makes it the perfect multi-functional solution for charging multiple devices at home, offices, and commercial counters, maintaining a clean and organized workspace.

SPECIFICATION

Rated Voltage : 250V~ Single Phase
Rated Current : 6-13A
Universal Sockets : 6/10/13Amps x 4
USB Charger : 2 USB ports A type 20 Watts (Single Use)
USB Charger : 2 USB ports C type 20 Watts (Single Use)
Wireless Charger : 15 Watts
Material : Polycarbonate
Finish Colors : Glass Black
Wiring: 3 x 1mm² Cable 1.8 mtrs with 6 Amps Plug.
Standard pack : Locking clasp ring.
Dimension : Ø 145 mm x 120 mm
Cutout Dimension: Ø 120mm

GLASS BLACK
MX 7012

120
115
200
113

Furniture Nested Power Recepatacles

Furni Nested Power Receptacles with a hydraulic bar pop-up mechanism discreetly integrate power and charging solutions into your furniture without compromising its design aesthetic. The customizable surround frame blends seamlessly with your décor, ensuring a perfect match. This versatile product offers universal power sockets, fast-charging USB-C and USB-A ports (30W total PD), and optional Cat6 data or HDMI ports to cater to your connectivity needs.

SPECIFICATION

Rated Voltage : 250V~ Single Phase

Rated Current : 6-13A

Universal Sockets : 6/10/13Amps x 4

USB Charger : 2 USB ports A type 15 Watts (Single Use)

USB Charger : 1 USB ports C type 15 Watts (Single Use)

USB Volt/Current : 5V/3.1Amps

Material : Polycarbonate

Finish Colors : MX 7010 - Glass Silver Grey,

MX 7010A - Glass Black & MX 7010B - Glass White

Wiring : 3 x 1 mm² Cable 1.8 meter with 6 Amps Plug.

Standard pack : Locking clasp ring.

Dimension: Ø 92 mm x 173 mm

Cutout Dimension: Ø 90 mm

- MX 7010
- MX 7010A
- MX 7010B

GLASS GRAY

92

173

87

Furniture Push-Up Mini Wireless

The Power Post boasts a hydraulic bar pop-up mechanism for easy activation by simply pushing the top panel. This versatile product caters to your wireless charging needs, featuring a 15W Qi-compatible wireless charging pad on top. Additionally, it offers convenient charging options for wired devices with a 15W USB-A port and a 20W USB-C port with Power Delivery. The compact, retractable design, crafted from high-grade engineered polycarbonate, makes it multi-functional and ideal for charging various devices at home and office, ensuring a clean and organized workspace.

- Spring-Loaded Pop-Up Mechanism
- Wireless Charging
- Versatile Wired Charging Options
- Compact and Retractable Design

SPECIFICATION

Rated Voltage : 250V—Single Phase

USB Charger : USB C 20W + A 18W Ports

Wireless Charger : 15W

Material : Polycarbonate

Finish Colors : White

Wiring : DC 24V (Max) 5.5 X 2.1 mm

Standard pack : With Adaptor

Dimension : 75mm x 113 mm

Cutout Dimension : Ø 62 mm

MX 7018

CUT-OUT SIZE - Ø62 mm.

75

54

110

95

58

59,5

8,2

NO SMOKING AREA

Solo Power Manager

The Solo Power Manager is a compact, single-outlet power solution designed to enhance any solo workspace. It offers a universal electrical receptacle, fast-charging USB-A and USB-C ports (30W total), Cat 6 networking, and an HDMI port, making it ideal for home offices, studios, study tables, bedside tables, leisure sofas, and more. This versatile unit can be panel-mounted to any surface, bringing essential power and connectivity right where you need it.

SPECIFICATION

Rated Voltage : 250V~Single phase

Rated Current : 6-13 Amperes (Max)

USB Charger : A+C 12, 18, 30 PD Watts

Material : Polycarbonate

Finish Colors : Black & Silver

Wiring : Pre -Wired 300mm Cable With Screwless Connector

Configuration

1 Universal Socket ,

1 USB A+ C 30W Fast Charging,

1 Cat 6 & 1 HDMI

Dimension: 220 X 58 X 45 MM

Cutout Dimension: Cut Size - 195 X 50 (R-25)MM

Customized : Upon Request

MX No.	Universal Socket 6-13 Amperes	2 USB A + C 30 Watts	Data Cat	HDMI 4K	Silver	Black	Dimensions (mm)	Cutout (mm)
			OPTIONAL					
7014	1	1	1	1	--	Yes	202 x 56.5 x 48	195 X 50
7014 A (Silver)	1	1	1	1	Yes	--	202 x 56.5 x 48	195 X 50

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 AMP | UNIVERSAL SOCKET 6 / 13 AMP | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | HDMI 4K SOCKET | RJ - 45 CAT-6 / CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS |

Furniture Nested Power Recepatacles

Furniture Nested Power Receptacles discreetly integrate power and charging solutions into your furniture without compromising the design aesthetic. The customizable surround frame blends seamlessly with your décor, ensuring a perfect match. This versatile product offers universal power sockets, fast-charging USB-C and USB-A ports (30W total PD), and optional Cat6 data or HDMI ports, catering to your connectivity needs.


SPECIFICATION

Rated Voltage : 250V~Single Phase

Rated Current : 10 Amperes (Max)

USB Charger : USB C+ A Ports PD 18-30 Watts

Material : Polycarbonate

Finish Colors : Surround Frame

Black / Silver / Wooden

Customized Finish : Available upon request

Wiring : Pre -Wired 300mm Cable With Screwless Connector

Standard pack : With Surround Plate

Standard Configuration: 2 Universal Sockets & USB Charger, A+C PD 18-30 Watts, Cat 6 / Cat 6A or HDMI (Optional)

Dimension : 182mm x 57.5mm x 43mm

Cutout Dimension: 156mm x 50mm

MX No.	Colors	Universal Socket 6-13 Amperes	USB A & C 30 Watts	CAT 6 OR HDMI	Dimensions (mm)	Cutout (mm)
7015	Receptacles Black	02	Yes	Yes	182 x 58 x 43	156 x 50
7016	Receptacles Silver Decor	02	Yes	Yes	182 x 58 x 43	156 x 50
7017	Receptacles Wooden Decor	02	Yes	Yes	182 x 58 x 43	156 x 50

Note : CAT 6 / CAT 6A or HDMI Port Optional

CUT-OUT SIZE - 156x50

182

45

155

58

48

Customized Multimedia & Sockets on Request :

INDIAN SOCKET 6 AMP

UNIVERSAL SOCKET 6 / 13 AMP

USB A+C SOCKET
12W (2.4Amp)
18W (3.1Amp)
30 W PD (5Amp)
30 W PD GaN Charger

HDMI 4K SOCKET

RJ - 45 CAT-6 / CAT-6A SOCKET

GST MALE / FEMALE CONNECTORS

Flip Top Push

The MX Flip Top Push is a sleek and versatile solution that powers workspaces easily and efficiently. With a simple press, the flap opens seamlessly to reveal a range of connectivity options. It features 2 universal or Indian sockets, USB-A + USB-C ports offering charging options from 12W to 30W with GaN support, along with RJ-45 (CAT-6) and HDMI 4K connectivity. An integrated 6 Amp switch adds convenience, making this unit ideal for powering, charging, and connecting in professional or personal work environments.

- Effortless Access
- Comprehensive Ports
- Integrated Control
- Customizable Sizes Available

SPECIFICATION

2 Universal 6/13 Ampere Or
Indian 6 Ampere Power Socket
1 USB A + C
1 RJ-45 (CAT 6)
1 HDMI (4K)
Switch 6 Ampere
Finish Colors : Black & White
Pre Wired 300 mm with Screwless Connector

241.40

Flip Top Push Wireless

The MX Flip Top Push wireless is a sleek and versatile solution that powers workspaces with ease and efficiency. It features 15W wireless charging for fast, cable-free convenience. With a simple press, the flap opens seamlessly to reveal a range of connectivity options, including 2 universal or Indian sockets, USB-A + USB-C ports with charging options from 12W to 30W and GaN support, as well as RJ-45 (CAT-6) and HDMI 4K connectivity. An integrated 6 Amp switch adds to its functionality, making it ideal for powering, charging, and connecting in professional or personal work environments.

- Wireless charging
- Effortless Access
- Comprehensive Ports
- Integrated Control
- Customizable Sizes Available

SPECIFICATION

2 Universal 6/13 Ampere Or
Indian 6 Ampere Power Socket
1 USB A + C
1 RJ-45 (CAT 6)
1 HDMI (4K)
Switch 6 Ampere
Finish Colors : Black & White
Pre Wired 300 mm with Screwless Connector

75.00
320.90

CUT-OUT SIZE
52.00
253.00
43.50
47.70
54.00
50.00

MX No.	Universal or Indian Socket	USB A+C	HDMI 4K Socket	RJ-45 Cat 6	WIRELESS CHARGING
7105	2	1	1	1	-
7106 Qi	2	1	1	1	1

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes | UNIVERSAL SOCKET 6 / 13 Amperes | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | USB A+C SOCKET 30 W PD WITH DISPLAY | HDMI 4K SOCKET | RJ - 45 CAT-6/CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | FLUSH ON/OFF SWITCH |

www.mdrelectronics.com

Aero Flip

The MX Aero flip is a sophisticated and versatile solution designed to streamline workspace power and connectivity needs. With a simple press, its flap opens seamlessly to reveal an array of features, including 2 universal or Indian sockets, USB-A and USB-C ports supporting 12W to 30W charging with GaN technology, as well as RJ-45 (CAT-6) and HDMI 4K connectivity. This innovative unit is ideal for efficient powering, charging, and connectivity in both professional and personal environments.

- Seamless Access
- Comprehensive Charging Options
- Versatile Connectivity
- Customizable Sizes Available

SPECIFICATION

2 Universal 6/13 Ampere Or
Indian 6 Amper Power Socket
1 USB A + C
1 RJ-45 (CAT 6)
1 HDMI (4K)
Finish Colors : Black & White
Pre Wired 300mm with Screwless Connector

177.00
258.00

Aero Flip With GST Connector

The MX Aero flip is a sophisticated and versatile solution designed to streamline workspace power and connectivity needs. With a simple press, its flap opens seamlessly to reveal an array of features, including 2 universal or Indian sockets, USB-A and USB-C ports supporting 12W to 30W charging with GaN technology, RJ-45 (CAT-6), and HDMI 4K connectivity. Additionally, it includes GST connectors for easy integration with modular furniture systems. This innovative unit is ideal for efficient powering, charging, and connectivity in both professional and personal environments.

- GST connectors
- Seamless Access
- Versatile Connectivity
- Customizable Sizes Available

GST Connector

SPECIFICATION

2 Universal 6/13 Ampere Or
Indian 6 Ampere Power Socket
1 USB A + C
1 RJ-45 (CAT 6)
1 HDMI (4K)
Finish Colors : Black & White

CUT-OUT SIZE

177.00
258.00

140.54
90.00
165.00
177.00

MX No.	Universal or Indian Socket	USB A+C	HDMI 4K Socket	RJ-45 Cat 6	GST Connector
7103	2	1	1	1	-
7104	2	1	1	1	1

Customized Multimedia & Sockets on Request :

INDIAN SOCKET 6 Amperes	UNIVERSAL SOCKET 6 / 13 Amperes	USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger	USB A+C SOCKET 30 W PD WITH DISPLAY	HDMI 4K SOCKET	RJ - 45 CAT-6/CAT-6A SOCKET	GST MALE / FEMALE CONNECTORS	FLUSH ON/OFF SWITCH

www.mdrelectronics.com

Comfort Turn Pop-up

The MX Comfort turn pop-up box features a rotating design, activated by a hidden button, allowing you to easily reveal or conceal the socket outlets. When closed, it sits flush with the surface, offering an unobtrusive look when not in use. This design simplifies installation and enhances functionality, particularly in conference and boardroom tables. Crafted from durable aluminum alloy, it includes 2 universal or Indian sockets, USB-A and USB-C ports (12W to 30W charging, GaN support), RJ-45 (CAT-6), HDMI 4K connectivity, and 2 customizable blank plates. An integrated 6 Amp switch adds convenience, making it ideal for powering, charging, and connecting in both professional and personal spaces.

- Effortless Operation
- Comprehensive Connectivity
- Durable Design
- Customizable Sizes Available

SPECIFICATION

2 Universal 6/13 Ampere or
Indian 6 Ampere Power Socket
1 USB A + C
1 RJ-45 (CAT 6)
1 HDMI (4K)
2 Blank Plate
Switch 6 Ampere
Pre Wired 300 mm Screwless Connector

Comfort Turn Pop-up With GST Connector

The MX Comfort turn pop-up box features a rotating design, activated by a hidden button, allowing you to easily reveal or conceal the socket outlets. When closed, it sits flush with the surface, offering an unobtrusive look when not in use. This design simplifies installation and enhances functionality, particularly in conference and boardroom tables. Crafted from durable aluminum alloy, it includes 2 universal or Indian sockets, USB-A and USB-C ports (12W to 30W charging, GaN support), RJ-45 (CAT-6), HDMI 4K connectivity, and 2 customizable blank plates. An integrated 6 Amp switch & GST connectors add convenience, making it ideal for powering, charging, and connecting in both professional and personal spaces.

- GST connectors
- Effortless Operation
- Comprehensive Connectivity
- Customizable Sizes Available

SPECIFICATION

2 UNIVERSAL 6/13 Ampere or
Indian 6 Ampere Power Socket
1 USB A + C
1 RJ-45 (CAT 6)
1 HDMI (4K)
2 Blank Plate
Switch 6 Ampere

CUT-OUT SIZE

MX No.	Universal or Indian Socket	USB A+C	HDMI 4K Socket	RJ-45 Cat 6	GST Connector
7101	2	1	1	1	-
7102	2	1	1	1	1

Customized Multimedia & Sockets on Request :

INDIAN SOCKET 6 Amperes	UNIVERSAL SOCKET 6 / 13 Amperes	USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger	USB A+C SOCKET 30 W PD WITH DISPLAY	HDMI 4K SOCKET	RJ - 45 CAT-6/CAT-6A SOCKET	GST MALE / FEMALE CONNECTORS	FLUSH ON/OFF SWITCH

Duplex Access Flap

The Duplex Access flaps are designed for seamless integration and effortless access to power sources. An integrated frame and double-sided cover plate provide convenient dual-sided access, ensuring flexibility in any workspace. The inclusion of buffer-damping technology enables silent opening and closing, preserving a calm and focused environment. Compatible with integrated and bottom box configurations, these flaps are versatile and well-suited for various applications, including workstations, meeting tables, conference tables, executive desks, and classroom furniture.

Dual-Sided Access
Silent Operation
Versatile Compatibility
Customizable Sizes Available

Allow Access To Power & Data
From Both Side
Finish Colors : Black & White

MX 7107   - 300 mm
MX 7107A - 450 mm
MX 7107B - 600 mm

2 WAY ACCESS

52.0

154.0

170.0

170.0

300.0

CUT-OUT SIZE

196.0

288.0

Cable Cubby Box

The MX Cable Cubby is ideal for furniture AV connectivity, power, and cable management. These durable, furniture-mountable enclosures integrate seamlessly with any décor and are easy to install, with many featuring a tool-free clamp system. They support MX Cable Cubby Retractor Series retraction modules and offer an optional wireless charging feature for efficient device powering. It is fully customizable in sockets and ports and is perfect for boardrooms, classrooms, and collaborative spaces. Its sleek, clutter-free design ensures easy access to power, data, and AV connections, promoting a streamlined and organized workspace.

- Effortless Access
- Flexible Customization
- Versatile Integration
- Optional Wireless Charging

MX No.	Universal or Indian Socket	USB A+C 30 W PD	HDMI or Cat-6	PASS THROUGH	WIRELESS CHARGING
CC 500	2	-	-	1	-
CC 501	1	1	-	1	-
CC 501 Qi	1	1	-	1	1
CC 502	2	1	1	-	-
CC 502 Qi	2	1	1	-	1

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes | UNIVERSAL SOCKET 6 / 13 Amperes | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger | HDMI 4K SOCKET | RJ - 45 CAT-6/CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | SWITCH 6/16 Amps |

Cable Cubby Box

The MX Cable Cubby is ideal for furniture AV connectivity, power, and cable management. These durable, furniture-mountable enclosures integrate seamlessly with any décor and are easy to install, with many featuring a tool-free clamp system. They support MX Cable Cubby Retractor Series retraction modules and offer an optional wireless charging feature for efficient device powering. It is fully customizable in sockets and ports and is perfect for boardrooms, classrooms, and collaborative spaces. Its sleek, clutter-free design ensures easy access to power, data, and AV connections, promoting a streamlined and organized workspace.

- Effortless Access
- Flexible Customization
- Versatile Integration
- Optional Wireless Charging

CUT-OUT SIZE

| MX No.	Universal or Indian Socket	USB A+C 30 W PD	HDMI or Cat-6	PASS THROUGH	WIRELESS CHARGING
CC 700	2	-	-	2	-
CC 701	2	1	1	1	-
CC 701 Qi	2	1	1	1	1
CC 702	1	2	1	1	-
CC 702 Qi	1	2	1	1	1

Customized Multimedia & Sockets on Request :

INDIAN SOCKET 6 Amperes	UNIVERSAL SOCKET 6 / 13 Amperes	USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger	HDMI 4K SOCKET	RJ - 45 CAT-6/CAT-6A SOCKET	GST MALE / FEMALE CONNECTORS	SWITCH 6/16 Amps

Cable Cubby Retractor

The MX Cable Retractor with cable-speed Control is an innovative solution designed to enhance AV and workspace management with efficiency and elegance. Compatible with Cable Cubby, it offers high-performance cables, including HDMI 4K, RJ-45 (CAT 6), and USB-C (8K & PD 100W) for power and data transfer. The retractor features a user-friendly speed control mechanism, allowing cables to retract easily at the press of a button, keeping your workspace neat and clutter-free.

- Effortless Cable Management
- Versatile Connectivity
- Easy Control

MX 8000

HDMI 4K Cable
3.75 Meter

MX 8001

RJ-45 (CAT 6) Cable
3.75 Meter

MX 8002

USB C For Data & Power
(8K & 100W) Cable, 3.75 Meter

CAN BE INSTALLED VERTICALLY OR HORIZONTALLY UNDER TABLE

MX 8003

Flip Up With Cable Retractor
1 HDMI (4K) + 1 RJ-45 (CAT 6)
1 USB C (8K & 100W)

MX 8004

Retractor Filler
With Pass Through

MX 8005

Retractor C Bracket
With Screw

www.mdrelectronics.com

Wing Black Cable Guide

The MX Wing is an innovative solution designed for easy installation of power connections in any standard kitchen drawer, providing secure cable management and preventing cables from becoming jammed or damaged. By utilizing the space behind the drawer, it frees up valuable work surface area. The Wing supports both wooden and metal drawer back panels, offering two cable guide options—clamping or screwing—ensuring compatibility with various cable types, including HDMI, LAN, and power cables. As a built-in solution, the Wing is discreetly positioned behind any drawer or pull-out shelf. Its articulated arm can be mounted in multiple orientations (left, right, horizontally, or vertically), providing flexible installation in any part of the furniture.

MX 7100

SECURE & EFFICIENT CABLE MANAGEMENT FOR FURNITURE

- Secure Cable Management
- Versatile Mounting Options
- Efficient Space Utilization
- Multi-Purpose Design:

TOP VIEW

11.0   11.0

BACK SIDE

20.0

272.0

306.0

BOTTOM SIDE

8.0   4.0

11.0

21.0   16.0

306.0

Docksquare

The MX Docksquare is thoughtfully engineered to streamline installation and enhance functionality in study tables and office workstations. Featuring BIS-approved sockets, it enables seamless connectivity and efficiently consolidates essential workplace connections within easy reach on the desktop. The unit includes 2 universal or Indian BIS-approved sockets, USB-A and USB-C ports with 12W to 30W charging and GaN support, RJ-45 (CAT-6), and HDMI 4K connectivity, along with a 6 Amp dual-pole switch and screwless connectors. This versatile solution is ideal for powering, charging, and connecting devices in both professional and personal environments.

- Compact & Convenient
- Versatile Compatibility
- Enhanced Safety & Efficiency
- Customizable Sizes Available

SPECIFICATION

2 UNIVERSAL 6/13 Ampere or
Indian 6 Ampere Power Socket
1 USB A + C
1 RJ-45 (CAT 6)
1 HDMI (4K)
Dual Pole Switch 6 Ampere
Finish Colors : Black & grey

MX No.	Universal or Indian Socket	Indian Standard 6/16 Amp	USB A+C 30 W PD	HDMI or Cat-6
7108	2	-	1	1
7109	-	2	1	1

Customized Multimedia & Sockets on Request :

INDIAN SOCKET 6 Amperes	UNIVERSAL SOCKET 6 / 13 Amperes	INDIAN SOCKET 6 / 16 Amperes	USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger	HDMI 4K SOCKET	RJ - 45 CAT-6/CAT-6A SOCKET	GST MALE / FEMALE CONNECTORS	SWITCH 6/16 Amps

Motorized Turn Pop Up

Motorized Turn Plug & Play Pop-Up Boxes revolutionize conference and boardroom tables with their quick and simple installation process. Pre-wired patch-in and patch-out cables make connectivity a breeze, while the motorized function offers convenient panel opening and closing. Break beam sensors ensure safety by preventing accidental closure while the product is in use. Crafted from sleek aluminum alloy, these pop-up boxes seamlessly integrate into your meeting space aesthetic.

SPECIFICATION

Rated Voltage : 250V~ Single-phase
Rated Current : 6-13 Amperes (Max)
USB Charger : Type A&C Ports 18W
Material : Aluminum, Polycarbonate
Finish Colors : Silver & Black (Anodized)
Wiring : 3 x 1 mm² Cable 1.5 meter with 6 Amps Plug.
Multimedia : Pre-connected Cable
Standard Pack : Mounting Hardware
Sensor for protection

MX No.	Universal Socket 6/13 Amperes	2 USB A + C 18 Watts	RJ-45 Cat 6	RJ-11 Cat 3	HDMI 4K	USB A Data	Silver	Black	Dimensions (mm)	Cutout (mm)
7000	3	1	1	1	1	-	Yes	–	435x110x103	405x104
7000A (Black)	3	1	1	1	1	-	–	Yes	435x110x103	405x104
7000B	3	1	1	1	1	1	Yes	–	460x110x103	430x104
7000C (Black)	3	1	1	1	1	1	--	Yes	460x110x103	430x104

Motorized Turn Meld Wireless

Motorized Turn melded wireless Plug & Play Pop-Up Boxes represent a unique innovation for conference and boardroom tables, offering both quick and simple installation and a seamless blend of wired and wireless charging capabilities. Pre-wired patch-in and patch-out cables ensure effortless connectivity, while the motorized function allows for convenient panel opening and closing. Qi-compatible wireless charging ensures compatibility with all your devices, eliminating the need for unsightly cables. Break beam sensors provide an extra layer of safety by preventing accidental closure during use. Crafted from sleek aluminum alloy, these pop-up boxes integrate seamlessly into your meeting space, maintaining a modern and professional aesthetic.

SPECIFICATION

Mx Artical No.: 7000 D (Silver) / 7000 E (Black)
Rated Voltage : 250V~ Single-phase
Rated Current : 6-13 Amperes (Max)
USB Charger : Type A&C Ports 18W
Wireless Charger : 15 Watts
Material : Aluminium, Polycarbonate
Finish Colors : Silver & Black
Wiring : 3 x 1 mm² Cable 1.5 meter with 6 Amps Plug.
Multimedia : Pre-connected cables
Standard pack : Mounting Hardware Sensor for protection

MX No.	Universal Socket 6/13 Amperes	2 USB A + C 18 Watts	Data Cat	HDMI 4K	Dimensions (mm)	Cutout (mm)
7000D	2	1	1	1	445X120X100	430X105
7000E	2	1	1	1	445X120X100	430X105

Manual Turn Pop Up

Manual Plug & Play Pop-Up Boxes simplify installation in conference and boardroom tables. Pre-wired patch-in and patch-out cables ensure effortless connectivity, while the simple turnaround function allows for convenient panel opening and closing. Constructed of durable aluminum alloy, these pop-up boxes seamlessly integrate into your meeting space, offering a modern and functional solution.

SPECIFICATION

Rated Voltage : 250V~
Rated Current : 6-13Amps (Max)
USB Charger : Type A & C Ports 18W
Material : Aluminum, Polycarbonate
Finish Colors : Silver & Black (Anodized)
Wiring : 3 x 1 mm ^{2} Cable 1.5 meter with 6 Amps Plug.
Multimedia : Pre-connected cables
Standard Pack : Mounting Hardware

MX No.	Universal Socket 6-13A	2 USB A + C 18 W	HDMI 4K	USB A Data	RJ-45 Cat 6	RJ-11 Cat 3	Silver	Black	Dimensions (mm)	Cutout (mm)
7001	3	1	1	1	2	1	Yes	–	400x110x103	370x104
7001A (Black)	3	1	1	1	2	1	–	Yes	400x110x103	370x104

A

B

110

103

102

Hydraulic Pop Up

Hydraulic Plug & Play Pop-Up Boxes facilitate quick and simple installation with pre-wired patch-in and patch-out cables for effortless connectivity. A convenient press button function allows for easy panel opening and closing, while the sleek aluminum alloy construction seamlessly integrates into conference and small meeting room tables.

SPECIFICATION

Rated Voltage : 250V~
Rated Current : 6-13Amps (Max)
Material : Aluminium, Polycarbonate
Finish Colors : Silver & Black (Anodized)
Wiring : 3 x 1 mm? Cable 1.5 meter with 6 Amps Plug.
Multimedia: Pre-connected cables

MX No.	Universal Socket 6-13A	2 USB A + C 18 W	Data Cat	HDMI 4K	USB A Data	VGA 15 Pin	Aux 3.5	Silver	Black	Dimensions (mm)	Cutout (mm)
7002	2	–	2	1	1	1	1	Yes	–	265x118x70	225x110
7002A (Black)	2	--	2	1	1	1	1	–	Yes	265x118x70	225x110

223

265

70

108

118

Access Flaps

The Access flaps offer seamless integration and convenient access to power sources. Featuring an integral frame and cover plate, these flaps provide single or dual-sided access to outlets, ensuring flexibility in your workspace. Additionally, buffer damping ensures silent opening and closing, maintaining a peaceful environment. These flaps are compatible with both integrated and bottom box configurations, making them suitable for a wide range of applications, including workstations, meeting room tables, conference tables, executive tables, and even classroom desks.

ACCESS FLAP WITH GASKET
7019 / 7023 / 7027

ACCESS FLAP WITH BRUSH
7020 / 7024 / 7028

SOFT CLOSE

USB A+C
PORT

ACCESS FLAP WITH BRUSH
1 USB A + 1 USB C 12 / 18 / 30W PD
7022 / 7026 / 7030

ACCESS FLAP WITH GASKET
1 USB A + 1 USB C 12 / 18 / 30W PD
7021 / 7025 / 7029

MX No.	Gasket	Brush	USB A+C	AL	Size (mm)	Dimensions With End Cap (mm)	Cutout (mm)
7019	Yes	–	–	Yes	300 mm	334 X 150 X 28	316 X 134
7020	–	Yes	–	Yes	300 mm	347 X 150 X 28	316 X 134
7021	Yes	–	Yes	Yes	300 mm	347 X 150 X 28	330 X 134
7022	–	Yes	Yes	Yes	300 mm	485 X 150 X 28	330 X 134
7023	Yes	–	–	Yes	450 mm	485 X 150 X 28	466 X 134
7024	–	Yes	–	Yes	450 mm	485 X 150 X 28	466 X 134
7025	Yes	–	Yes	Yes	450 mm	497 X 150 X 28	480 X 134
7026	–	Yes	Yes	Yes	450 mm	497 X 150 X 28	480 X 134
7027	Yes	–	–	Yes	600 mm	640 X 150 X 28	616 X 134
7028	–	Yes	–	Yes	600 mm	640 X 150 X 28	616 X 134
7029	Yes	–	Yes	Yes	600 mm	650 X 150 X 28	630 X 134
7030	--	Yes	Yes	Yes	600 mm	650 X 150 X 28	630 X 134

Customized Multimedia & Sockets on Request :

USB A+C
SOCKET
12W (2.4Amp)
18W (3.1Amp)
30 W PD (5Amp)
30 W PD GaN Charger

Access Flaps

The Access flap features an integrated frame and soft closure, offering single-sided access to an electrical outlet while seamlessly blending into your workspace. Its compatibility with an integrated bottom box provides additional flexibility, and USB charging ports conveniently located on the side cap ensure effortless charging for your electronic devices. This versatile flap is ideal for various applications, including workstations, meeting room tables, conference tables, supervisor desks, and even classroom desks, enhancing functionality and accessibility in any environment.

ACCESS FLAP SINGLE SOFT CLOSE
7003 / 7003 A / 7003 B
7004 / 7004 A / 7004 B

ACCESS FLAP PC
7007 / 7007 A / 7007 B

ACCESS FLAP DOUBLE
7006 / 7006 A

MX No.	Soft Close	AL	PC	Silver	Black	White	Size	Dimensions (mm)	Cutout (mm)
7003	Yes	Yes	–	Yes	–	–	300 mm	300 x 127 x 30	290 x 110
7003 A	Yes	Yes	–	–	Yes	–	300 mm	300 x 127 x 30	290 x 110
7003 B	Yes	Yes	–	–	–	Yes	300 mm	300 x 127 x 30	290 x 110
7004	Yes	Yes	–	Yes	–	–	450 mm	450 x 127 x 30	440 x 110
7004 A	Yes	Yes	–	–	Yes	–	450 mm	450 x 127 x 30	440 x 110
7004 B	Yes	Yes	–	–	–	Yes	450 mm	450 x 127 x 30	440 x 110
7006	–	Yes	–	Yes	–	–	300 mm	300 x 127 x 30	290 x 110
7006 A	–	Yes	–	Yes	–	–	450 mm	450 x 127 x 30	440x 110
7007	–	–	Yes	Yes	–	–	300 mm	300 x 127 x 30	290 x 110
7007 A	–	–	Yes	–	Yes	–	300 mm	300 x 127 x 30	290 x 110
7007 B	--	--	Yes	--	--	Yes	300 mm	300 x 127 x 30	290 x 110

MX-7003/A/B
290 mm
300 mm
110 mm
127 mm
30

MX-7006A
440 mm
450 mm
110 mm
127 mm
30

MX-7004/A/B
440 mm
450 mm
110 mm
127 mm
30

MX-7007/A/B
300 mm
290 mm
110 mm
127 mm
30

MX-7006
290 mm
300 mm
110 mm
127 mm
30

CABLE ORGANISER
& CABLE MANAGEMENT

DESIGNER CABLE ORGANIZER

MX 2762 - 4 WAY
MX 2763 - 6 WAY
MX 2764 - 8 WAY
Finish Colors : Black, Silver, Rose Gold
Length : 0.76   Mtrs (16 Pcs)

PROFESSIONAL CABLE ORGANIZER

MX 2696
Finish Colors : Black, Gray, Ivory
Length : 1.5 Mtrs to 50 Mtrs

ROBOT CABLE ORGANIZER

MX 2816
Finish Colors : Black, Gray, Ivory
Length : 75 CMS (48 Pcs)

MX 2817
T Type 3 Way Cable Organizer
Finish Colors : Black & Gray

UNDER DESK CABLE MANAGEMENT TRAY

Finish Colors : Black
Length : 0.28 to 1.5 Meters

Power Distribution Unit (PDU)

FLEXIBLE MOUNTING OPTION
CAN INSTALL AT ANY ANGLE AS PER YOUR NEED

MX 4240
MULTI ANGLE PDU
4 Universal Power Socket 6 Ampere
with Dual Pole Switch 6 Ampere
0.75 sq. mm ISI Marked Cord - 1.5 Mtr

MX 4238
MULTI ANGLE PDU
4 Indian Power Socket 6 Ampere
with Dual Pole Switch 6 Ampere
0.75 sq. mm ISI Marked Cord - 1.5 Mtr

MX 4239
MULTI ANGLE PDU
4 Universal Power Socket 6/16 Ampere
with Dual Pole Switch 20 Ampere
1.5 sq. mm ISI Marked Cord - 1.5 Mtr

---

5 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 2792
8 OUTLET UNIVERSAL SPIKE PROTECTOR 5 AMP

5 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 2794
8 OUTLET UNIVERSAL POWER STRIP 5 AMP

15 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 2808
7 OUTLET UNIVERSAL SPIKE PROTECTOR 15 AMP

15 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 2809
7 OUTLET UNIVERSAL POWER STRIP 15 AMP

---

5 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 3264
4 OUTLET UNIVERSAL SPIKE PROTECTOR 5 AMP. W/ INDIVIDUAL SWITCH PDU 20W SWITCH

5 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 3265
4 OUTLET UNIVERSAL POWER STRIP 5 AMP W/ INDIVIDUAL SWITCH PDU 20W SWITCH

3 OUTLET 5A • 1 OUTLET 15A — 5/15 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 3266
4 OUTLET UNIVERSAL SPIKE PROTECTOR 5 AMP. 3 SOCKET 5 AMP 1 SOCKET 15 AMP 20W INDIVIDUAL SWITCH

3 OUTLET 5A • 1 OUTLET 15A — 5/15 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 3267
4 OUTLET UNIVERSAL POWER STRIP 5 AMP 3 SOCKET 5 AMP 1 SOCKET 15 AMP 20W INDIVIDUAL SWITCH

---

15 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 3268
4 OUTLET UNIVERSAL SPIKE PROTECTOR 15 AMP W/ INDIVIDUAL SWITCH PDU 20W SWITCH

15 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 3269
4 OUTLET UNIVERSAL POWER STRIP 15 AMP W/ INDIVIDUAL SWITCH PDU 20W SWITCH

5 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 3404
8 OUTLET UNIVERSAL POWER STRIP 5 AMP WITH SINGLE POLE MCB

15 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 3412
7 OUTLET UNIVERSAL POWER STRIP 15 AMP WITH SINGLE POLE MCB

---

5 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 4124
7 OUTLET UNIVERSAL POWER STRIP WITH LIVE VOLTAGE DISPLAY 6 AMP. (PARAMETER 30W~265V) WALL / RACK MOUNT 1.5 MTR.

15 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 4129
7 OUTLET UNIVERSAL POWER STRIP WITH LIVE VOLTAGE DISPLAY 6/16 AMP (PARAMETER 30W~265V) WALL / RACK MOUNT 1.5 MTR.

5 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 4147C
7 OUTLET IEC 320 C13 POWER STRIP WITH SWITCH, FUSE & LINE FAULT DETECTOR 1.5 MTR.

15 AMP — INDUSTRIAL STANDARD — ALUMINUM EXTRUSION BODY
MX 4149C
3 OUTLET IEC 320 C13 3 OUTLET 16AMP + 2 USB (2.1A) WITH SWITCH FUSE & LINE FAULT DETECTOR 1.5 MTR.

Electrical and Electronic Connectors & Cables

MX 4221
EXTENSION BOARD
SINGLE OUTLET 2500W
6/16 AMP SOCKET 1.5 SQ.MM
POWER CORD 1.5 MTR

MX 4224
SINGLE OUTLET 6/16 AMP
SOCKET (1800W) POWER CORD
0.75 SQMM SINGLE POLE
MCB SWITCH 32 AMP

MX 3155
3 OUTLET UNIVERSAL EXT. REEL
5 AMPS SPIKE PROTECTOR
3 X 0.75 SQ MM
WITH SINGLE SWITCH

MX 3767
4 OUTLET UNIVERSAL
SPIKE SUPPRESSOR
WITH FUSE &
POWER INDICATOR 1.5 MTR

MX 3511
12 WAY UNIVERSAL SURGE
PROTECTOR 2 PIN
4 UNIVERSAL SOCKET
BOTH SIDE

MX 3504
180° ROTATABLE 6 OUTLET
UNIVERSAL SPIKE
SUPPRESSOR WITH FUSE &
POWER INDICATION

MX 3468
180° ROTATABLE 4 OUTLET
UNIVERSAL SPIKE
SUPPRESSOR WITH FUSE &
POWER INDICATION

MX 3374
4 OUTLET UNIVERSAL
SURGE PROTECTOR
Ø3X0.75mm²

MX 3323
6 OUTLET UNIVERSAL
SNAKE SPIKE PROTECTOR
SWITCH 20 AMP

MX 2956
8 OUTLET UNIVERSAL
SPIKE SUPPRESSOR 5 AMP

MX 2953
6 OUTLET UNIVERSAL
SPIKE PROTECTOR 5 AMP
INDIVIDUAL SWITCH & FUSE

MX 2949
4 OUTLET UNIVERSAL
SPIKE PROTECTOR 5 AMP
INDIVIDUAL SWITCH & FUSE

IEC LOCK

PUSH TO UNLOCK

MX 3537
IEC-C13 3 PIN AC
FEMALE CONNECTOR

MX 3538
IEC-C13 3 PIN AC FEMALE
CONNECTOR PANEL MNTG

MX 3539
IEC C-19 3 PIN AC
FEMALE CONNECTOR

PUSH TO UNLOCK

PUSH TO UNLOCK

MX 3652
LOCKABLE CAT-6 & CAT-6A
PATCH CORD 100% TESTED

MX 3539
RJ-45 LOCKABLE BOOT
SUITABLE FOR :
• CAT5e • CAT6 • CAT6a • Cat7

MX 3661
RJ-45 CAT-6 & CAT-6A
LOCKABLE CONNECTOR

MX 4215
GST 18i3 MALE
CONNECTOR

MX 4216
GST 18i3 FEMALE
CONNECTOR

MX 4215A
GST -18i3 SERIES MALE
3 POLE MINI CONNECTOR
CABLE MOUNT

MX 4216A
GST -18i3 SERIES FEMALE
3 POLE MINI CONNECTOR
CABLE MOUNT

MX 4215B
GST -18i3 SERIES MALE
3 POLE MINI CONNECTOR
CABLE MOUNT

MX 4216B
GST -18i3 SERIES FEMALE
3 POLE MINI CONNECTOR
CABLE MOUNT

MX 4216C
GST -18i3 SERIES
S2-SW 3 PIN MALE CONNECTOR
SPRING CONTACT
FOR 1.5-2.5 Sq. mm

MX 4216D
GST -18i3 SERIES S2-SW
3 PIN FEMALE CONNECTOR
SPRING CONTACT
FOR 1.5-2.5 Sq. mm

MX 4216E
GST -18i3 SERIES
3 WAY CONNECTOR
WITH 1 INPUT MALE + 5
OUTPUT FEMALE TERMINAL

MX 4216F
GST -18i3 SERIES
3 WAY CONNECTOR
WITH 1 INPUT MALE + 3
OUTPUT FEMALE TERMINAL

GST 18i3 CONNECTOR
AVAILABLE IN CUSTOMIZED
LENGTH

MX 222-412D
2 POLE WIRE JOINTER

MX 222-413D
3 POLE WIRE JOINTER

MX 222-415D
5 POLE WIRE JOINTER

MX 603-3P
3 PIN PUSH WIRE
FAST CONNECTOR

MX 5-3
3 POLE IP-68
WATERPROOF CONNECTOR

SMART PDU
(Launching Soon)

Smart-Intelligent Power Distribution Unit (PDU)

MX 4262

- Wide voltage input: 150–433V / 110–250V, Output: 100–260V
- Current capacity: 16–400A (single/three-phase)
- Interfaces: USB, RS232, RS485, Network, Buzzer indicators
- Self-wiring junction box with intelligent monitor module
- Customizable output module with color-coded outlets
- Supports cascading Upto 7 Modules (42 Sockets)

MX 4263

- Wide voltage input: 150–433V / 110–250V, Output: 100–260V
- Current capacity: 16–400A (single/three-phase)
- Interfaces: USB, RS485, Network, Sensor ports (1–4), Dry node outputs (1–2)
- Modular customizable design

Intelligent data acquisition

Remote monitoring management

Supports IP filtering

Multiple alarm methods

Supports cascading

Wide voltage platform

MX 4262   MX 4263

Customized Multimedia & Sockets on Request :

| INDIAN SOCKET 6 Amperes | UNIVERSAL SOCKET 6 / 13 Amperes | INDIAN SOCKET 6 / 13 Amperes | UNIVERSAL SOCKET 6 / 16 Amperes | INDIAN SOCKET 6 / 16 Amperes | USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 35 W PD GaN Charger | USB C+C SOCKET 65W PD GaN Charger | USB A+C SOCKET 30 W PD WITH DISPLAY | HDMI 4K SOCKET | RJ - 45 CAT-6/CAT-6A SOCKET | GST MALE / FEMALE CONNECTORS | FLUSH ON/OFF SWITCH 16 Amp |

Versatile Power Distribution Unit (PDU)

FLEXIBLE MOUNTING OPTION CAN INSTALL AT ANY ANGLE AS PER YOUR NEED

MX 4238
2 Outlet Universal (6/13 A) Or Indian Standard Socket 6A Power Strip With 6A Switch With ISI Mark Certified Cord 0.75mm² 1.5 Mtr

MX 4239
3 Outlet Universal (6/13 A) Or Indian Standard Socket 6A Power Strip With 6A Switch With ISI Mark Certified Cord 0.75mm² 1.5 Mtr

MX 4240
4 Outlet Universal (6/13 AMP) Or Indian Standard Socket 6A Power Strip With 6A Switch With ISI Mark Certified Cord 0.75mm² 1.5 Mtr

MX 4241
5 Outlet Universal (6/13 A) Or Indian Standard Socket 6A Power Strip With 6A Switch With ISI Mark Certified Cord 0.75mm² 1.5 Mtr

MX 4242
6 Outlet Universal (6/13 A) Or Indian Standard Socket 6A Power Strip With 6A Switch With ISI Mark Certified Cord 0.75mm² 1.5 Mtr

MX 4243
7 Outlet Universal (6/13 A) Or Indian Standard Socket 6A Power Strip With 6A Switch With ISI Mark Certified Cord 0.75mm² 1.5 Mtr

MX 4244
2 Outlet Indian Standard Socket 6/16A Power Strip With 20A Switch With ISI Mark Certified Cord 1.5mm² 1.5 Mtr

MX 4245

3 Outlet Indian Standard Socket 6/16 A Power Strip With 20A Switch, With ISI Mark Certified Cord 1.5mm² 1.5 Mtr

MX 4246

4 Outlet Indian Standard Socket 6/16 A Power Strip With 20A Switch With ISI Mark Certified Cord 1.5mm² 1.5 Mtr

MX 4247

5 Outlet Indian Standard Socket 6/16 A Power Strip With 20A Switch With ISI Mark Certified Cord 1.5mm² 1.5 Mtr

MX 4248

6 Outlet Indian Standard Socket 6/16 A Power Strip With 20A Switch With ISI Mark Certified Cord 1.5mm² 1.5 Mtr

MX 4249

7 Outlet Indian Standard Socket 6/16A Power Strip With 20A Switch, With ISI Mark Certified Cord 1.5mm² 1.5 Mtr

MX 4250

2 Outlet Universal (6/13 A) Or Indian Standard (6A) Socket Power Strip W/ FUSE & 6A Switch + AC Line Fault Detector W/cord 0.75mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4251

3 Outlet Universal (6/13 A) Or Indian Standard (6A) Socket Power Strip W/ FUSE & 6A Switch + AC Line Fault Detector W/cord 0.75mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4252

4 Outlet Universal (6/13 A) Or Indian Standard (6A) Socket Power Strip W/ FUSE & 6A Switch + AC Line Fault Detector W/cord 0.75mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4253

5 Outlet Universal (6/13 A) Or Indian Standard (6A) Socket Power Strip W/ FUSE & 6A Switch + AC Line Fault Detector W/ cord 0.75mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4254

6 Outlet Universal (6/13 A) Or Indian Standard (6A) Socket Power Strip W/ FUSE & 6A Switch + AC Line Fault Detector W/cord 0.75mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4255

7 Outlet Universal (6/13 A) Or Indian Standard (6A) Socket Power Strip W/ FUSE & 6A Switch + AC Line Fault Detector W/cord 0.75mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4256

2 Outlet Universal Or Indian Standard (6/16 A) Socket Power Strip W/ FUSE & 20A Switch + AC Line Fault Detector W/cord 1.5mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4257

3 Outlet Universal Or Indian Standard (6/16 A) Socket Power Strip W/ FUSE & 20A Switch+ AC Line Fault Detector W/cord 1.5mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4258

4 Outlet Universal Or Indian Standard (6/16 A) Socket Power Strip W/ FUSE & 20A Switch + AC Line Fault Detector W/cord 1.5mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4259

5 Outlet Universal Or Indian Standard (6/16 A) Socket Power Strip W/ FUSE & 20A Switch + AC Line Fault Detector W/cord 1.5mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4260

6 Outlet Universal or Indian Standard (6/16 A) Socket Power Strip W/ FUSE & 20A Switch + AC Line Fault Detector W/cord 1.5mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX 4261

7 Outlet Universal or Indian Standard (6/16 A) Socket Power Strip W/ FUSE & 20A Switch + AC Line Fault Detector W/cord 1.5mm² ISI Mark Certified 1.5 Mtr **[Aluminum Extrusion Body]**

MX Pop-Up Floor Boxes

The MX Floor Box series pop-up power outlets deliver a safe and innovative solution designed to keep both workspaces and residences functional and clutter-free. Featuring a sleek push-and-slide mechanism that prevents accidental openings, these outlets remain concealed beneath the surface until required, blending seamlessly into any environment. Available in elegant Stainless Steel, Brass, and Aluminum finishes, they enhance aesthetics while offering customizable configurations. Designed with modular flexibility for Type 45 series sockets, they are suitable for versatile use across offices, kitchen counter tops, wood, or concrete floors. Easy to install and built for modern convenience, they redefine how power access integrates into everyday spaces.

SPECIFICATION

Module Capacity: **3** (Without Modules)
Material: **Stainless Steel**
Module Type: 45 Series
Opening Mechanism: Push & Slide Locking System
Opening Type: Soft Opening Pop Up Type
Color: Silver
Application: For Concrete Floors

• **MX 7200**

SPECIFICATION

Module Capacity: **4** (Without Modules)
Material: **Aluminium**
Module Type: 45 Series
Opening Mechanism: Push & Slide Locking System
Opening Type: Soft Opening Pop Up Type
Color: Silver
Application: For Concrete Floors

• **MX 7201**

Customized Multimedia & Sockets on Request : (45x45mm & 22.5x45mm)

3 PIN INDIAN SOCKET W/SHUTTER 6A/250V	3 PIN INDIAN SOCKET W/SHUTTER 16A/250V	3 PIN UNIVERSAL SOCKET W/SHUTTER 13A/250V	3 PIN UK SOCKET W/SHUTTER 13A/250V	3 PIN UK SOCKET W/FUSE & SHUTTER 13A/250V
3 PIN GERMAN SCHUKO SOCKET W/SHUTTER 13A/250V	3 PIN FRENCH SOCKET W/SHUTTER 13A/250V	3 PIN USA SOCKET W/SHUTTER 13A/250V		

| 3 PIN XLR MALE CONNECTOR | 3 PIN XLR FEMALE CONNECTOR | USB C+C **35W / 45W / 65W** GaN CHARGER 90V-270V | FLUSH MOUNT ON/OFF SWITCH 16A | USB A+C **33W** GaN 90V-270V CHARGER | USB C+C **33W** GaN CHARGER 90V-270V | HDMI TO HDMI CONNECTOR | RJ-45 (Cat 6 / Cat 6A) DOUBLE INFORMATION SOCKET BLANK PLATE | RJ-45 (Cat 6 / Cat 6A) INFORMATION SOCKET BLANK PLATE | BLANK DUMMY COVER |

SPECIFICATION

Module Capacity: **3** (Without Modules)
Material: **Aluminium**
Module Type: 45 Series
Opening Mechanism: Push & Slide Locking System
Opening Type: Soft Opening Pop Up Type
Color: Silver
Application: For Concrete Floors

• MX 7204

Cutout Size

SPECIFICATION

Module Capacity: **6** [2X3] (Without Modules)
Material: **Aluminium**
Module Type: 45 Series
Opening Mechanism: Push & Slide Locking System
Opening Type: Soft Opening Pop Up Type
Color: Silver
Application: For Concrete Floors

• MX 7202


Cutout Size

SPECIFICATION

Module Capacity: **8** [2X4] (Without Modules)
Material: **Brass**
Module Type: 45 Series
Opening Mechanism: Push & Slide Locking System
Opening Type: Soft Opening Pop Up Type
Color: Brushed Brass
Application: For Concrete Floors

• MX 7203

Cutout Size

Customized Multimedia & Sockets on Request : (45x45mm & 22.5x45mm)

3 PIN INDIAN SOCKET W/SHUTTER 6A/250V

3 PIN INDIAN SOCKET W/SHUTTER 16A/250V

3 PIN UNIVERSAL SOCKET W/SHUTTER 13A/250V

3 PIN UK SOCKET W/SHUTTER 13A/250V

3 PIN UK SOCKET W/FUSE & SHUTTER 13A/250V

3 PIN GERMAN SCHUKO SOCKET W/SHUTTER 13A/250V

3 PIN FRENCH SOCKET W/SHUTTER 13A/250V

3 PIN USA SOCKET W/SHUTTER 13A/250V

3 PIN XLR MALE CONNECTOR

3 PIN XLR FEMALE CONNECTOR

USB C+C **35W / 45W / 65W** GaN CHARGER 90V-270V

FLUSH MOUNT ON/OFF SWITCH 16A

USB A+C **33W** GaN 90V-270V CHARGER

USB C+C **33W** GaN CHARGER 90V-270V

HDMI TO HDMI CONNECTOR

RJ-45 (Cat 6 / Cat 6A) DOUBLE INFORMATION SOCKET BLANK PLATE

RJ-45 (Cat 6 / Cat 6A) INFORMATION SOCKET BLANK PLATE

BLANK DUMMY COVER

MX Open Type Floor Boxes

The MX Open Type Floor Box series delivers durability, versatility, and value without compromising on quality, providing a dependable solution for power, data, and multimedia connectivity in a single compact unit. Designed for both concrete and raised access floors, each box features an adjustable base and clamp fixing system for easy installation, while the reversible stainless-steel lid with a flush-mounted 90° top cover ensures long-lasting strength and a neat appearance. A recessed flip-up handle allows effortless access, and the integrated retaining guard protects cables during use. With modular flexibility for Type 45 series sockets, these floor boxes adapt seamlessly to offices, conference rooms, schools, computer labs, and commercial spaces—making them a practical choice for functional and organized environments.

SPECIFICATION
Module Capacity: **3** (Without Modules)
Material: **Stainless Steel**
Module Type: 45 Series
Opening Mechanism: Flush Mounting System
Opening Type: 90 Degrees Top Cover
Color: Silver
Application: For Concrete Floors

• MX 7205


120 · 65 · 110 · 120 · 65 · 110 · 115 · 115 · Cutout Size

SPECIFICATION
Module Capacity: **6** (Without Modules)
Material: **Stainless Steel**
Module Type: 45 Series
Opening Mechanism: Flush Mounting System
Opening Type: 90 Degrees Top Cover
Color: Silver
Application: For Concrete Floors

• MX 7206

144 · 144 · 132 · 144 · 144 · 132 · 137 · Cutout Size · 137

Customized Multimedia & Sockets on Request : (45x45mm & 22.5x45mm)

| 3 PIN INDIAN SOCKET W/SHUTTER 6A/250V | 3 PIN INDIAN SOCKET W/SHUTTER 16A/250V | 3 PIN UNIVERSAL SOCKET W/SHUTTER 13A/250V | 3 PIN UK SOCKET W/SHUTTER 13A/250V | 3 PIN UK SOCKET W/FUSE & SHUTTER 13A/250V | 3 PIN GERMAN SCHUKO SOCKET W/SHUTTER 13A/250V | 3 PIN FRENCH SOCKET W/SHUTTER 13A/250V | 3 PIN USA SOCKET W/SHUTTER 13A/250V |

| 3 PIN XLR MALE CONNECTOR | 3 PIN XLR FEMALE CONNECTOR | USB C+C 35W / 45W / 65W GaN CHARGER 90V-270V | FLUSH MOUNT ON/OFF SWITCH 16A | USB A+C 33W GaN 90V-270V CHARGER | USB C+C 33W GaN CHARGER 90V-270V | HDMI TO HDMI CONNECTOR | RJ-45 (Cat 6 / Cat 6A) DOUBLE INFORMATION SOCKET BLANK PLATE | RJ-45 (Cat 6 / Cat 6A) INFORMATION SOCKET BLANK PLATE | BLANK DUMMY COVER |

SPECIFICATION

Module Capacity: **10** (Without Modules)
Material: **Stainless Steel**
Module Type: 45 Series
Opening Mechanism: Flush Mounting System
Opening Type: 90 Degrees Top Cover
Color: Silver
Application: For Concrete Floors

• **MX 7211**

Cutout Size

SPECIFICATION

Module Capacity: **10** Curved (Without Modules)
Material: **Stainless Steel**
Module Type: 45 Series
Opening Mechanism: Flush Mounting System
Opening Type: 90 Degrees Top Cover
Color: Silver
Application: For Concrete Floors

• **MX 7212**

Cutout Size

SPECIFICATION

Module Capacity: **15** (Without Modules)
Material: **Stainless Steel**
Module Type: 45 Series
Opening Mechanism: Flush Mounting System
Opening Type: 90 Degrees Top Cover
Color: Silver
Application: For Concrete Floors

• **MX 7213**

Cutout Size

Customized Multimedia & Sockets on Request : (45x45mm & 22.5x45mm)

| 3 PIN INDIAN SOCKET W/SHUTTER 6A/250V | 3 PIN INDIAN SOCKET W/SHUTTER 16A/250V | 3 PIN UNIVERSAL SOCKET W/SHUTTER 13A/250V | 3 PIN UK SOCKET W/SHUTTER 13A/250V | 3 PIN UK SOCKET W/FUSE & SHUTTER 13A/250V | 3 PIN GERMAN SCHUKO SOCKET W/SHUTTER 13A/250V | 3 PIN FRENCH SOCKET W/SHUTTER 13A/250V | 3 PIN USA SOCKET W/SHUTTER 13A/250V |

| 3 PIN XLR MALE CONNECTOR | 3 PIN XLR FEMALE CONNECTOR | USB C+C 35W / 45W / 65W GaN CHARGER 90V-270V | FLUSH MOUNT ON/OFF SWITCH 16A | USB A+C 33W GaN 90V-270V CHARGER | USB C+C 33W GaN CHARGER 90V-270V | HDMI TO HDMI CONNECTOR | RJ-45 (Cat 6 / Cat 6A) DOUBLE INFORMATION SOCKET BLANK PLATE | RJ-45 (Cat 6 / Cat 6A) INFORMATION SOCKET BLANK PLATE | BLANK DUMMY COVER |

MX Recess Lid Plastic Floor Boxes

The MX Recess Lid Plastic Floor Box series is a durable yet lightweight solution, designed to accommodate up to twenty-four 45 Series modules within concrete floors, making it ideal for commercial, industrial, and premium residential applications. Constructed from heavy-duty plastic reinforced with stainless steel, it ensures long-lasting strength, while the lid features a galvanized insert plate that adds durability and provides a smooth, flush floor finish. Suitable for recess sizes of 8–11mm, this floor box safeguards electrical and networking connections while maintaining a clean, organized look—delivering a reliable balance of performance, convenience, and design.

SPECIFICATION

Module Capacity: **8** (Without Modules)
Material: **Plastic & Stainless Steel**
Module Type: 45 Series
Opening Mechanism: Recess Mounting System
Opening Type: 8 to 11 mm Lid (8mm Cavity + 3mm thickness galvanized insert plate)
Application: For Concrete Floors

• MX 7207

SPECIFICATION

Module Capacity: **12** (Without Modules)
Material: **Plastic & Stainless Steel**
Module Type: 45 Series
Opening Mechanism: Recess Mounting System
Opening Type: 8 to 11 mm Lid (8mm Cavity + 3mm thickness galvanized insert plate)
Application: For Concrete Floors

• MX 7208

Customized Multimedia & Sockets on Request : (45x45mm & 22.5x45mm)

3 PIN INDIAN SOCKET W/SHUTTER 6A/250V	3 PIN INDIAN SOCKET W/SHUTTER 16A/250V	3 PIN UNIVERSAL SOCKET W/SHUTTER 13A/250V
3 PIN UK SOCKET W/SHUTTER 13A/250V	3 PIN UK SOCKET W/FUSE & SHUTTER 13A/250V	3 PIN GERMAN SCHUKO SOCKET W/SHUTTER 13A/250V
3 PIN FRENCH SOCKET W/SHUTTER 13A/250V	3 PIN USA SOCKET W/SHUTTER 13A/250V	

3 PIN XLR MALE CONNECTOR	3 PIN XLR FEMALE CONNECTOR	USB C+C 35W / 45W / 65W GaN CHARGER 90V-270V
FLUSH MOUNT ON/OFF SWITCH 16A	USB A+C 33W GaN 90V-270V CHARGER	USB C+C 33W GaN CHARGER 90V-270V
HDMI TO HDMI CONNECTOR	RJ-45 (Cat 6 / Cat 6A) DOUBLE INFORMATION SOCKET BLANK PLATE	RJ-45 (Cat 6 / Cat 6A) INFORMATION SOCKET BLANK PLATE
BLANK DUMMY COVER		

SPECIFICATION

Module Capacity: **16** (Without Modules)
Material: **Plastic & Stainless Steel**
Module Type: 45 Series
Opening Mechanism: Recess Mounting System
Opening Type: 8 to 11 mm Lid (8mm Cavity + 3mm thickness galvanized insert plate)
Application: For Concrete Floors

• MX 7209

Cutout Size
110.0mm Deep

SPECIFICATION

Module Capacity: **24** (Without Modules)
Material: **Plastic & Stainless Steel**
Module Type: 45 Series
Opening Mechanism: Recess Mounting System
Opening Type: 8 to 11 mm Lid (8mm Cavity + 3mm thickness galvanized insert plate)
Application: For Concrete Floors

• MX 7210

Cutout Size
76.0mm Deep

Customized Multimedia & Sockets on Request : (45x45mm & 22.5x45mm)

3 PIN INDIAN SOCKET W/SHUTTER 6A/250V	3 PIN INDIAN SOCKET W/SHUTTER 16A/250V	3 PIN UNIVERSAL SOCKET W/SHUTTER 13A/250V
3 PIN UK SOCKET W/SHUTTER 13A/250V	3 PIN UK SOCKET W/FUSE & SHUTTER 13A/250V	3 PIN GERMAN SCHUKO SOCKET W/SHUTTER 13A/250V
3 PIN FRENCH SOCKET W/SHUTTER 13A/250V	3 PIN USA SOCKET W/SHUTTER 13A/250V	

3 PIN XLR MALE CONNECTOR
3 PIN XLR FEMALE CONNECTOR
USB C+C 35W / 45W / 65W GaN CHARGER 90V-270V
FLUSH MOUNT ON/OFF SWITCH 16A
USB A+C 33W GaN 90V-270V GaN CHARGER
USB C+C 33W CHARGER 90V-270V
HDMI TO HDMI CONNECTOR
RJ-45 (Cat 6 / Cat 6A) DOUBLE INFORMATION SOCKET BLANK PLATE
RJ-45 (Cat 6 / Cat 6A) INFORMATION SOCKET BLANK PLATE
BLANK DUMMY COVER

www.mdrelectronics.com

MX Watertight Floor Boxes With IP65 & IP66 Rating

The MX Watertight Floor Box series is engineered to provide dependable power and data access in concrete or raised floor structures, offering a combination of durability and ease of use for environments where longevity is essential. With stainless steel and zinc alloy lid panels featuring anti-corrosive properties, these units deliver IP65 and IP66 protection against dust ingress and water jets from any direction, ensuring reliable performance even in demanding conditions. A secure lid-locking system protects cables under pressure, while the slide push-button opening mechanism ensures easy access. Available with multiple module options for customization, this series is perfectly suited for outdoor installations that require both protection and versatility.

SPECIFICATION

Module Capacity: **3** (Without Modules)
Material: **Square Stainless Steel Plate**
IP Rating: **IP66**
Module Type: 45 Series
Opening Mechanism: Slide Push Button
Opening Type: Pull-Type Pop-Up
Color: Silver

• **MX 7214**

SPECIFICATION

Module Capacity: **6** (Without Modules)
Material: **Square Stainless Steel Plate**
IP Rating: **IP66**
Module Type: 45 Series
Opening Mechanism: Slide Push Button
Opening Type: Pull-Type Pop-Up
Color: Silver

• **MX 7215**

Customized Multimedia & Sockets on Request : (45x45mm & 22.5x45mm)

3 PIN INDIAN SOCKET W/SHUTTER 6A/250V	3 PIN INDIAN SOCKET W/SHUTTER 16A/250V	3 PIN UNIVERSAL SOCKET W/SHUTTER 13A/250V	3 PIN UK SOCKET W/SHUTTER 13A/250V	3 PIN UK SOCKET W/FUSE & SHUTTER 13A/250V	3 PIN GERMAN SCHUKO SOCKET W/SHUTTER 13A/250V	3 PIN FRENCH SOCKET W/SHUTTER 13A/250V	3 PIN USA SOCKET W/SHUTTER 13A/250V
3 PIN XLR MALE CONNECTOR	3 PIN XLR FEMALE CONNECTOR	USB C+C **35W / 45W / 65W** GaN CHARGER 90V-270V	FLUSH MOUNT ON/OFF SWITCH 16A	USB A+C **33W** GaN 90V-270V GaN CHARGER	USB C+C **33W** GaN CHARGER 90V-270V	HDMI TO HDMI CONNECTOR	RJ-45 (Cat 6 / Cat 6A) DOUBLE INFORMATION SOCKET BLANK PLATE / RJ-45 (Cat 6 / Cat 6A) INFORMATION SOCKET BLANK PLATE / BLANK DUMMY COVER

SPECIFICATION

Module Capacity: **4 + 2** Data Socket (Without Modules)
Material: **Round Zinc Alloy Plate**
IP Rating: **IP65**
Module Type: 45 Series & 2 Data
Opening Mechanism: Slide Push Button
Opening Type: Leftward Pull-Tab Pop-Up Type
Color: Silver

• **MX 7216**

Cutout Size

Cutout Size

150 / 76.8 / 3 / ø22 / 150 / ø28 / ø28 / ø22 / 150 / ø130 / 151 / 151 / ø125 / ø150 / 10°

SPECIFICATION

Module Capacity: **3**(Without Modules)
Material: **Round Zinc Alloy Plate With Anti Scratch Finishing**
IP Rating: **IP65**
Module Type: 45 Series
Opening Mechanism: Slide Push Button
Opening Type: Leftward Pull-Tab Pop-Up Type
Color: Silver

• **MX 7217**

Cutout Size

Cutout Size

ø100 / 120 / 120

Customized Multimedia & Sockets on Request : (45x45mm & 22.5x45mm)

| 3 PIN INDIAN SOCKET W/SHUTTER 6A/250V | 3 PIN INDIAN SOCKET W/SHUTTER 16A/250V | 3 PIN UNIVERSAL SOCKET W/SHUTTER 13A/250V | 3 PIN UK SOCKET W/SHUTTER 13A/250V | 3 PIN UK SOCKET W/FUSE & SHUTTER 13A/250V | 3 PIN GERMAN SCHUKO SOCKET W/SHUTTER 13A/250V | 3 PIN FRENCH SOCKET W/SHUTTER 13A/250V | 3 PIN USA SOCKET W/SHUTTER 13A/250V |

| 3 PIN XLR MALE CONNECTOR | 3 PIN XLR FEMALE CONNECTOR | USB C+C **35W / 45W / 65W** GaN CHARGER 90V-270V | FLUSH MOUNT ON/OFF SWITCH 16A | USB A+C **33W** GaN 90V-270V GaN CHARGER CHARGER | USB C+C **33W** CHARGER 90V-270V | HDMI TO HDMI CONNECTOR | RJ-45 (Cat 6 / Cat 6A) DOUBLE INFORMATION SOCKET BLANK PLATE | RJ-45 (Cat 6 / Cat 6A) INFORMATION SOCKET BLANK PLATE | BLANK DUMMY COVER |

45mm x 45mm Power & Data Cubby Module Box

Compatible With all European & UK Brands

MX 7008-M (4 & 6 Module)
POWER CUBBY FLAP BOX WITH MODULE

MX 6406-M (4 & 6 Module)
FREE STANDING POWER / TOWER POLE WITH MODULE

MX 6407-M (4 & 6 Module)
UNDER DESK CONSOLE WITH MODULE

MX 7031-M (4 & 6 Module)
IN-SURFACE POWER
DISTRIBUTION UNIT BOX WITH MODULE

MX 4173-M (4 & 6 Module)
DESKTOP CONSOLE WITH MODULE

MX 7005-M (4 & 6 Module)
POWER CUBBY SLIDER FLAP WITH MODULE

Customized Multimedia & Sockets on Request : (45x45mm & 22.5x45mm)

3 PIN INDIAN SOCKET W/SHUTTER 6A/250V	3 PIN INDIAN SOCKET W/SHUTTER 16A/250V	3 PIN UNIVERSAL SOCKET W/SHUTTER 13A/250V	3 PIN UK SOCKET W/SHUTTER 13A/250V	3 PIN UK SOCKET W/FUSE & SHUTTER 13A/250V	3 PIN GERMAN SCHUKO SOCKET W/SHUTTER 13A/250V	3 PIN FRENCH SOCKET W/SHUTTER 13A/250V	3 PIN USA SOCKET W/SHUTTER 13A/250V
3 PIN XLR MALE CONNECTOR	3 PIN XLR FEMALE CONNECTOR	USB C+C **35W / 45W / 65W** GaN CHARGER 90V-270V	FLUSH MOUNT ON/OFF SWITCH 16A	USB A+C **33W** GaN 90V-270V CHARGER	USB C+C **33W** GaN CHARGER 90V-270V	HDMI TO HDMI CONNECTOR	RJ-45 (Cat 6 / Cat 6A) DOUBLE INFORMATION SOCKET BLANK PLATE	RJ-45 (Cat 6 / Cat 6A) INFORMATION SOCKET BLANK PLATE	BLANK DUMMY COVER

# 45 x 45mm Socket Plates

Compatible With all European & UK Brands

MX 7269 3 Pin Indian Standard Socket W/Shutter 2 Module 6A/250V

**Color: White - Matt Black - Charcoal Grey**

ISI Mark Certified

6A 250V~

45

45

40.3

40.3

13A 250V~

N

MX 7270 3 Pin Indian Standard Socket W/Shutter 2 Module 16A/250V Color: White - Matt Black - Charcoal Grey

ISI Mark Certified

6A 250V~

45

45

40.3

40.3

13A 250V~

L   N

MX 7252 3 Pin UK Socket W/Shutter 2 Module 13A/250V White

13A 250V~

45

45

40.3

40.3

L   N

13 A 250V~

MX 7271 3 Pin UK Socket W/Shutter 2 Module 13A/250V Color: White - Matt Black - Charcoal Grey

Inbuilt FUSE

13A 250V~

45

45

FUSED
5A
MAX

40.3

40.3

13A 250V~

L   N

MX 7255 3 Pin USA Socket W/Shutter 2 Module 13A/250V White

45

45

40.3

40.3

L   N

13A 250V~

MX 7253 3 Pin German Schuko Socket W/Shutter 2 Module 13A/250V White

45

45

CE

13 A 250V~

40.3

40.3

L   N

13A 250V~

MX 7254 3 Pin French Socket W/Shutter 2 Module 13A/250V White

45

45

40.3

40.3

L   N

13A 250V~

108

MX 7272 3 Pin XLR Male Connector MX 7273 3 Pin XLR Female Connector

45
45
45
45

MX 7256 White HDMI To HDMI Connector 1 Module MX 7257 Black

22.5
45
27
43

MX 7264 USB A+C 33W PD GaN Charger (90V-270V) Color: White - Matt Black - Charcoal Grey

BIS Approved

45
22.5
41.5
40.5
8.3

MX 7265 USB C+C 33W PD GaN Charger (90V-270V) Color: White - Matt Black - Charcoal Grey

BIS Approved

45
22.5
41.5
40.5
8.3

MX 7266 USB C+C 35W PD GaN Charger (90V-270V) Color: White - Matt Black - Charcoal Grey

BIS Approved

45
45
40.4
40.4
44.6
40.4

MX 7267 USB C+C 45W PD GaN Charger (90V-270V) Color: White - Matt Black - Charcoal Grey

BIS Approved

45
45
40.4
40.4
44.6
40.4

MX 7268 USB C+C 65W PD GaN Charger (90V-270V) Color: White - Matt Black - Charcoal Grey

BIS Approved

45

40.4

44.6

45

40.4

40.4

40.4

MX 7258 White RJ-45 (CAT6/CAT6A) Double 1 Module **MX 7259** Black

Information socket blank plate

15.9

14.5

45

43.3

22.5

MX 7260 White RJ-45 (CAT6/CAT6A) 1 Module W/Shutter **MX 7261** Black

Information socket blank plate

22.5

45 24.8

40.6

MX 7262 White Blank Dummy Cover 1 Module **MX 7263** Black

22.5

45

40.6

MX 7274 Flush Mount ON/OFF Switch 16 Amps White Black

22.5

19.7

45

35.8

MX 7279 Manual Pass Through (2 Way) White Black

40.3

50

42.9

22.5

44.7

14.3

40.3

45.5

54.4

MX IP55 Waterproof Switch Socket

MX IP55 Waterproof Sockets are built to provide safe and reliable power in outdoor and demanding environments. Designed with durable construction and IP55 protection, they guard against dust, rain, and moisture, ensuring long-lasting performance. Featuring a transparent waterproof protective hood, these sockets allow easy visibility and secure access while keeping connections safe. Available in multiple standards and configurations, they are ideal for homes, gardens, workshops, construction sites, and industrial applications.

SPECIFICATION

| Material	PC/ABS Copper
Size	70mm x 85mm
Rated Voltage	6-13A / 250V
Waterproof	IP55
Function	Anti-UV Waterproof
Application	Outdoor | Kitchen | Bathroom
Socket (45x45)	2 Module 13A Universal Socket

• **MX 7275**

SPECIFICATION

Material	PC/ABS Copper
Size	95mm x 85mm
Rated Voltage	6-13A / 250V
Waterproof	IP55
Function	Anti-UV Waterproof
Application	Outdoor | Kitchen | Bathroom
Socket (45x45)	3 Module 13A Universal Socket With Switch

• **MX 7276**

SPECIFICATION

Material	PC/ABS Copper
Size	95mm x 85mm
Rated Voltage	16A / 250V
Waterproof	IP55
Function	Anti-UV Waterproof
Application	Outdoor | Kitchen | Bathroom
Socket (45x45)	3 Module 15A Indian Socket (**ISI Mark Certified**) with Switch

• **MX 7277**

SPECIFICATION

Material	PC/ABS Copper
Size	70mm x 85mm
Rated Voltage	6-13A / 250V
Waterproof	IP55
Function	Anti-UV Waterproof
Application	Outdoor | Kitchen | Bathroom
Socket	2 Module Switch

• **MX 7278**

MX Ceiling Mount Power Post

The MX Ceiling Mount Power Post is a sleek and functional solution for delivering power, data, and communication services directly from the ceiling. Designed to mount only on ceilings, it keeps floor space clear while providing easy accessibility for island workstations, conference tables, and collaborative spaces. Compatible with 45mm x 45mm modules, it allows flexible configurations for sockets, data ports, and multimedia modules. Built with a durable aluminum body and finished in premium powder coating or anodized finish, the MX Ceiling Mount Power Post combines strength, safety, and modern design.

MX 6418 (1 Way) **MX 6419** (2 Way) **MX 6420** (4 Way)

Cable Entry Hole

Customized Multimedia & Sockets on Request : (45x45mm & 22.5x45mm)

3 PIN INDIAN SOCKET W/SHUTTER 6A/250V	3 PIN INDIAN SOCKET W/SHUTTER 16A/250V	3 PIN UNIVERSAL SOCKET W/SHUTTER 13A/250V	3 PIN UK SOCKET W/SHUTTER 13A/250V	3 PIN UK SOCKET W/FUSE & SHUTTER 13A/250V	3 PIN GERMAN SCHUKO SOCKET W/SHUTTER 13A/250V	3 PIN FRENCH SOCKET W/SHUTTER 13A/250V	3 PIN USA SOCKET W/SHUTTER 13A/250V

|							
3 PIN XLR MALE CONNECTOR	3 PIN XLR FEMALE CONNECTOR	USB C+C 35W / 45W / 65W GaN CHARGER 90V-270V	FLUSH MOUNT ON/OFF SWITCH 16A	USB A+C 33W GaN 90V-270V CHARGER	USB C+C 33W GaN CHARGER 90V-270V	HDMI TO HDMI CONNECTOR	RJ-45 (Cat 6 / Cat 6A) DOUBLE INFORMATION SOCKET BLANK PLATE	RJ-45 (Cat 6 / Cat 6A) INFORMATION SOCKET BLANK PLATE	BLANK DUMMY COVER

Industrial Plugs, Sockets and Connectors

MX Industrial Plugs and Sockets are rugged electrical connectors built for demanding environments. With durable construction, standardized color-coded design for safe mating, and IP-rated protection against dust and moisture, they ensure reliable power delivery for machinery and heavy-duty equipment in construction sites, warehouses, and other industrial applications.

MX 7301
Surface Mounted Socket
230V, 16A, 3P, 6h, IP44

MX 7302
Surface Mounted Socket
230V, 32A, 3P, 6h, IP44

MX 7303
Surface Mounted Socket
400V, 16A, 5P, 6h, IP44

MX 7304
Surface Mounted Socket
400V, 32A, 5P, 6h, IP44

MX 7305
Surface Mounted Socket
400V, 63A, 5P, 6h, IP44

MX 7306
Surface Mounted Socket
230V, 16A, 3P, 6h, IP67

MX 7307
Surface Mounted Socket
400V, 16A, 5P, 6h, IP67

MX 7308
Surface Mounted Socket
400V, 32A, 5P, 6h, IP67

MX 7309
Surface Mounted Socket
400V, 63A, 5P, 6h, IP67

MX 7310
Panel Mounted Angle Socket
230V, 16A, 3P, 6h, IP44

MX 7311
Panel Mounted Angle Socket
230V, 32A, 3P, 6h, IP44

MX 7312
Panel Mounted Angle Socket
230V, 63A, 3P, 6h, IP44

MX 7313
Panel Mounted Angle Socket
400V, 16A, 5P, 6h, IP44

MX 7314
Panel Mounted Angle Socket
400V, 32A, 5P, 6h, IP44

MX 7315
Panel Mounted Angle Socket
400V, 63A, 5P, 6h, IP44

MX 7316
Panel Mounted Angle Socket
230V, 16A, 3P, 6h, IP67

MX 7317
Panel Mounted Angle Socket
230V, 32A, 3P, 6h,IP67

MX 7318
Panel Mounted Angle Socket
400V, 16A, 5P, 6h, IP67

MX 7319
Panel Mounted Angle Socket
400V, 32A, 5P, 6h, IP67

MX 7320
Panel Mounted Angle Socket
400V, 63A, 5P, 6h, IP67

MX 7345
Connector
400V, 16A, 5P, 6h, IP67

MX 7346
Connector
400V, 32A, 5P, 6h, IP67

MX 7347
Connector
400V, 63A, 5P, 6h, IP67

MX 7348
Connector
400V, 125A, 5P, 6h, IP67

MX 7349
Interlock socket with Duo
230V,16A,3P, 6h, IP67

MX 7350
Interlock socket with Duo
230V, 32A, 3P, 6h, IP67

MX 7351
Interlock socket with Duo
400V, 16A, 5P, 6h, IP67

MX 7352
Interlock socket with Duo
400V, 32A, 5P, 6h, IP67

MX 7353
Interlock socket with Duo
400V, 63A, 5P, 6h, IP67

MX 7354
Interlock socket
230V, 16A, 3P, 6h, IP67

MX 7355
Interlock socket
230V, 32A, 3P, 6h, IP67

MX 7356
Interlock socket
400V, 16A, 5P, 6h, IP67

MX 7357
Interlock socket
400V, 32A, 5P, 6h, IP67

MX 7358
Interlock socket
400V, 63A, 5P, 6h, IP67

MX 7359
Plug Schuko IP44,
3 Pin, 16/20 Amp

MX 7360
Schuko Socket, IP54
Screw Terminals

MX 7361
Schuko Connector IP54

MX 7362
Schuko Socket, IP67
Screw Terminals

MX 7363
**Universal Socket, IP67**
Screw Terminals

MX 7364
3P/16A Multifunctional
Junction box IP44

MX 7365
5P/16A Multifunctional
Junction box IP44

MX 7366
3P/32A Multifunctional
Junction box IP44

MX 7367
5P/32A Multifunctional
Junction box IP44

MX 7301E
Surface mounted socket
230V, 16A, 3P, 6h, IP44

MX 7302E
Surface mounted socket
230V, 32A, 3P, 6h, IP44

MX 7303E
Surface mounted socket
400V, 16A, 5P, 6h, IP44

MX 7304E
Surface mounted socket
400V, 32A, 5P, 6h, IP44

MX 7305E
Surface mounted socket
400V, 63A, 5P, 6h, IP44

MX 7306E
Surface mounted socket
230V, 16A, 3P, 6h, IP67

MX 7307E
Surface mounted socket
400V, 16A, 5P, 6h, IP67

MX 7308E
Surface mounted socket
400V, 32A, 5P, 6h, IP67

MX 7309E
Surface mounted socket
400V, 63A, 5P, 6h, IP67

MX 7322E
Panel mounted straight socket
230V, 16A, 3P, 6h, IP44

MX 7323E
Panel mounted straight socket
230V, 32A, 3P, 6h, IP44

MX 7324E
Panel mounted straight socket
400V, 16A, 5P, 6h, IP44

MX 7325E
Panel mounted straight socket
400V, 32A, 5P, 6h, IP44

MX 7326E
Panel mounted straight socket
400V, 63A, 5P, 6h, IP44

MX 7327E
Panel mounted straight socket
230V, 16A, 3P, 6h, IP67

MX 7328E
Plug
230V, 16A, 3P, 6h, IP44

MX 7329E
Plug
230V, 32A, 3P, 6h, IP44

MX 7330E
Plug
230V, 63A, 3P, 6h, IP44

MX 7331E
Plug
400V, 16A, 5P, 6h, IP44

MX 7332E
Plug
400V, 32A, 5P, 6h, IP44

MX 7333E
Plug
400V, 63A, 5P, 6h, IP44

MX 7334E
Plug
230V, 16A, 3P, 6h, IP67

MX 7335E
Plug
230V, 32A, 3P, 6h, IP67

MX 7336E
Plug
400V, 16A, 5P, 6h, IP67

MX 7337E
Plug
400V, 32A, 5P, 6h, IP67

MX 7302E
Surface mounted socket
230V, 32A, 3P, 6h, IP44

MX 7303E
Surface mounted socket
400V, 16A, 5P, 6h, IP44

MX 7304E
Surface mounted socket
400V, 32A, 5P, 6h, IP44

MX 7305E
Surface mounted socket
400V, 63A, 5P, 6h, IP44

MX 7306E
Surface mounted socket
230V, 16A, 3P, 6h, IP67

MX 7307E
Surface mounted socket
400V, 16A, 5P, 6h, IP67

MX 7308E
Surface mounted socket
400V, 32A, 5P, 6h, IP67

MX 7309E
Surface mounted socket
400V, 63A, 5P, 6h, IP67

MX 7322E
Panel mounted straight socket
230V, 16A, 3P, 6h, IP44

MX 7323E
Panel mounted straight socket
230V, 32A, 3P, 6h, IP44

MX 7324E
Panel mounted straight socket
400V, 16A, 5P, 6h, IP44

MX 7325E
Panel mounted straight socket
400V, 32A, 5P, 6h, IP44

MX 7326E
Panel mounted straight socket
400V, 63A, 5P, 6h, IP44

MX 7327E
Panel mounted straight socket
230V, 16A, 3P, 6h, IP67

MX 7328E
Plug
230V, 16A, 3P, 6h, IP44

MX 7329E
Plug
230V, 32A, 3P, 6h, IP44

MX 7330E
Plug
230V, 63A, 3P, 6h, IP44

MX 7331E
Plug
400V, 16A, 5P, 6h, IP44

MX 7332E
Plug
400V, 32A, 5P, 6h, IP44

MX 7333E
Plug
400V, 63A, 5P, 6h, IP44

MX 7334E
Plug
230V, 16A, 3P, 6h, IP67

MX 7335E
Plug
230V, 32A, 3P, 6h, IP67

MX 7336E
Plug
400V, 16A, 5P, 6h, IP67

MX 7337E
Plug
400V, 32A, 5P, 6h, IP67

MX 7338E
Plug
400V, 63A, 5P, 6h, IP67

MX 7339E
Plug
400V, 125A, 5P, 6h, IP67

MX 7340E
Connector
230V, 16A, 3P, 6h, IP44

MX 7341E
Connector
230V, 32A, 3P, 6h, IP44

MX 7342E
Connector
400V, 16A, 5P, 6h, IP44

MX 7343E
Connector
400V, 32A, 5P, 6h, IP44

MX 7344E
Connector
400V, 63A, 5P, 6h, IP44

MX 7345E
Connector
400V, 16A, 5P, 6h, IP67

MX 7346E
Connector
400V, 32A, 5P, 6h, IP67

MX 7347E
Connector
400V, 63A, 5P, 6h, IP67

MX 7348E
Connector
400V, 125A, 5P, 6h, IP67

MX Cords & Power Extensions

The MX Extension Cords are robust, weather-resistant power solutions designed for reliable outdoor and industrial use. Built with high-quality, durable materials, they ensure secure power distribution even in demanding environments. A protective design shields the connectors from dust and moisture, while the IP-rated enclosure offers dependable resistance against harsh conditions. Compact yet powerful, these extension cords deliver safe and long-term performance for outdoor workstations, temporary power setups, construction areas, and heavy-duty applications.

SPECIFICATION

Poles: **3** Pin
IP Rating: IP44
Rated Current: 16A
Rated Voltage: 380-415V
Hour Position: 6h
Cable Section: 2.5mm²
Available Cable Length: 15m, 20m, 25m, 30m.

•**MX 7368 15m,   MX 7368A 20m**
•**MX 7368B 25m, MX 7368C 30m**

SPECIFICATION

Poles: **5** Pin
IP Rating: IP67
Rated Current: 16A
Rated Voltage: 346-415V
Hour Position: 6h
Cable Section: 2.5mm²
Available Cable Length: 10m, 15m, 20m, 25m.

•**MX 7369 10m,   MX 7369A 15m**
•**MX 7369B 20m, MX 7369C 25m**

MX Retractable Cable Reels

The MX Retractable Series features automatic-rewind cable reels designed for effortless and tidy power distribution across varied environments—from industrial workshops and construction sites to residential garages and outdoor events. Built with impact-resistant, high-strength engineering plastics and equipped with wall-mount swivel brackets, these reels simplify cable handling and save space. Available in lengths of 10 m, 15 m, and 20 m. The automatic rewind system ensures tidy cable storage. Ideal for powering tools, temporary setups, and mobile workstations, MX Retractable reels deliver safety, convenience, and long-lasting performance.

SPECIFICATION

No. of Outlets: 1
Poles: **3** Pin
Rated Current: 16A
Cable Type: H03VV-F **ISI Mark Certified**
Cable Section: 1.5mm²
Cable Length: 10m, 15m, 20m
Material: PP

- **MX 7370 10m**
- **MX 7370A 15m**
- **MX 7370B 20m**

SPECIFICATION

No. of Outlets: 1
Poles: **3** Pin
Rated Current: 32Amp
Cable Type: H03VV-F **ISI Mark Certified**
Cable Section: 2.5mm²
Cable Length: 10m, 15m, 20m
Material: PP

- **MX 7371 10m**
- **MX 7371A 15m**
- **MX 7371B 20m**

SPECIFICATION

No. of Outlets: 1
Poles: **3** Pin
Rated Current: 16A
Cable Type: H03VV-F **ISI Mark Certified**
Cable Section: 1.5mm²
Cable Length: 10m, 15m, 20m
Material: ABS+STEEL

- **MX 7372**

SPECIFICATION

No. of Outlets: 1
Poles: **3** Pin
Rated Current: 32A
Cable Type: H03VV-F **ISI Mark Certified**
Cable Section: 2.5mm²
Cable Length: 10m, 15m, 20m
Material: ABS+STEEL

- **MX 7373**

MX Portable Cable Reels

The MX Portable Cable Reels are manual, transportable cable reels pre-equipped with cable, plug, and socket—crafted for reliable power delivery in both industrial and domestic settings. Available in lengths of 20 m, 30 m, and 50 m, these reels support a range of applications with IEC-standard configurations and enhanced safety features like thermal overload protection for domestic versions. Ideal for mobile workstations, temporary installations, and demanding job sites, they combine convenience, durability, and safety.

SPECIFICATION
No. of Outlets: 2
Poles: **3** Pin
IP Rating: IP44
Rated Current: 16A
Rated Voltage: 220-250V
Cable Section: 1.5mm^2
Available Cable Length: 20m,30m,50m.
Power Switch: N/A
ISI Mark Certified
• MX 7374 20m, MX 7374A 30m
• MX 7374B 50m

SPECIFICATION
No. of Outlets: 2
Poles: **3** Pin
IP Rating: IP44
Rated Current: 16A
Rated Voltage: 220-250V
Cable Section: 1.5mm^2
Available Cable Length: 20m,30m,50m.
Power Switch: 32A MCB Switch
ISI Mark Certified
• MX 7375 20m , MX 7375A 30m
• MX 7375B 50m

SPECIFICATION
No. of Outlets: 2
Poles: **3** Pin
IP Rating: IP44
Rated Current: 16A
Rated Voltage: 220-250V
Cable Section:1.5mm^2
Available Cable Length: 20m,30m,50m.
Power Switch: 32A ELCB Switch
ISI Mark Certified
• MX 7376 20m , MX 7376A 30m
• MX 7376B 50m

SPECIFICATION
No. of outlets: 2
Poles: **3** Pin
IP Rating: IP44
Rated Current: 32A
Rated Voltage: 220-250V
Cable Section: 2.5mm^2
Available Cable Length: 20m, 30m.
Power Switch: N/A
ISI Mark Certified
• MX 7377 20m
• MX 7377A 30m

SPECIFICATION
No. of outlets: 2
Poles: **3** Pin
IP Rating: IP44
Rated Current: 32A
Rated Voltage: 220-250V
Cable Section: 2.5mm^2
Available Cable Length: 20m,30m.
Power Switch: 32 A MCB Switch
ISI Mark Certified
 • MX 7378 20m , MX 7378A 30m

Grateful For The Following Brands For Their Trust

Reliance	PHILIPS	VW
Unilever	Walmart	Kirloskar
HSBC	KONE	Pidilite
TATA	Kokilaben Dhirubhai Ambani hospital & medical research institute	Infosys
McKinsey & Company	Indian Institute of Technology Hyderabad	Prestige UNIVERSITY
Signify	TAJ	BHIVE WORKSPACE
Ipsos	BHEL	Bombay Dyeing BED | BATH | COORDINATES
AVIENT	ISRO	PolyOne
GRIL GR Infraprojects Ltd.	MAYFAIR Hotels & Resorts	ideaForge Create. Inspire
99games	Sapient Creating Happy Investors	Vestas
cognizant	eClerx	Rustomjee
L'ORÉAL	IndianOil	DRDO

MX MDR TECHNOLOGIES LTD.

FACTORY :
Plot No.101, Sector1 Gauraipada, Vasai (E), Dist. Palghar-401208. INDIA

EXPERIENCE CENTER :
Unit No.5/K, Laxmi Industrial Estate, New Link Road, Andheri (W),
Mumbai-400053, INDIA

+91 98922 50949   info@mdrelectronics.com
www.mdrelectronics.com

MX
CONNECTING THE FUTURE