



CONNECTING THE FUTURE

USB Charging

Enhance convenience with built-in USB slots on our power outlets. Charge your devices directly without the need for adapters, providing a seamless and efficient charging solution. With multiple options like USB A 3.0, USB A+ C, and USB C up to 95 watts power. Experience the future of connectivity with us, where power and versatility meet in a single outlet.




Safety Shutter

Safety is paramount with our power outlets featuring innovative safety shutters. These built-in shutters provide an extra layer of protection, preventing accidental contact with live components. We ensure peace of mind, prioritizing safety in every socket for a secure and worry-free power experience.



BIS Standards Indian Socket

We prioritize safety by featuring BIS (Bureau of Indian Standards) standard Indian sockets in our power outlets. Compliant with strict standards, these outlets offer a secure and reliable connection for your electronic devices, ensuring both safety and performance.



Universal Sockets & UK sockets

Our power outlets feature Universal Socket, offering a versatile solution for global connectivity. This innovative feature accommodates a variety of plug types, including the UK plug, making it convenient for users worldwide. Experience seamless compatibility and enhanced flexibility with Universal Socket – where power meets adaptability





Modular Power Tracks

MX NUEVO C55

RECESS MOUNT POWER & DATA TRACK

The MX C55 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase
 Rated Current : 32 Amps (Max)
 Frequency : 50 / 60Hz
 Terminal Capacity : 1.25 mm² - 4 mm²

Material

Track Housing : Anodized Aluminum
 End Cap : Polycarbonate
 Busbar Carrier : Polycarbonate
 Conductor : Phosphor Bronze (Copper)


Size

Standard Length : 400mm-1200mm (refer table)
 Customization : Lengths & configuration available upon request



MX Nuevo C55

MX No	Sizes	Dimensions
6301	400mm	75 x 55
6301 A	500mm	75 x 55
6301 B	600mm	75 x 55
6301 C	800mm	75 x 55
6301 D	900mm	75 x 55
6301 E	1000mm	75 x 55
6301 F	1200mm	75 x 55



Customized Multimedia & Sockets on Request :

							
USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger	USB A+C SOCKET 30 W PD WITH DISPLAY	USB C DATA SOCKET	HDMI 4K SOCKET	RJ - 45 CAT-6/CAT-6A SOCKET	GST MALE / FEMALE CONNECTORS	FLUSH ON/OFF SWITCH	ACCESS DOOR SWITCH

Modular Power Tracks

MX NUEVO C55 WIRELESS

RECESS MOUNT COMPACT POWER & DATA TRACK

The MX C55 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase

Rated Current : 32 Amps (Max)

Frequency : 50 / 60Hz

Terminal Capacity : 1.25 mm² - 4 mm²

Wireless Charger : 15 Watts

Material

Track Housing : Anodized Aluminum

End Cap : Polycarbonate

Busbar Carrier : Polycarbonate

Conductor : Phosphor Bronze (Copper)

Finish: Black, Silver

Size


Standard Length : 400mm-1200mm (refer table)

Customization : Lengths & configuration available upon request



MX Nuevo C55 Wireless

MX No.	Sizes	Dimensions
6301 Qi	400mm	75 x 55
6301 A Qi	500mm	75 x 55
6301 B Qi	600mm	75 x 55
6301 C Qi	800mm	75 x 55
6301 D Qi	900mm	75 x 55
6301 E Qi	1000mm	75 x 55
6301 F Qi	1200mm	75 x 55



Customized Multimedia & Sockets on Request :



USB A+C

SOCKET

12W (2.4Amp)

18W (3.1Amp)

30 W PD (5Amp)

30 W PD GaN Charger



USB A+C

SOCKET

30 W PD

WITH DISPLAY



USB C,

DATA SOCKET



HDMI 4K

SOCKET



RJ-45

CAT6/CAT-6A

SOCKET



GST

MALE / FEMALE

CONNECTORS



FLUSH

ON/OFF SWITCH



ACCESS

DOOR SWITCH

Modular Power Tracks

MX NUEVO C34

RECESS MOUNT COMPACT POWER TRACK

The MX C34 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase
 Rated Current : 32 Amps (Max)
 Frequency : 50 / 60Hz
 Terminal Capacity : 1.25 mm² - 4 mm²

Material

Track Housing : Anodized Aluminum
 End Cap : Polycarbonate
 Busbar Carrier : Polycarbonate
 Conductor : Phosphor Bronze (Copper)
 Finish: Black, Silver


Size

Standard Length : 400mm-1200mm (refer table)
 Customization : Lengths & configuration available upon request



MX Nuevo C34

MX No.	Sizes	Dimensions
6302	400mm	75 x 34
6302 A	500mm	75 x 34
6302 B	600mm	75 x 34
6302 C	800mm	75 x 34
6302 D	900mm	75 x 34
6302 E	1000mm	75 x 34
6302 F	1200mm	75 x 34



Customized Multimedia & Sockets on Request :

USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30 W PD GaN Charger	USB A+C SOCKET 30 W PD WITH DISPLAY	USB C DATA SOCKET	HDMI 4K SOCKET	RJ - 45 CAT6/CAT6A SOCKET	GST MALE / FEMALE CONNECTORS	FLUSH ON/OFF SWITCH	ACCESS DOOR SWITCH



Standard Power Tracks

We set the standard with on-surface and in-surface tracks, providing a mid-height power solution ideal for office spaces, server rooms, display counters, kitchens, schools, and various shared environments. Engineered for effortless usability, it seamlessly integrates with free tabletop-mounted solutions. MX tracks are customizable, offering voice/data modules such as Cat 6, Cat 6a, Cat 6 shielded, and audio/video modules like HDMI, USB C, USB A 2.0/3.0, VGA, 3.5mm Stereo, Display Ports, USB C Charging and Retractable Modules.

MX Wall to Wall in-surface modular track series is the sleek and perfect solution for recessed power & data installations allowing easy access for tables, desk, partitions and kitchen dado. Plastically sleek and perfect to go with modular kitchen, living room OEM segment.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase
 Rated Current : 32 Amps maximum
 Frequency : 50 / 60Hz
 Terminal Capacity : 1.25 mm² - 4 mm²

Material

Track Housing : Anodized Aluminum
 End Cap : Polycarbonate
 Busbar Carrier : Polycarbonate
 Conductor : Phosphor Bronze (Copper)
 Finish: Black, Silver & Rose Gold


Size

Standard Length : 400mm-1500mm (refer table)
 Customization : Lengths & configuration available upon request




MX Surface Mount Track With Switch

MX No.	Sizes	Dimensions
6000	400mm	70 x 25
6000A	600mm	70 x 25
6000B	800mm	70 x 25
6000C	1000mm	70 x 25
6000D	1200mm	70 x 25
6000E	1500mm	70 x 25




MX Surface Mount Track Without Switch

MX No.	Sizes	Dimensions
6100	400mm	70 x 25
6100A	600mm	70 x 25
6100B	800mm	70 x 25
6100C	1000mm	70 x 25
6100D	1200mm	70 x 25
6100E	1500mm	70 x 25




MX Recess Mount Track

MX No.	Sizes	Cutout (mm)
6200	400mm	390 x 71
6200A	600mm	590 x 71
6200B	800mm	790 x 71
6200C	1000mm	990 x 71
6200D	1200mm	1190 x 71
6200E	1500mm	1490 x 71



Wall to Wall Power Track



WALL TO WALL POWER TRACK
 WITH INTERNAL & EXTERNAL
 CORNER CAPS & LINKS



OUR COLLECTION AT A GLANCE

Tired of dealing with scarce power points and hefty electrician bills?

Dive into the seamless world of our power tracks – hassle-free installation, user-friendly design, and artistic outlets that cater to everyone's taste. Enjoy the flexibility of various adaptors and accessories, all at an unbeatable value.

Each track is a masterpiece, meticulously hand-assembled and precision-perfected by cutting-edge machinery. At MX, our track record spans over a decade, marked by unwavering reliability, top-notch safety, and global acclaim. Crafted with precision in India, our products feature aerospace-grade aluminum, copper, stainless steel, and specially formulated polycarbonate for maximum durability.

Not just practical, our tracks exude elegance, sophistication, and undeniable functionality, sparking conversations with your guests and clients alike.

Don't miss out – take control and elevate your power game today!



Elegance and Sophistication
Freedom and Convenience
Safety and Durability
Advanced Technology
Premium Design
Durable Build Quality

Connected and Integrated
Home and Office
Form and Function
International Socket
Multimedia Accessories
Modular Terminals



SCAN AND WATCH COMPLETE VIDEO ON YOUTUBE

Premium Series LED Adaptors



Triple Safety

The MX Power track is an open circuit that can only be closed with an adaptor which matches up in depth, height and length. while a solid state shield prevents any current leakage.

High Temperature Flame Retardant FR-PC Material

Adaptor shell apots PC high-efficiency flame retardant casing, preventing accidents



MX 6021
6 Amperes
Indian Standard
BIS Approved



MX 6015
6/10/13 Amperes
IN/EU/BS



MX 6016
6/13 Amperes
IN/BS



MX 6017
13 Amperes
BS



MX 6018
15 Amperes
USA-JPN



MX 6019
C & A 20 Watts
USB Charger



MX 6020
C & A 30 Watts
USB Charger



WiFi
MX 6022 WIFI
6/13 Amperes
IN/EU/BS



WiFi
MX 6023 WIFI
6/13 Amperes
IN/BS



WiFi
MX 6024 WIFI
6 Amperes
Indian Standard




MX 6025
6/16 Amperes
Indian Standard
BIS Approved




MX 6026
C & A 20 Watts
USB Charger




MX 6027
C & A 30 Watts
USB PD Charger



Premium Adaptors
Blue LED



Classic Indian Adaptors
6/16A



Classic Compact Adaptors

Classic Series Adaptors

MX 6001
6/10/13 Amperes
IN/EU/BS



MX 6002
6/13 Amperes
IN/BS



MX 6003
6/16 Amperes
India
BIS Approved



MX 6005
13 Amperes
BS



MX 6006
5V, 2400 mA
USB Charger



MX 6007-20W
MX 6008-30W
USB C+A
Fast Charger



MX 6011
16 Amperes
Plug With Fuse



MULTIMEDIA CONNECTOR



MX 6031
Cat 3 Voice



MX 6032
USB 3.0



MX 6033
USB 2.0



MX 6034
VGA 15 Pin



MX 6035
Aux / Stereo
3.5 mm



MX 6037
Display Port



MX 6038
C+A 12W
(2.4Amp)



MX 6039
C+A 18W
(3.1Amp)



MX 6041
Cat-6 / CAT-6A
Data



MX 6042
HDMI (4K)



MX 6043
USB Type C



MX 6044
USB 2.0



MX 6045
C+A PD 30W
(5Amp)



MX 6046
C+A PD 30W
Digital Display



MX 6047
Blank Plate



MX 6048
Access
Door Switch



MX 6049
FLUSH
6/16 Amperes
ON/OFF Switch



Modular Power Tracks

MX NUEVO S68

UNDER DESK POWER & DATA TRACK

The MX NUEVO S68 Under Desk Modular Track Series offers an ideal solution for power and data installations, providing easy access to power beneath the workstation and offering convenience for any under-desk application. Its modular design, including customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements. Suitable for various applications, including research facilities, libraries, laboratories, workshop desks, and more.

SPECIFICATION

Electrical


Rated Voltage : 250V— Single-phase
 Rated Current : 32 Amps (Max)
 USB Charging: 2 A Type Ports, 5V-2400mA
 (Side Caps)
 Frequency : 50 / 60Hz
 Terminal Capacity : 1.25 mm² - 4 mm²

Material

Track Housing : Anodized Aluminum
 End Cap : Polycarbonate
 Busbar Carrier : Polycarbonate
 Conductor : Phosphor Bronze (Copper)
 Finish : Black & Silver

Size

Standard Length : 400mm-1200mm (refer table)
 Customization : Lengths & configuration available upon request



2 USB
 Charging
 2.4 A

MX Nuevo S68

MX No.	Sizes	Dimensions
6303	400mm	68 x 68
6303 A	500mm	68 x 68
6303 B	600mm	68 x 68
6303 C	800mm	68 x 68
6303 D	900mm	68 x 68
6303 E	1000mm	68 x 68
6303 F	1200mm	68 x 68

Mounting Features



Customized Multimedia & Sockets on Request :

USB A+C SOCKET 12W (2.4Amp) 18W (3.1Amp) 30 W PD (5Amp) 30W PD GaN Charger	USB A+C SOCKET 30 W PD WITH DISPLAY	USB C DATA SOCKET	HDMI 4K SOCKET	RJ - 45 CAT6/CAT6A SOCKET	GST MALE / FEMALE CONNECTORS	FLUSH ON/OFF SWITCH	ACCESS DOOR SWITCH



Modular Power Tracks

MX NUEVO D88

DESKTOP POWER & DATA TRACK

The MX D88 Desktop Modular Track Series presents an ideal solution for power and data installations, providing convenient access to power from the above tables and catering to all desktop applications. The end cap with USB charging ensures effortless connectivity and efficient space management. Desktop Modular Track is an ideal choice for workspace environments. They stand as the most popular solution for streamlined power and cable management, adjustable to fit specific length requirements

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase

Rated Current : 32 Amps (Max)

USB Charging: 2 A Type Ports, 5V-2400mA (Side Caps)

Frequency : 50 / 60Hz

Terminal Capacity : 1.25 mm² - 4 mm²

Material

Track Housing : Anodized Aluminum

End Cap : Polycarbonate

Busbar Carrier : Polycarbonate

Conductor : Phosphor Bronze (Copper)

Finish : Black & Silver

Size


Standard Length : 400mm-1200mm (refer table)

Customization : Lengths & configuration available upon request



MX Nuevo D88

MX No.	Sizes	Dimensions
6304	400mm	88 x 85
6304 A	500mm	88 x 85
6304 B	600mm	88 x 85
6304 C	800mm	88 x 85
6304 D	900mm	88 x 85
6304 E	1000mm	88 x 85
6304 F	1200mm	88 x 85



Customized Multimedia & Sockets on Request :



USB A+C
SOCKET
12W (2.4Amp)
18W (3.1Amp)
30 W PD (5Amp)
30 W PD GaN Charger



USB A+C
SOCKET
30 W PD
WITH DISPLAY



USB C
DATA SOCKET



HDMI 4K
SOCKET



RJ-45
CAT6/CAT6A
SOCKET



GST
MALE / FEMALE
CONNECTORS



FLUSH
ON/OFF SWITCH



ACCESS
DOOR SWITCH





MX Freestanding TOWER TRACK

Freestanding Tower Tracks provide a stable and convenient solution for sharing power in any space. Their flexible design allows them to seamlessly integrate into any environment, bringing power and USB charging to previously unpowered areas. Supporting a wide variety of international sockets and offering optional integrated USB-A, USB-C charging ports and wireless charging, the Tower Tracks is ideal for situations where power needs to be relocated, making it perfect for open spaces inside or in front of experience centers, living rooms, lounges, public buildings, concourses and breakout areas. Customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase
 Rated Current : 16 Amperes (Max)
 USB Charging: 2 A Type Ports, 5V-2400mA
 USB Charging: Type C & A PD 30W
 Frequency : 50 / 60Hz

Material

Profile Housing : Anodized Aluminum
 End Cap : Polycarbonate
 Busbar Carrier : Polycarbonate
 Conductor : Phosphor Bronze (Copper)
 Finish: Silver & Black

Size

Standard Track : 400mm
 Customization : Available upon request



ONE WAY
 MX 6400 / MX 6401



TWO WAY
 MX 6402 / MX 6403



THREE WAY
 MX 6404 / MX 6405

MX FREESTANDING TOWER TRACK

MX No.	USB A	USB A & C	Dimensions
6400	YES	--	438 x 150 x 140
6401	--	YES	438 x 150 x 140
6402	YES	--	438 x 150 x 140
6403	--	YES	438 x 150 x 140
6404	YES	--	438 x 150 x 140
6405	--	YES	438 x 150 x 140

