

Power Tracks Catalog

Divya Electricals

Contact: 9841260168



Modular Power Tracks

MX NUEVO C34

RECESS MOUNT COMPACT POWER TRACK

The MX C34 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase
 Rated Current : 32 Amps (Max)
 Frequency : 50 / 60Hz
 Terminal Capacity : 1.25 mm² - 4 mm²

Material

Track Housing : Anodized Aluminum
 End Cap : Polycarbonate
 Busbar Carrier : Polycarbonate
 Conductor : Phosphor Bronze (Copper)
 Finish: Black, Silver


Size

Standard Length : 400mm-1200mm (refer table)
 Customization : Lengths & configuration available upon request



MX Nuevo C34

MX No.	Sizes	Dimensions
6302	400mm	75 x 34
6302 A	500mm	75 x 34
6302 B	600mm	75 x 34
6302 C	800mm	75 x 34
6302 D	900mm	75 x 34
6302 E	1000mm	75 x 34
6302 F	1200mm	75 x 34



Modular Power Tracks

MX NUEVO C55

RECESS MOUNT POWER & DATA TRACK

The MX C55 Recess mount modular track series is designed for straightforward recessed mount installation, catering to power, data, and multimedia needs while featuring a cable management compartment. Ideal for applications such as boardrooms, conference rooms, and meeting room tables, it comes highly recommended for office and original equipment manufacturer (OEM) segments in system furniture. Customizable to any plug or multimedia socket configuration, and adjustable to fit specific length requirements.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase
 Rated Current : 32 Amps (Max)
 Frequency : 50 / 60Hz
 Terminal Capacity : 1.25 mm² - 4 mm²

Material

Track Housing : Anodized Aluminum
 End Cap : Polycarbonate
 Busbar Carrier : Polycarbonate
 Conductor : Phosphor Bronze (Copper)


Size

Standard Length : 400mm-1200mm (refer table)
 Customization : Lengths & configuration available upon request



MX Nuevo C55

MX No	Sizes	Dimensions
6301	400mm	75 x 55
6301 A	500mm	75 x 55
6301 B	600mm	75 x 55
6301 C	800mm	75 x 55
6301 D	900mm	75 x 55
6301 E	1000mm	75 x 55
6301 F	1200mm	75 x 55



Standard Power Tracks

We set the standard with on-surface and in-surface tracks, providing a mid-height power solution ideal for office spaces, server rooms, display counters, kitchens, schools, and various shared environments. Engineered for effortless usability, it seamlessly integrates with free tabletop-mounted solutions. MX tracks are customizable, offering voice/data modules such as Cat 6, Cat 6a, Cat 6 shielded, and audio/video modules like HDMI, USB C, USB A 2.0/3.0, VGA, 3.5mm Stereo, Display Ports, USB C Charging and Retractable Modules.

MX Wall to Wall in-surface modular track series is the sleek and perfect solution for recessed power & data installations allowing easy access to power for tables, desk, partitions and kitchen dado. Plastically sleek and perfect to go with modular kitchen, living room OEM segment.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase
 Rated Current : 32 Amps maximum
 Frequency : 50 / 60Hz
 Terminal Capacity : 1.25 mm² - 4 mm²

Material

Track Housing : Anodized Aluminum
 End Cap : Polycarbonate
 Busbar Carrier : Polycarbonate
 Conductor : Phosphor Bronze (Copper)
 Finish: Black, Silver & Rose Gold


Size

Standard Length : 400mm-1500mm (refer table)
 Customization : Lengths & configuration available upon request



MX Surface Mount Track With Switch

MX No.	Sizes	Dimensions
6000	400mm	70 x 25
6000A	600mm	70 x 25
6000B	800mm	70 x 25
6000C	1000mm	70 x 25
6000D	1200mm	70 x 25
6000E	1500mm	70 x 25



MX Surface Mount Track Without Switch

MX No.	Sizes	Dimensions
6100	400mm	70 x 25
6100A	600mm	70 x 25
6100B	800mm	70 x 25
6100C	1000mm	70 x 25
6100D	1200mm	70 x 25
6100E	1500mm	70 x 25



MX Recess Mount Track

MX No.	Sizes	Cutout (mm)
6200	400mm	390 x 71
6200A	600mm	590 x 71
6200B	800mm	790 x 71
6200C	1000mm	990 x 71
6200D	1200mm	1190 x 71
6200E	1500mm	1490 x 71



Wall to Wall Power Track

WALL TO WALL POWER TRACK
 WITH INTERNAL & EXTERNAL
 CORNER CAPS & LINKS



MX Freestanding TOWER TRACK

Freestanding Tower Tracks provide a stable and convenient solution for sharing power in any space. Their flexible design allows them to seamlessly integrate into any environment, bringing power and USB charging to previously unpowered areas. Supporting a wide variety of international sockets and offering optional integrated USB-A, USB-C charging ports and wireless charging, the Tower Tracks is ideal for situations where power needs to be relocated, making it perfect for open spaces inside or in front of experience centers, living rooms, lounges, public buildings, concourses and breakout areas. Customizable to any plug or multimedia socket configuration and adjustable to fit specific length requirements.

SPECIFICATION

Electrical

Rated Voltage : 250V— Single-phase
 Rated Current : 16 Amperes (Max)
 USB Charging: 2 A Type Ports, 5V-2400mA
 USB Charging: Type C & A PD 30W
 Frequency : 50 / 60Hz

Material

Profile Housing : Anodized Aluminum
 End Cap : Polycarbonate
 Busbar Carrier : Polycarbonate
 Conductor : Phosphor Bronze (Copper)
 Finish: Silver & Black

Size

Standard Track : 400mm
 Customization : Available upon request



ONE WAY
MX 6400 / MX 6401



TWO WAY
MX 6402 / MX 6403



THREE WAY
MX 6404 / MX 6405

MX FREESTANDING TOWER TRACK

MX No.	USB A	USB A & C	Dimensions
6400	YES	--	438 x 150 x 140
6401	--	YES	438 x 150 x 140
6402	YES	--	438 x 150 x 140
6403	--	YES	438 x 150 x 140
6404	YES	--	438 x 150 x 140
6405	--	YES	438 x 150 x 140

