

Illuminate
The
Extraordinary



Neptune[®]
LIGHTS
ILLUMINATE YOUR LIFE

The world of Architectural Lights



Neptune Lights ... A tale of stylish LED Lights

Can you imagine a home with no lights? It doesn't even sound like home. Light acts as a medium for people to show things that they want to show in the way they wish to show. While bright lights add a different mood to the setting, dim lights tend to tell a separate tale. One can set the mood of their surroundings by only changing the lighting. That's the impact lights have. They can speak for the place!

One can say that light becomes an indispensable part of people's lives. And to be there for people to help them tell their stories is what we aim to do at Neptune Lights.

Our Story

Founded sometime in the 1980s, Neptune Lights was built with the vision to not just provide lighting solutions but to become a medium for people to express themselves. In 2011, we brought around revolutionary lighting solutions by incorporating LED lights. With the advent of LED, we soon became experts who specialize exclusively in LED technology.

LED is our passion... and we serve with conviction!

Apart from leveraging technology, we also combine our experience, precision, and quality control to provide our customers with innovative and high-quality products at competitive rates. Every product we manufacture is in accordance with the latest norms and standards, thus proving to be safe, reliable as well as economical.

Adding to our list of products, we provide a wide range of architectural lighting, interior lighting and exterior lighting for commercial and industrial buildings, retail, hotels, restaurants, etc.

So, if you are looking to enhance your space and wish to tell your story, then you can always get in touch with us. Explore the classiest and most sophisticated range of LED lighting solutions at Neptune Lights.

Thank You!
Neptune Lights



Neptune[®]
LIGHTS
ILLUMINATE YOUR LIFE

Signature
Collection

NeptuneAir[™]
Your smart home solution

THE HISTORY OF LIGHTING



1802

Humphry Davy

invented the Electrical Arc Lamp.

1840

Warren de la Rue


Built a light bulb using a platinum filament that was coiled inside a vacuum tube.



1874

Henry Woodward & Mathew Evans


Filed a patent for their carbon rod lamps, but failed at creating a commercial version.



1878

Thomas Edison

Filed a patent under the label "Improvement in Electric Lights."



1879

Edison
Submitted another patent.



1880

Edison

Began marketing and manufacturing the latest version of his bulb to commercial clients & built the first central power plant in the U.S.



1893

General Electric


Produced the first enclosed carbon arc lamp for commercial clients.



1893

Nikola Tesla


Demonstrated the possibility of wireless electricity, which he used to light a Geissler tube.



1901

Peter Cooper Hewitt

Introduced the Mercury-Vapor Lamp (gas discharge lamp).






1910

Georges Claude

Demonstrated Neon Lighting.




1926

Edmund Germer

Submitted his patent for the first fluorescent lamp.

1938

Fluorescent lighting technology was commercialized.



1961

James Beard & Gary Pittman

Invented LEDs.

1962

Nick Holonyak, Jr. produced the first LED that emitted light in a visible band.



1972

M. George Craford

produced a yellow LED.

1979

Shuji Nakamura Developed a blue LED.



1980

Phillips

Released its SL model of the compact fluorescent lamp (CFL).

2006

LEDs

were finally a competitive lighting option.



2011-2012

The sale of replacement

LED Bulbs expanded by 22% globally.



**A LIGHT
THAT NEVER
GOES OUT OF
TREND**



NOW
NEPTUNE LIGHTS





QUICK (AIR-012)

POWER 7W **FEATURE** FRONT OPENABLE

BODY CLR
WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION D72xH42mm	CUTOUT Ø65mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1165/-
NP Air (TW) 2175/-	BT-Mesh (TW) 2520/-	Zigbee (TW) 3240/-
Dali DIM(DT-6) 3190/-	Dali TW (DT-8) 4710/-	<i>Signature</i>



QUICK (AIR-012)

POWER 12W **FEATURE** FRONT OPENABLE

BODY CLR
WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION D82xH47mm	CUTOUT Ø75mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1635/-
NP Air (TW) 2595/-	BT-Mesh (TW) 2940/-	Zigbee (TW) 3660/-
Dali DIM(DT-6) 3810/-	Dali TW (DT-8) 5130/-	<i>Signature</i>




QUICK (AIR-012)

POWER 18W **FEATURE** FRONT OPENABLE

BODY CLR
WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION D92xH57mm	CUTOUT Ø85mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2060/-
NP Air (TW) 3120/-	BT-Mesh (TW) 3420/-	Zigbee (TW) 4170/-
Dali DIM(DT-6) 4535/-	Dali TW (DT-8) 5855/-	<i>Signature</i>




QUICK TRIMLESS (AIR-012)

POWER 7W **FEATURE** FRONT OPENABLE

BODY CLR
WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION D115xH42mm	CUTOUT Ø75mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1610/-
NP Air (TW) 2350/-	BT-Mesh (TW) 2695/-	Zigbee (TW) 3415/-
Dali DIM(DT-6) 3635/-	Dali TW (DT-8) 4885/-	<i>Signature</i>



QUICK TRIMLESS (AIR-012)

POWER 12W **FEATURE** FRONT OPENABLE

BODY CLR
WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION D125xH47mm	CUTOUT Ø75mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2115/-
NP Air (TW) 3250/-	BT-Mesh (TW) 3595/-	Zigbee (TW) 4315/-
Dali DIM(DT-6) 4290/-	Dali TW (DT-8) 5540/-	<i>Signature</i>



QUICK TRIMLESS (AIR-012)

POWER 18W **FEATURE** FRONT OPENABLE

BODY CLR
WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION D135xH57mm	CUTOUT Ø85mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2785/-
NP Air (TW) 3800/-	BT-Mesh (TW) 4100/-	Zigbee (TW) 4850/-
Dali DIM(DT-6) 5260/-	Dali TW (DT-8) 6534/-	<i>Signature</i>



REGAL (AIR-009)

POWER 8W **FEATURE** RECESSED

BODY CLR
WH / GUN BK / MATT BK

DIMENSION D66xH52mm	CUTOUT Ø60mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 760LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1610/-
NP Air (TW) 2350/-	BT-Mesh (TW) 2695/-	Zigbee (TW) 3415/-
Dali DIM(DT-6) 3635/-	Dali TW (DT-8) 4885/-	<i>Signature</i>



REGAL (AIR-009)

POWER 15W **FEATURE** RECESSED

BODY CLR
WH / GUN BK / MATT BK

DIMENSION D80.5xH62mm	CUTOUT Ø75mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1425LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2115/-
NP Air (TW) 3250/-	BT-Mesh (TW) 3550/-	Zigbee (TW) 4300/-
Dali DIM(DT-6) 4290/-	Dali TW (DT-8) 5985/-	<i>Signature</i>



REGAL (AIR-009)

POWER 20W **FEATURE** RECESSED

BODY CLR
WH / GUN BK / MATT BK

DIMENSION D92xH67mm	CUTOUT Ø85mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1900LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2785/-
NP Air (TW) 3800/-	BT-Mesh (TW) 4100/-	Zigbee (TW) 4850/-
Dali DIM(DT-6) 5260/-	Dali TW (DT-8) 6535/-	<i>Signature</i>



SHEEN (AIR-004)

POWER 8W **FEATURE** RECESSED

BODY CLR
BK / WH

DIMENSION D71xH63mm **CUTOUT** Ø63mm **BEAM ANGLE** 38°

IP RATING IP 20 **CRI** Ra>90+ **LED TYPE** COB

LUMENS 720LM±5% **CCT** 3K/4K/5K **PRICE(on/off)** 1660/-

NP Air (TW) 2560/- **BT-Mesh (TW)** 2905/- **Zigbee (TW)** 3625/-

Dali DIM(DT-6) 3685/- **Dali TW (DT-8)** 5095/-

Signature



SHEEN (AIR-004)

POWER 15W **FEATURE** RECESSED

BODY CLR
BK / WH

DIMENSION D88xH80mm **CUTOUT** Ø80mm **BEAM ANGLE** 38°

IP RATING IP 20 **CRI** Ra>90+ **LED TYPE** COB

LUMENS 1350LM±5% **CCT** 3K/4K/5K **PRICE(on/off)** 2260/-

NP Air (TW) 3350/- **BT-Mesh (TW)** 3650/- **Zigbee (TW)** 4400/-

Dali DIM(DT-6) 4435/- **Dali TW (DT-8)** 6085/-

Signature



SHEEN (AIR-004)

POWER 8W **FEATURE** RECESSED

BODY CLR
GUN BK / BRASS

DIMENSION D71xH63mm **CUTOUT** Ø63mm **BEAM ANGLE** 38°

IP RATING IP 20 **CRI** Ra>90+ **LED TYPE** COB

LUMENS 720LM±5% **CCT** 3K/4K/5K **PRICE(on/off)** 1870/-

NP Air (TW) 2640/- **BT-Mesh (TW)** 2985/- **Zigbee (TW)** 3705/-

Dali DIM(DT-6) 3895/- **Dali TW (DT-8)** 5175/-

Signature



SHEEN (AIR-004)

POWER 15W **FEATURE** RECESSED

BODY CLR
GUN BK / BRASS

DIMENSION D88xH80mm **CUTOUT** Ø80mm **BEAM ANGLE** 38°

IP RATING IP 20 **CRI** Ra>90+ **LED TYPE** COB

LUMENS 1350LM±5% **CCT** 3K/4K/5K **PRICE(on/off)** 2490/-

NP Air (TW) 3585/- **BT-Mesh (TW)** 3885/- **Zigbee (TW)** 4635/-

Dali DIM(DT-6) 4665/- **Dali TW (DT-8)** 6320/-

Signature



TWINKLE (AIR-007)

POWER 8W **FEATURE** RECESSED

BODY CLR
WH / MATT BK / BROWN

DIMENSION D61xH64.5mm **CUTOUT** Ø50mm **BEAM ANGLE** 36°

IP RATING IP 20 **CRI** Ra>90+ **LED TYPE** COB

LUMENS 720LM±5% **CCT** 3K/4K/5K **PRICE(on/off)** 1345/-

NP Air (TW) 2330/- **BT-Mesh (TW)** 2675/- **Zigbee (TW)** 3395/-

Dali DIM(DT-6) 3370/- **Dali TW (DT-8)** 4865/-

Signature



TWINKLE (AIR-007)

POWER 15W **FEATURE** RECESSED

BODY CLR
WH / MATT BK / BROWN

DIMENSION D75xH74.5mm **CUTOUT** Ø62mm **BEAM ANGLE** 36°

IP RATING IP 20 **CRI** Ra>90+ **LED TYPE** COB

LUMENS 1350LM±5% **CCT** 3K/4K/5K **PRICE(on/off)** 1813/-

NP Air (TW) 3100/- **BT-Mesh (TW)** 3400/- **Zigbee (TW)** 4150/-

Dali DIM(DT-6) 3988/- **Dali TW (DT-8)** 5835/-

Signature



TWINKLE (AIR-007)

POWER 20W **FEATURE** RECESSED

BODY CLR
WH / MATT BK / BROWN

DIMENSION D88xH85mm **CUTOUT** Ø75mm **BEAM ANGLE** 36°

IP RATING IP 20 **CRI** Ra>90+ **LED TYPE** COB

LUMENS 1800LM±5% **CCT** 3K/4K/5K **PRICE(on/off)** 2325/-

NP Air (TW) 3590/- **BT-Mesh (TW)** 3890/- **Zigbee (TW)** 4640/-

Dali DIM(DT-6) 4800/- **Dali TW (DT-8)** 6325/-

Signature



RINGO-A (TRIM FIX)

POWER 12W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION 84x65mm **CUTOUT** Ø45mm **BEAM ANGLE** 36°

IP RATING IP 20 **CRI** Ra>90+ **LED TYPE** COB

LUMENS 1080LM±5% **CCT** 3K/4K/5K **PRICE(on/off)** 3085/-

NP Air (TW) 4740/- **BT-Mesh (TW)** 5085/- **Zigbee (TW)** 5805/-

Dali DIM(DT-6) 5260/- **Dali TW (DT-8)** 7275/-

Signature



RINGO-A (TRIM FIX)

POWER 18W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION 115x90mm **CUTOUT** Ø60mm **BEAM ANGLE** 36°

IP RATING IP 20 **CRI** Ra>90+ **LED TYPE** COB

LUMENS 1620LM±5% **CCT** 3K/4K/5K **PRICE(on/off)** 4135/-

NP Air (TW) 6035/- **BT-Mesh (TW)** 6335/- **Zigbee (TW)** 7085/-

Dali DIM(DT-6) 6610/- **Dali TW (DT-8)** 8770/-

Signature



RINGO-B
(TRIM TILTABLE)

POWER 12W **FEATURE** RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
99x65mm	Ø50mm	36°

IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB

LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K	3315/-

NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4970/-	5315/-	6035/-

Dali DIM(DT-6)	Dali TW (DT-8)
5490/-	7505/-

Signature



RINGO-B
(TRIM TILTABLE)

POWER 18W **FEATURE** RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
120x90mm	Ø65mm	36°

IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB

LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K	4415/-

NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6315/-	6615/-	7365/-

Dali DIM(DT-6)	Dali TW (DT-8)
6890/-	9050/-

Signature



RINGO-C
(TRIMLESS FIX)

POWER 12W **FEATURE** RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
84x65mm	Ø42	36°

IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB

LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K	3315/-

NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4970/-	5315/-	6035/-

Dali DIM(DT-6)	Dali TW (DT-8)
5490/-	7505/-

Signature



RINGO-C
(TRIMLESS FIX)

POWER 18W **FEATURE** RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
115x90mm	Ø55mm	36°

IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB

LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K	4415/-

NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6315/-	6615/-	7365/-

Dali DIM(DT-6)	Dali TW (DT-8)
6890/-	9050/-

Signature



RINGO-D
(TRIMLESS TILTABLE)

POWER 12W **FEATURE** RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
99x65mm	Ø50mm	36°

IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB

LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K	3450/-

NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5105/-	5450/-	6170/-

Dali DIM(DT-6)	Dali TW (DT-8)
5625/-	7640/-

Signature



RINGO-D
(TRIMLESS TILTABLE)

POWER 18W **FEATURE** RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
120x90mm	Ø70mm	36°

IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB

LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K	4645/-

NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6545/-	6845/-	7595/-

Dali DIM(DT-6)	Dali TW (DT-8)
7120/-	9280/-

Signature



CAVA (AIR-013)

POWER 10W **FEATURE** RECESSED

BODY CLR
WH / MATT BK /
CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D40x98mm	Ø35mm	60°

IP RATING	CRI	LED TYPE
IP 20	Ra>92+	COB

LUMENS	CCT	PRICE(on/off)
1000LM±5%	3K/4K/5K	2030/-

NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2890/-	3235/-	3955/-

Dali DIM(DT-6)	Dali TW (DT-8)
4205/-	5425/-

Signature



CAVA (AIR-013)

POWER 15W **FEATURE** RECESSED

BODY CLR
WH / MATT BK /
CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D50x110mm	Ø45mm	60°

IP RATING	CRI	LED TYPE
IP 20	Ra>92+	COB

LUMENS	CCT	PRICE(on/off)
1500LM±5%	3K/4K/5K	2600/-

NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3755/-	4055/-	4805/-

Dali DIM(DT-6)	Dali TW (DT-8)
4775/-	6490/-

Signature



CAVA (AIR-013)

POWER 20W **FEATURE** RECESSED

BODY CLR
WH / MATT BK /
CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D60x115mm	Ø55mm	60°

IP RATING	CRI	LED TYPE
IP 20	Ra>92+	COB

LUMENS	CCT	PRICE(on/off)
2000LM±5%	3K/4K/5K	3425/-

NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4360/-	4660/-	5410/-

Dali DIM(DT-6)	Dali TW (DT-8)
5900/-	7095/-

Signature



WENDY

POWER 10W **FEATURE** RECESSED

BODY CLR
WH / GUN BK / COPPER / MATT BK

DIMENSION D41xH90mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 900LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2295/-
NP Air (TW) 3700/-	BT-Mesh (TW) 4045/-	Zigbee (TW) 4765/-
Dali DIM(DT-6) 4470/-	Dali TW (DT-8) 6235/-	<i>Signature</i>



WENDY

POWER 15W **FEATURE** RECESSED

BODY CLR
WH / GUN BK / COPPER / MATT BK

DIMENSION D51xH105mm	CUTOUT Ø45mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2650/-
NP Air (TW) 4550/-	BT-Mesh (TW) 4850/-	Zigbee (TW) 5600/-
Dali DIM(DT-6) 4825/-	Dali TW (DT-8) 7285/-	<i>Signature</i>



PUNCH

POWER 8W **FEATURE** RECESSED

BODY CLR
WH / MATT BK / BROWN

DIMENSION D49xH74.5mm	CUTOUT Ø43mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 765LM±5%	CCT 3K/4K	PRICE(on/off) 1715/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 3740/-	Dali TW (DT-8) N/A	<i>Signature</i>



PUNCH

POWER 15W **FEATURE** RECESSED

BODY CLR
WH / MATT BK / BROWN

DIMENSION D60xH84.5mm	CUTOUT Ø55mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1275LM±5%	CCT 3K/4K	PRICE(on/off) 2325/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 4500/-	Dali TW (DT-8) N/A	<i>Signature</i>



VETRO-C

POWER 15W **FEATURE** RECESSED WALL WASHER

BODY CLR
WH / MATT BK

DIMENSION D82xH79mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K	PRICE(on/off) 4290/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 6465/-	Dali TW (DT-8) N/A	<i>Signature</i>



MODULE DEEP D65
(AIR-006-DEEP)

POWER 7W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D70xH72mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1300/-
NP Air (TW) 2265/-	BT-Mesh (TW) 2610/-	Zigbee (TW) 3330/-
Dali DIM(DT-6) 3325/-	Dali TW (DT-8) 4800/-	<i>Signature</i>



MODULE DEEP D75
(AIR-006-DEEP)

POWER 7W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D80xH79mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1340/-
NP Air (TW) 2305/-	BT-Mesh (TW) 2650/-	Zigbee (TW) 3370/-
Dali DIM(DT-6) 3365/-	Dali TW (DT-8) 4840/-	<i>Signature</i>



MODULE DEEP D65
(AIR-006-DEEP)

POWER 12W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D70xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1675/-
NP Air (TW) 2720/-	BT-Mesh (TW) 3065/-	Zigbee (TW) 3785/-
Dali DIM(DT-6) 3850/-	Dali TW (DT-8) 5255/-	<i>Signature</i>



MODULE DEEP D75
(AIR-006-DEEP)

POWER 12W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D80xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1720/-
NP Air (TW) 2765/-	BT-Mesh (TW) 3110/-	Zigbee (TW) 3830/-
Dali DIM(DT-6) 3895/-	Dali TW (DT-8) 5300/-	<i>Signature</i>



MODULE DEEP D75
(AIR-006-DEEP)

POWER 18W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D80xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2235/-
NP Air (TW) 3495/-	BT-Mesh (TW) 3795/-	Zigbee (TW) 4545/-
Dali DIM(DT-6) 4710/-	Dali TW (DT-8) 6230/-	<i>Signature</i>



MODULE CURVE D65
(AIR-006-CURVE)

POWER 7W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D70xH68mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1300/-
NP Air (TW) 2265/-	BT-Mesh (TW) 2610/-	Zigbee (TW) 3330/-
Dali DIM(DT-6) 3325/-	Dali TW (DT-8) 4800/-	<i>Signature</i>



MODULE CURVE D75
(AIR-006-CURVE)

POWER 7W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D80xH68mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1340/-
NP Air (TW) 2305/-	BT-Mesh (TW) 2650/-	Zigbee (TW) 3370/-
Dali DIM(DT-6) 3365/-	Dali TW (DT-8) 4840/-	<i>Signature</i>



MODULE CURVE D65
(AIR-006-CURVE)

POWER 12W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D70xH84mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1675/-
NP Air (TW) 2720/-	BT-Mesh (TW) 3065/-	Zigbee (TW) 3785/-
Dali DIM(DT-6) 3850/-	Dali TW (DT-8) 5255/-	<i>Signature</i>



MODULE CURVE D75
(AIR-006-CURVE)

POWER 12W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D80xH87mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1720/-
NP Air (TW) 2765/-	BT-Mesh (TW) 3110/-	Zigbee (TW) 3830/-
Dali DIM(DT-6) 3895/-	Dali TW (DT-8) 5300/-	<i>Signature</i>



MODULE CURVE D75
(AIR-006-CURVE)

POWER 18W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D80xH87mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2235/-
NP Air (TW) 3495/-	BT-Mesh (TW) 3795/-	Zigbee (TW) 4545/-
Dali DIM(DT-6) 4710/-	Dali TW (DT-8) 6230/-	<i>Signature</i>



MODULE SQUARE D65
(AIR-006-SQ)

POWER 7W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D71x71xH71mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1300/-
NP Air (TW) 2265/-	BT-Mesh (TW) 2610/-	Zigbee (TW) 3330/-
Dali DIM(DT-6) 3325/-	Dali TW (DT-8) 4800/-	<i>Signature</i>



MODULE SQUARE D75
(AIR-006-SQ)

POWER 7W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D81x81xH76mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1340/-
NP Air (TW) 2305/-	BT-Mesh (TW) 2650/-	Zigbee (TW) 3370/-
Dali DIM(DT-6) 3365/-	Dali TW (DT-8) 4840/-	<i>Signature</i>



MODULE SQUARE D65
(AIR-006-SQ)

POWER 12W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D71x71xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1675/-
NP Air (TW) 2720/-	BT-Mesh (TW) 3065/-	Zigbee (TW) 3785/-
Dali DIM(DT-6) 3850/-	Dali TW (DT-8) 5255/-	<i>Signature</i>



MODULE SQUARE D75
(AIR-006-SQ)

POWER 12W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D81x81xH95mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1720/-
NP Air (TW) 2765/-	BT-Mesh (TW) 3110/-	Zigbee (TW) 3830/-
Dali DIM(DT-6) 3895/-	Dali TW (DT-8) 5300/-	<i>Signature</i>



MODULE SQUARE D75
(AIR-006-SQ)

POWER 18W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D81x81xH95mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2235/-
NP Air (TW) 3495/-	BT-Mesh (TW) 3795/-	Zigbee (TW) 4545/-
Dali DIM(DT-6) 4710/-	Dali TW (DT-8) 6230/-	<i>Signature</i>



MODULE DEEP RING
(D65) (AIR-006-DEEP RING)

POWER 7W **FEATURE** RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73xH72mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1545/-
NP Air (TW) 2510/-	BT-Mesh (TW) 2855/-	Zigbee (TW) 3575/-
Dali DIM(DT-6) 3570/-	Dali TW (DT-8) 5045/-	<i>Signature</i>



MODULE DEEP RING
(D75) (AIR-006-DEEP RING)

POWER 7W **FEATURE** RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH79mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1650/-
NP Air (TW) 2615/-	BT-Mesh (TW) 2960/-	Zigbee (TW) 3680/-
Dali DIM(DT-6) 3675/-	Dali TW (DT-8) 5150/-	<i>Signature</i>



MODULE DEEP RING
(D65) (AIR-006-DEEP RING)

POWER 12W **FEATURE** RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1945/-
NP Air (TW) 2990/-	BT-Mesh (TW) 3335/-	Zigbee (TW) 4055/-
Dali DIM(DT-6) 4120/-	Dali TW (DT-8) 5525/-	<i>Signature</i>



MODULE DEEP RING
(D75) (AIR-006-DEEP RING)

POWER 12W **FEATURE** RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2050/-
NP Air (TW) 3095/-	BT-Mesh (TW) 3440/-	Zigbee (TW) 4160/-
Dali DIM(DT-6) 4225/-	Dali TW (DT-8) 5630/-	<i>Signature</i>



MODULE DEEP RING
(D75) (AIR-006-DEEP RING)

POWER 18W **FEATURE** RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2575/-
NP Air (TW) 3950/-	BT-Mesh (TW) 4250/-	Zigbee (TW) 5000/-
Dali DIM(DT-6) 5050/-	Dali TW (DT-8) 6685/-	<i>Signature</i>



MODULE CURVE RING
(D65) (AIR-006-CURVE RING)

POWER 7W **FEATURE** RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73xH72mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1545/-
NP Air (TW) 2510/-	BT-Mesh (TW) 2855/-	Zigbee (TW) 3575/-
Dali DIM(DT-6) 3570/-	Dali TW (DT-8) 5045/-	<i>Signature</i>



MODULE CURVE RING
(D75) (AIR-006-CURVE RING)

POWER 7W **FEATURE** RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH79mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1650/-
NP Air (TW) 2615/-	BT-Mesh (TW) 2960/-	Zigbee (TW) 3680/-
Dali DIM(DT-6) 3675/-	Dali TW (DT-8) 5150/-	<i>Signature</i>



MODULE CURVE RING
(D65) (AIR-006-CURVE RING)

POWER 12W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1945/-
NP Air (TW) 2990/-	BT-Mesh (TW) 3335/-	Zigbee (TW) 4055/-
Dali DIM(DT-6) 4120/-	Dali TW (DT-8) 5525/-	<i>Signature</i>



MODULE CURVE RING
(D75) (AIR-006-CURVE RING)

POWER 12W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2050/-
NP Air (TW) 3095/-	BT-Mesh (TW) 3440/-	Zigbee (TW) 4160/-
Dali DIM(DT-6) 4225/-	Dali TW (DT-8) 5630/-	<i>Signature</i>



MODULE CURVE RING
(D75) (AIR-006-CURVE RING)

POWER 18W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2575/-
NP Air (TW) 3950/-	BT-Mesh (TW) 4250/-	Zigbee (TW) 5000/-
Dali DIM(DT-6) 5050/-	Dali TW (DT-8) 6685/-	<i>Signature</i>



MODULE SQUARE RING
(D65) (AIR-006-SQ RING)

POWER 7W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73x73xH71mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1545/-
NP Air (TW) 2510/-	BT-Mesh (TW) 2855/-	Zigbee (TW) 3575/-
Dali DIM(DT-6) 3570/-	Dali TW (DT-8) 5045/-	<i>Signature</i>



MODULE SQUARE RING
(D75) (AIR-006-SQ RING)

POWER 7W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83x83xH76mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1650/-
NP Air (TW) 2615/-	BT-Mesh (TW) 2960/-	Zigbee (TW) 3680/-
Dali DIM(DT-6) 3675/-	Dali TW (DT-8) 5150/-	<i>Signature</i>



MODULE SQUARE RING
(D65) (AIR-006-SQ RING)

POWER 12W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73x73xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1945/-
NP Air (TW) 2990/-	BT-Mesh (TW) 3335/-	Zigbee (TW) 4055/-
Dali DIM(DT-6) 4120/-	Dali TW (DT-8) 5525/-	<i>Signature</i>



MODULE SQUARE RING
(D75) (AIR-006-SQ RING)

POWER 12W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83x83xH95mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2050/-
NP Air (TW) 3095/-	BT-Mesh (TW) 3440/-	Zigbee (TW) 4160/-
Dali DIM(DT-6) 4225/-	Dali TW (DT-8) 5630/-	<i>Signature</i>



MODULE SQUARE RING
(D75) (AIR-006-SQ RING)

POWER 18W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83x83xH95mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2575/-
NP Air (TW) 3950/-	BT-Mesh (TW) 4250/-	Zigbee (TW) 5000/-
Dali DIM(DT-6) 5050/-	Dali TW (DT-8) 6685/-	<i>Signature</i>



MODULE DEEP TRIMLESS
(D65) (AIR-006-DEEP TRIMLESS)

POWER 7W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D70xH72mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1680/-
NP Air (TW) 2650/-	BT-Mesh (TW) 2995/-	Zigbee (TW) 3715/-
Dali DIM(DT-6) 3705/-	Dali TW (DT-8) 5185/-	<i>Signature</i>



MODULE DEEP TRIMLESS (D75) (AIR-006-DEEP TRIMLESS)

POWER 7W **FEATURE** RECESSED

BODY CLR WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D80xH79mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	1775/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2742/-	3087/-	3807/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3800/-	5277/-	

Signature



MODULE DEEP TRIMLESS (D65) (AIR-006-DEEP TRIMLESS)

POWER 12W **FEATURE** RECESSED

BODY CLR WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D70xH89mm	Ø65mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2045/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3090/-	3435/-	4155/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4220/-	5625/-	

Signature



MODULE DEEP TRIMLESS (D75) (AIR-006-DEEP TRIMLESS)

POWER 12W **FEATURE** RECESSED

BODY CLR WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D80xH96mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2160/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3205/-	3550/-	4270/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4335/-	5740/-	

Signature



MODULE DEEP TRIMLESS (D75) (AIR-006-DEEP TRIMLESS)

POWER 18W **FEATURE** RECESSED

BODY CLR WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D80xH96mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K/6K	2685/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3945/-	4245/-	4995/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5160/-	5680/-	

Signature



MODULE CURVE TRIMLESS (D65) (AIR-006-CURVE TRIMLESS)

POWER 7W **FEATURE** RECESSED

BODY CLR WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D70xH72mm	Ø65mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	1680/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2650/-	2995/-	3715/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3705/-	5185/-	

Signature



MODULE CURVE TRIMLESS (D75) (AIR-006-CURVE TRIMLESS)

POWER 7W **FEATURE** RECESSED

BODY CLR WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D80xH79mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	1775/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2742/-	3087/-	3807/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3800/-	5277/-	

Signature



MODULE CURVE TRIMLESS (D65) (AIR-006-CURVE TRIMLESS)

POWER 12W **FEATURE** RECESSED

BODY CLR WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D70xH89mm	Ø65mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2045/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3090/-	3435/-	4155/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4220/-	5625/-	

Signature



MODULE CURVE TRIMLESS (D75) (AIR-006-CURVE TRIMLESS)

POWER 12W **FEATURE** RECESSED

BODY CLR WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D80xH96mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2160/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3205/-	3550/-	4270/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4335/-	5740/-	

Signature



MODULE CURVE TRIMLESS (D75) (AIR-006-CURVE TRIMLESS)

POWER 18W **FEATURE** RECESSED

BODY CLR WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D80xH96mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K/6K	2685/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3945/-	4245/-	4995/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5160/-	5680/-	

Signature




MODULE SQUARE TRIMLESS
(D65) (AIR-006-SQ TRIMLESS)

POWER 7W **FEATURE RECESSED**

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D71x71xH71mm	Ø65mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	1680/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2650/-	2995/-	3715/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3705/-	5185/-	<i>Signature</i>



MODULE SQUARE TRIMLESS
(D75) (AIR-006-SQ TRIMLESS)

POWER 7W **FEATURE RECESSED**

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D81x81xH76mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	1775/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2742/-	3087/-	3807/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3800/-	5277/-	<i>Signature</i>




MODULE SQUARE TRIMLESS
(D65) (AIR-006-SQ TRIMLESS)

POWER 12W **FEATURE RECESSED**

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D71x71xH89mm	Ø65mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2045/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3090/-	3435/-	4155/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4220/-	5625/-	<i>Signature</i>



MODULE SQUARE TRIMLESS
(D75) (AIR-006-SQ TRIMLESS)

POWER 12W **FEATURE RECESSED**

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D81x81xH95mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2160/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3205/-	3550/-	4270/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4335/-	5740/-	<i>Signature</i>



MODULE SQUARE TRIMLESS
(D75) (AIR-006-SQ TRIMLESS)

POWER 18W **FEATURE RECESSED**

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D81x81xH95mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K/6K	2685/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3945/-	4245/-	4995/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5160/-	5680/-	<i>Signature</i>




MODULE DOUBLE
(D65) (AIR-006-DOUBLE)

POWER 2*7W **FEATURE RECESSED**

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D141x73xH71mm	Ø135*65mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	2995/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4925/-	5615/-	7055/-
Dali DIM(DT-6)	Dali TW (DT-8)	
7045/-	9995/-	<i>Signature</i>



MODULE DOUBLE
(D75) (AIR-006-DOUBLE)

POWER 2*7W **FEATURE RECESSED**

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D161x83xH76mm	Ø155*75mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	3140/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5075/-	5765/-	7205/-
Dali DIM(DT-6)	Dali TW (DT-8)	
7190/-	10145/-	<i>Signature</i>




MODULE DOUBLE
(D65) (AIR-006-DOUBLE)

POWER 2*12W **FEATURE RECESSED**

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D141x73xH89mm	Ø135*65mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	3635/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5725/-	6415/-	7855/-
Dali DIM(DT-6)	Dali TW (DT-8)	
7985/-	10795/-	<i>Signature</i>



MODULE DOUBLE
(D75) (AIR-006-DOUBLE)

POWER 2*12W **FEATURE RECESSED**

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D161x83xH95mm	Ø155*75mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	3880/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5970/-	6660/-	8100/-
Dali DIM(DT-6)	Dali TW (DT-8)	
8230/-	11040/-	<i>Signature</i>



MODULE DOUBLE
(D75) (AIR-006-DOUBLE)

POWER 2*18W **FEATURE** RECESSED

BODY CLR WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D161x83xH95mm	Ø155*75mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K/6K	4990/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
7510/-	8110/-	9610/-
Dali DIM(DT-6)	Dali TW (DT-8)	
9940/-	12980/-	

Signature



GLOW-TRIM
(AIR-010)

POWER 10W **FEATURE** RECESSED/
FRONT OPENABLE

BODY CLR WH / BK

REFLECTOR GUN BK / MATT WH / MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
72x82mm	Ø65mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1000LM±5%	3K/4K	1600/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2850/-	3195/-	3915/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3775/-	5385/-	



GLOW-TRIM
(AIR-010)

POWER 16W **FEATURE** RECESSED/
FRONT OPENABLE

BODY CLR WH / BK

REFLECTOR GUN BK / MATT WH / MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
82x92mm	Ø75mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1600LM±5%	3K/4K	2020/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3350/-	3650/-	4400/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4495/-	6085/-	



GLOW-TRIM
(AIR-010)

POWER 22W **FEATURE** RECESSED/
FRONT OPENABLE

BODY CLR WH / BK

REFLECTOR GUN BK / MATT WH / MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
102x93mm	Ø85mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
2200LM±5%	3K/4K	2365/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4200/-	4500/-	5250/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4840/-	8785/-	



GLOW-TRIMLESS
(AIR-010)

POWER 10W **FEATURE** TRIMLESS/
FRONT OPENABLE

BODY CLR WH / BK

REFLECTOR GUN BK / MATT WH / MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
72x82mm	Ø65mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1000LM±5%	3K/4K	1995/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3255/-	3600/-	4320/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4170/-	5790/-	



GLOW-TRIMLESS
(AIR-010)

POWER 16W **FEATURE** TRIMLESS/
FRONT OPENABLE

BODY CLR WH / BK

REFLECTOR GUN BK / MATT WH / MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
82x92mm	Ø75mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1600LM±5%	3K/4K	2460/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3760/-	4060/-	4810/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4935/-	6495/-	



GLOW-TRIMLESS
(AIR-010)

POWER 22W **FEATURE** TRIMLESS/
FRONT OPENABLE

BODY CLR WH / BK

REFLECTOR GUN BK / MATT WH / MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
102x93mm	Ø85mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
2200LM±5%	3K/4K	2875/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4725/-	5025/-	5775/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5350/-	9310/-	



GLOW-D (AIR-010)

POWER 2*10W **FEATURE** RECESSED/
FRONT OPENABLE

BODY CLR WH / BK

REFLECTOR GUN BK / MATT WH / MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L120xW62xH82mm	Ø55mm	2x36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1000LM±5%	3K/4K	3900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6400/-	7090/-	8530/-
Dali DIM(DT-6)	Dali TW (DT-8)	
8250/-	11470/-	




GLOW-D (AIR-010)

POWER 2*16W **FEATURE** RECESSED/
FRONT OPENABLE

BODY CLR WH / BK

REFLECTOR GUN BK / MATT WH / MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L164xW84xH92mm	Ø75mm	2x36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1600LM±5%	3K/4K	4900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
7600/-	8200/-	9700/-
Dali DIM(DT-6)	Dali TW (DT-8)	
9850/-	13070/-	




ZEN

POWER 7W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION	CUTOUT	BEAM ANGLE
D45xH50mm	Ø40mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	790/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2195/-	2540/-	3260/-
Dali DIM(DT-6)	Dali TW (DT-8)	
2815/-	4730/-	




ZEN

POWER 7W **FEATURE** RECESSED

BODY CLR COPPER

DIMENSION	CUTOUT	BEAM ANGLE
D45xH50mm	Ø40mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	840/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2245/-	2590/-	3310/-
Dali DIM(DT-6)	Dali TW (DT-8)	
2865/-	4780/-	




ZEN

POWER 12W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION	CUTOUT	BEAM ANGLE
D60xH67mm	Ø52mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	1050/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2705/-	3050/-	3770/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3225/-	5240/-	




ZEN

POWER 12W **FEATURE** RECESSED

BODY CLR COPPER

DIMENSION	CUTOUT	BEAM ANGLE
D60xH67mm	Ø52mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	1150/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2805/-	3150/-	3870/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3325/-	5340/-	




ZEN

POWER 18W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D72xH75mm	Ø60mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K/6K	1525/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3425/-	3725/-	4475/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4000/-	6160/-	



ZEN

POWER 18W **FEATURE** RECESSED

BODY CLR COPPER

DIMENSION	CUTOUT	BEAM ANGLE
D72xH75mm	Ø60mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K/6K	1675/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3575/-	3875/-	4625/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4150/-	6310/-	



BEAT (AIR-002)

POWER 8W(AIR-7W) **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION	CUTOUT	BEAM ANGLE
D65xH45mm	Ø55mm	90°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
760LM±5%	3K/4K/5K/6K	960/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
1975/-	2320/-	3040/-
Dali DIM(DT-6)	Dali TW (DT-8)	
2985/-	4510/-	



BEAT (AIR-002)

POWER 15W(AIR-12W) **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION	CUTOUT	BEAM ANGLE
D85xH55mm	Ø75mm	90°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1425LM±5%	3K/4K/5K/6K	1300/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2620/-	2965/-	3685/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3475/-	5155/-	



BEAT (AIR-002)

POWER 20W(AIR-18W) **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION	CUTOUT	BEAM ANGLE
D92xH65mm	Ø85mm	90°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1900LM±5%	3K/4K/5K/6K	1725/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3315/-	3615/-	4365/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4200/-	6050/-	



GRACE CR
(AIR-001)

POWER 7W **FEATURE** RECESSED

BODY CLR
WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUB BK/MATT BK/MATT WH

DIMENSION D75xH55mm	CUTOUT Ø60mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 700/-
NP Air (TW) 1860/-	BT-Mesh (TW) 2205/-	Zigbee (TW) 2925/-
Dali DIM(DT-6) 2725/-	Dali TW (DT-8) 4395/-	



GRACE CR
(AIR-001)

POWER 12W **FEATURE** RECESSED

BODY CLR
WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUB BK/MATT BK/MATT WH

DIMENSION D85xH65mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 885/-
NP Air (TW) 2300/-	BT-Mesh (TW) 2645/-	Zigbee (TW) 3365/-
Dali DIM(DT-6) 3060/-	Dali TW (DT-8) 4835/-	



GRACE CR
(AIR-001)

POWER 20W **FEATURE** RECESSED

BODY CLR
WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUB BK/MATT BK/MATT WH

DIMENSION D95xH75mm	CUTOUT Ø85mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1370/-
NP Air (TW) 2970/-	BT-Mesh (TW) 3270/-	Zigbee (TW) 4020/-
Dali DIM(DT-6) 3845/-	Dali TW (DT-8) 5705/-	



GRACE CR

POWER 30W **FEATURE** RECESSED

BODY CLR
WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUB BK/MATT BK/MATT WH

DIMENSION D121xH65mm	CUTOUT Ø110mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 3000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2650/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 5125/-	Dali TW (DT-8) N/A	



GRACER DR

POWER 7W **FEATURE** RECESSED

BODY CLR
WH / BK

REFLECTOR
COPPER / CROME
MATT WH / MATT BK

DIMENSION D75xH55mm	CUTOUT Ø60mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 800/-
NP Air (TW) 2205/-	BT-Mesh (TW) 2550/-	Zigbee (TW) 3270/-
Dali DIM(DT-6) 2825/-	Dali TW (DT-8) 4740/-	



GRACER DR

POWER 12W **FEATURE** RECESSED

BODY CLR
WH / BK

REFLECTOR
COPPER / CROME
MATT WH / MATT BK

DIMENSION D85xH65mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1025/-
NP Air (TW) 2680/-	BT-Mesh (TW) 3025/-	Zigbee (TW) 3745/-
Dali DIM(DT-6) 3200/-	Dali TW (DT-8) 5215/-	



GRACER DR

POWER 20W **FEATURE** RECESSED

BODY CLR
WH / BK

REFLECTOR
COPPER / CROME
MATT WH / MATT BK

DIMENSION D95xH75mm	CUTOUT Ø85mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1630/-
NP Air (TW) 3530/-	BT-Mesh (TW) 3830/-	Zigbee (TW) 4580/-
Dali DIM(DT-6) 4105/-	Dali TW (DT-8) 6265/-	



GRACE

POWER 7W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D59xH65mm	CUTOUT Ø50mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 620/-
NP Air (TW) 2025/-	BT-Mesh (TW) 2370/-	Zigbee (TW) 3090/-
Dali DIM(DT-6) 2645/-	Dali TW (DT-8) 4560/-	



GRACE

POWER 7W **FEATURE** RECESSED

BODY CLR
COPPER

DIMENSION D59xH65mm	CUTOUT Ø50mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 990/-
NP Air (TW) 2395/-	BT-Mesh (TW) 2740/-	Zigbee (TW) 3460/-
Dali DIM(DT-6) 3015/-	Dali TW (DT-8) 4930/-	



GRACE

POWER 12W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D85xH80mm	CUTOUT Ø75mm	BEAM ANGLE 40°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 735/-
NP Air (TW) 2390/-	BT-Mesh (TW) 2735/-	Zigbee (TW) 3455/-
Dali DIM(DT-6) 2910/-	Dali TW (DT-8) 4925/-	



GRACE

POWER 12W **FEATURE** RECESSED

BODY CLR COPPER

DIMENSION D85xH80mm	CUTOUT Ø75mm	BEAM ANGLE 40°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1400/-
NP Air (TW) 3055/-	BT-Mesh (TW) 3400/-	Zigbee (TW) 4120/-
Dali DIM(DT-6) 3575/-	Dali TW (DT-8) 5590/-	



GRACE

POWER 18W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION D100xH100mm	CUTOUT Ø90mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1210/-
NP Air (TW) 3110/-	BT-Mesh (TW) 3410/-	Zigbee (TW) 4160/-
Dali DIM(DT-6) 3685/-	Dali TW (DT-8) 5845/-	



GRACE

POWER 18W **FEATURE** RECESSED

BODY CLR COPPER

DIMENSION D100xH100mm	CUTOUT Ø90mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2250/-
NP Air (TW) 4150/-	BT-Mesh (TW) 4450/-	Zigbee (TW) 5200/-
Dali DIM(DT-6) 4725/-	Dali TW (DT-8) 6885/-	



GRACE TL

POWER 7W **FEATURE** RECESSED

BODY CLR WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUN BK/MATT BK/MATT WH

DIMENSION D85xH55mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1300/-
NP Air (TW) 2705/-	BT-Mesh (TW) 3050/-	Zigbee (TW) 3770/-
Dali DIM(DT-6) 3325/-	Dali TW (DT-8) 5240/-	



GRACE TL

POWER 12W **FEATURE** RECESSED

BODY CLR WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUN BK/MATT BK/MATT WH

DIMENSION D98xH65mm	CUTOUT Ø88mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1590/-
NP Air (TW) 3245/-	BT-Mesh (TW) 3590/-	Zigbee (TW) 4310/-
Dali DIM(DT-6) 3765/-	Dali TW (DT-8) 5780/-	



ORA

POWER 12W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D82xH54mm	CUTOUT Ø72mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1550/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



ORA

POWER 18W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D100xH81mm	CUTOUT Ø88mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2328/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




HALO

POWER 7W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D80xH70mm	CUTOUT Ø66mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1071/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




HALO

POWER 12W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D100xH80mm	Ø88mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/6K	1550/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



VEGA

POWER 3W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D62xH35mm	Ø50mm	3°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
300LM±5%	3K/4K	1630/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature



VEGA

POWER 5W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D53xH40mm	Ø45mm	5°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
500LM±5%	3K/4K	2025/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature



VEGA

POWER 7W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D67xH72mm	Ø60mm	10°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
600LM±5%	3K/4K	2415/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature



TERO-D

POWER 6W **FEATURE** RECESSED

BODY CLR MATT WH / MATT BK / PEARL WH / BRASS / CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D45xH50mm	Ø35mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
540LM±5%	3K/4K	1418/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2823/-	3168/-	3888/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3443/-	5358/-	

Signature



TERO-D

POWER 10W **FEATURE** RECESSED

BODY CLR MATT WH / MATT BK / PEARL WH / BRASS / CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D45xH70mm	Ø35mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K	1775/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3180/-	3525/-	4245/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3950/-	5715/-	

Signature



TERO-E

POWER 6W **FEATURE** RECESSED

BODY CLR MATT WH / MATT BK / PEARL WH / BRASS / CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D45xH50mm	Ø35mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
540LM±5%	3K/4K	1418/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2823/-	3168/-	3888/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3443/-	5358/-	

Signature



TERO-E

POWER 10W **FEATURE** RECESSED

BODY CLR MATT WH / MATT BK / PEARL WH / BRASS / CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D45xH70mm	Ø35mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K	1775/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3180/-	3525/-	4245/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3950/-	5715/-	

Signature



TERO-F

POWER 6W **FEATURE** RECESSED

BODY CLR MATT WH / MATT BK / BRASS / CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D45xH50mm	Ø35mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
540LM±5%	3K/4K	1418/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2823/-	3168/-	3888/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3443/-	5358/-	

Signature



TERO-F

POWER 10W **FEATURE RECESSED**

BODY CLR
MATT WH / MATT BK/
BRASS/ CHAMPAGNE

DIMENSION D45xH70mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 900LM±5%	CCT 3K/4K	PRICE(on/off) 1775/-
NP Air (TW) 3180/-	BT-Mesh (TW) 3525/-	Zigbee (TW) 4245/-
Dali DIM(DT-6) 3950/-	Dali TW (DT-8) 5715/-	

Signature



I-BALL

POWER 5W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION D52xH40mm	CUTOUT Ø35mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 400LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1480/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



I-BALL

POWER 10W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION D74xH50mm	CUTOUT Ø45mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 800LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1715/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



RAY 8RT3

POWER 8W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION D100x40xH42.2mm	CUTOUT Ø95x35mm	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 640LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1775/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



RAY 12RT5

POWER 12W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION D160x40xH42.2mm	CUTOUT Ø155x35mm	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 960LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2655/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



RAY 18SQ9

POWER 18W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION D100x100xH42.2mm	CUTOUT Ø95x95mm	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1440LM±5%	CCT 3K/4K/6K	PRICE(on/off) 3452/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



RAY 3RI

POWER 3W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION D40xH32.1mm	CUTOUT Ø35mm	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 240LM±5%	CCT 3K/4K/6K	PRICE(on/off) 865/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



RAY 8R3

POWER 8W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION D61xH42.5mm	CUTOUT Ø55mm	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 640LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1648/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




RAY 15R7

POWER 15W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION D80xH55mm	CUTOUT Ø75mm	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2638/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




LUMA

POWER 9W **FEATURE RECESSED**

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D53xH63mm	Ø47mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K/5K/6K	844/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2249/-	2594/-	3314/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3019/-	4784/-	




LUMA

POWER 15W **FEATURE RECESSED**

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D68xH81mm	Ø62mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1500LM±5%	3K/4K/5K/6K	1355/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3255/-	3555/-	4305/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3530/-	5990/-	



LUMA

POWER 20W **FEATURE RECESSED**

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D80xH90mm	Ø71mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2000LM±5%	3K/4K/5K/6K	1870/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3770/-	4070/-	4820/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4345/-	6505/-	



LUMA

POWER 30W **FEATURE RECESSED**

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D100xH111mm	Ø91mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
3000LM±5%	3K/4K/5K/6K	2675/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
5150/-	N/A	




LUMA

POWER 50W **FEATURE RECESSED**

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D135xH133mm	Ø125mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
5000LM±5%	3K/4K/5K/6K	4275/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




TRITON

POWER 3W **FEATURE RECESSED**

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D64xH49mm	Ø55mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
300LM±5%	3K/4K/5K/6K	482/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



TRITON

POWER 7W **FEATURE RECESSED**

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D85xH60mm	Ø70mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
700LM±5%	3K/4K/5K/6K	670/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




TRITON

POWER 12W **FEATURE RECESSED**

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D90xH60mm	Ø70mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1200LM±5%	3K/4K/5K/6K	820/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




TRITON

POWER 18W **FEATURE RECESSED**

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D108xH70mm	Ø92mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1800LM±5%	3K/4K/5K/6K	1208/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




TRITON

POWER 24W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D128xH80mm	Ø115mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2400LM±5%	3K/4K/5K/6K	1650/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




TRITON

POWER 30W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D160xH102mm	Ø135mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
3000LM±5%	3K/4K/5K/6K	2180/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



TRITON

POWER 50W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D160xH115mm	Ø135mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
5000LM±5%	3K/4K/5K/6K	2885/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



TRITON-D

POWER 2x7W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
190x108x26mm	Ø170x88mm	2x60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1250LM±5%	3K/4K/5K/6K	2500/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
6550/-	N/A	



TRITON-D

POWER 2x12W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
190x108x26mm	Ø170x88mm	2x60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2160LM±5%	3K/4K/5K/6K	3030/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
7380/-	N/A	




TRITON-D

POWER 2x18W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
231x129x26mm	Ø211x109mm	2x60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
3240LM±5%	3K/4K/5K/6K	3875/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
8825/-	N/A	



APEX-C

POWER 25W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
180x100mm	Ø100mm	38/60°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
3125LM±5%	3K/4K/5K/6K	2990/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
5465/-	N/A	




APEX-C

POWER 35W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
115x110mm	Ø105mm	38/60°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
4375LM±5%	3K/4K/5K/6K	3475/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
5950/-	N/A	



APEX-M

POWER 25W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
118x100mm	Ø110mm	38/60°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
3125LM±5%	3K/4K/5K/6K	3308/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
5783/-	N/A	



APEX-M

POWER 35W
FEATURE RECESSED

BODY CLR WH/BK

DIMENSION 125x110mm	CUTOUT Ø115mm	BEAM ANGLE 38/60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 4375LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3875/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 6350/-	Dali TW (DT-8) N/A	<i>Signature</i>



APEX-D

POWER 2x25W
FEATURE RECESSED

BODY CLR WH/BK

DIMENSION 259x134x100mm	CUTOUT Ø245x120mm	BEAM ANGLE 2x38°/2x60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 8420/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 13370/-	Dali TW (DT-8) N/A	<i>Signature</i>




APEX-D

POWER 2x35W
FEATURE RECESSED

BODY CLR WH/BK

DIMENSION 266x141x111mm	CUTOUT Ø250x125mm	BEAM ANGLE 2x38°/2x60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1600LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 9900/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 14850/-	Dali TW (DT-8) N/A	<i>Signature</i>




ZENITH

POWER 8W **FEATURE RECESSED**

BODY CLR
BK/WH

REFLECTOR
WH/SS GREY/MATT GD/
MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L70x40xH51mm	Ø63x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
720LM±5%	3K/4K/5K	1811/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
3836/-	N/A	<i>Signature</i>




ZENITH

POWER 15W **FEATURE RECESSED**

BODY CLR
BK/WH

REFLECTOR
WH/SS GREY/MATT GD/
MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L100x40xH51mm	Ø93x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1350LM±5%	3K/4K/5K	2530/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
4705/-	N/A	<i>Signature</i>




ZENITH

POWER 20W **FEATURE RECESSED**

BODY CLR
BK/WH

REFLECTOR
WH/SS GREY/MATT GD/
MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L150x40xH51mm	Ø143x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1980LM±5%	3K/4K/5K	3480/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
5955/-	N/A	<i>Signature</i>



ZENITH (WITH GLASS)


POWER 8W **FEATURE RECESSED**

BODY CLR
BK/WH

REFLECTOR
SS GREY/MATT GD/
MATT BK

GLASS RING
WH/BK
SILVER/COPPER

DIMENSION	CUTOUT	BEAM ANGLE
L86x56x56mm	Ø63x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
680LM±5%	3K/4K/5K	2415/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
4440/-	N/A	<i>Signature</i>



ZENITH (WITH GLASS)


POWER 15W **FEATURE RECESSED**

BODY CLR
BK/WH

REFLECTOR
SS GREY/MATT GD/
MATT BK

GLASS RING
WH/BK/
SILVER/COPPER

DIMENSION	CUTOUT	BEAM ANGLE
L116x40x56mm	Ø93x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1275LM±5%	3K/4K/5K	3310/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
5485/-	N/A	<i>Signature</i>



ZENITH (WITH GLASS)


POWER 20W **FEATURE RECESSED**

BODY CLR
BK/WH

REFLECTOR
SS GREY/MATT GD/
MATT BK

GLASS RING
WH/BK
SILVER/COPPER

DIMENSION	CUTOUT	BEAM ANGLE
L166x40x56mm	Ø143x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1870M±5%	3K/4K/5K	4460/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
6935/-	N/A	<i>Signature</i>




CUBE (AIR-008)

POWER 3x3W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
101x41xH40mm	Ø93x33mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
765LM±5%	3K/4K/5K/6K	1760/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2625/-	2970/-	3690/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3935/-	5160/-	<i>Signature</i>




CUBE (AIR-008)

POWER 5x3W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
160x41xH40mm	Ø152x32mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1275LM±5%	3K/4K/5K/6K	2520/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3360/-	3660/-	4410/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4695/-	6095/-	<i>Signature</i>



CUBE

POWER 10x3W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
310x41xH40mm	Ø330x30mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
2550LM±5%	3K/4K/5K/6K	4956/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
7431/-	11441/-	<i>Signature</i>




PRISM

POWER 12W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D87x87xH65mm	Ø73x73mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	1575/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRISM

POWER 2x12W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D156x87xH65mm	Ø140x70mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2160LM±5%	3K/4K/5K/6K	2625/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




PRISM

POWER 3x12 **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D225x87xH65mm	Ø215x75mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
3240LM±5%	3K/4K/5K/6K	4100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




PRISM-S

POWER 6W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
L65x65xH45mm	Ø54x54mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
540LM±5%	3K/4K/5K/6K	995/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




PRISM-S

POWER 2x6W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D115x65xH45mm	Ø104x54mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	1510/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRISM-S

POWER 3x6W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D155x65xH45mm	Ø148x54mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K/6K	2100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRISM-XS

POWER 3W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D45x45xH42mm	Ø35x35mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
270LM±5%	3K/4K/5K/6K	650/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRISM-XS

POWER 2x3W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D75x45xH42mm	Ø66x35mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
540LM±5%	3K/4K/5K/6K	665/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRISM-XS

POWER 3x3W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D105x45xH42mm	Ø95x35mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
810LM±5%	3K/4K/5K/6K	1200/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




PRISM-XS

POWER 5x3W
FEATURE RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D147x45xH42mm	Ø138x35mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE _(on/off)
1350LM±5%	3K/4K/5K/6K	1355/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




ELITE

POWER 12W **FEATURE** RECESSED ADJUSTABLE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D98x98xH93mm	Ø90x90mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1020LM±5%	3K/4K/6K	2560/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



ELITE

POWER 2x12 **FEATURE** RECESSED ADJUSTABLE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D178x98xH93mm	Ø168x90mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2040LM±5%	3K/4K/6K	4640/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



ROCKET

POWER 12W **FEATURE** RECESSED ADJUSTABLE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D90xH102mm	Ø82mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/6K	2140/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3795/-	4140/-	4860/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4315/-	6330/-	




ROCKET

POWER 2x12W **FEATURE** RECESSED ADJUSTABLE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D175x90xH102mm	Ø166x82mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2160LM±5%	3K/4K/6K	4280/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
7590/-	8280/-	9720/-
Dali DIM(DT-6)	Dali TW (DT-8)	
8630/-	12660/-	



SPY (RD)

POWER 7W **FEATURE** RECESSED ADJUSTABLE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D61.6xH79mm	Ø55mm	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
630M±5%	3K/4K/5K/6K	1600/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3005/-	3350/-	4070/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3625/-	5540/-	



SPY (SQ)

POWER 7W **FEATURE** RECESSED ADJUSTABLE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D63.5x63.5xH87.5mm	Ø55x55mm	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	1600/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3005/-	3350/-	4070/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3625/-	5540/-	



SPY (RD)

POWER 12W **FEATURE** RECESSED ADJUSTABLE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D84xH100.5mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2200/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3855/-	4200/-	4920/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4375/-	6390/-	



SPY (SQ)

POWER 12W **FEATURE** RECESSED ADJUSTABLE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D84x84xH111.5mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2200/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3855/-	4200/-	4920/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4375/-	6390/-	



SPY (RD)

POWER 20W **FEATURE** RECESSED ADJUSTABLE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D110xH121.5mm	Ø95mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1800LM±5%	3K/4K/5K/6K	3850/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5750/-	6050/-	6800/-
Dali DIM(DT-6)	Dali TW (DT-8)	
6325/-	8485/-	



SPY (sq)

POWER 20W
FEATURE RECESSED ADJUSTABLE
BODY CLR WH/BK

DIMENSION D104.5xH137.5mm	CUTOUT Ø95mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3850/-
NP Air (TW) 5750/-	BT-Mesh (TW) 6050/-	Zigbee (TW) 6800/-
Dali DIM(DT-6) 6325/-	Dali TW (DT-8) 8485/-	



SPY

POWER 2x7W
FEATURE RECESSED ADJUSTABLE
BODY CLR WH/BK

DIMENSION D129.5x68.5xH84mm	CUTOUT Ø120x55mm	BEAM ANGLE 2x38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1260LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3500/-
NP Air (TW) 6310/-	BT-Mesh (TW) 7000/-	Zigbee (TW) 8440/-
Dali DIM(DT-6) 7550/-	Dali TW (DT-8) 11380/-	



SPY

POWER 2x12W
FEATURE RECESSED ADJUSTABLE
BODY CLR WH/BK

DIMENSION D180x90.5xH111.7mm	CUTOUT Ø165x75mm	BEAM ANGLE 2x38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2160LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 5050/-
NP Air (TW) 8360/-	BT-Mesh (TW) 9050/-	Zigbee (TW) 10490/-
Dali DIM(DT-6) 9400/-	Dali TW (DT-8) 13430/-	



SPY

POWER 2x20W
FEATURE RECESSED ADJUSTABLE
BODY CLR WH/BK

DIMENSION D223.5x109.5xH133.5mm	CUTOUT Ø210x92mm	BEAM ANGLE 2x38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 3600LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 8400/-
NP Air (TW) 12200/-	BT-Mesh (TW) 12800/-	Zigbee (TW) 14300/-
Dali DIM(DT-6) 13350/-	Dali TW (DT-8) 17670/-	



ZOOM

POWER 18W
FEATURE RECESSED ADJUSTABLE
BODY CLR WH/BK

DIMENSION D110xH90mm	CUTOUT Ø98mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1620M±5%	CCT 3K/4K/6K	PRICE(on/off) 2175/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 4650/-	Dali TW (DT-8) N/A	



ZOOM

POWER 30W
FEATURE RECESSED ADJUSTABLE
BODY CLR WH/BK

DIMENSION D165xH140mm	CUTOUT Ø148mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2700LM±5%	CCT 3K/4K/6K	PRICE(on/off) 3650/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 6125/-	Dali TW (DT-8) N/A	



ZINO

POWER 1W **FEATURE RECESSED**

BODY CLR
WH/GUN BK/COPPER

DIMENSION D22xH39mm	CUTOUT Ø18mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 100LM±5%	CCT 3K/4K	PRICE(on/off) 565/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



DOT

POWER 5W **FEATURE RECESSED**

BODY CLR
WH/BK/BROWN

DIMENSION D42xH37mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 450LM±5%	CCT 3K/4K	PRICE(on/off) 975/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GINI

POWER 5W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION D45xH38mm	CUTOUT Ø40mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 450LM±5%	CCT 3K/4K/6K	PRICE(on/off) 625/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GINI

POWER 5W **FEATURE RECESSED**

BODY CLR
COPPER

DIMENSION D45xH38mm	CUTOUT Ø40mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 450LM±5%	CCT 3K/4K/6K	PRICE(on/off) 695/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GINI

POWER 3W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION D36xH34mm	CUTOUT Ø32mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 270LM±5%	CCT 3K/4K/6K	PRICE(on/off) 338/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




GINI

POWER 3W **FEATURE RECESSED**

BODY CLR
COPPER

DIMENSION D36xH34mm	CUTOUT Ø32mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 270LM±5%	CCT 3K/4K/6K	PRICE(on/off) 390/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



PIN

POWER 3W **FEATURE RECESSED**

BODY CLR
WH/GUN BK
COPPER/CH.GD

DIMENSION 35x17mm	CUTOUT Ø30mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 240LM±5%	CCT 3K/4K	PRICE(on/off) 255/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MINNIE

POWER 1W **FEATURE RECESSED**

BODY CLR
WH

DIMENSION D30xH26mm	CUTOUT Ø25mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 90LM±5%	CCT 3K/4K/6K/GR/BL/RD/PINK	PRICE(on/off) 143/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TINY (RD&SQ)

POWER 2W **FEATURE RECESSED**

BODY CLR
WH

DIMENSION D35xH30mm	CUTOUT Ø30mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 180LM±5%	CCT 3K/4K/6K/GR/BL/RD/PINK	PRICE(on/off) 187/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



AERO

POWER 10W **FEATURE SURFACE**

BODY CLR
SS GREY/SS BRASS

DIMENSION D35x140mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1000LM±5%	CCT 3K/4K	PRICE(on/off) 2675/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




AERO

POWER 15W **FEATURE SURFACE**

BODY CLR
SS GREY/SS BRASS

DIMENSION D45x158mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K	PRICE(on/off) 3475/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




VERTO-S

POWER 15W **FEATURE SURFACE WALL WASHER**

BODY CLR
WH/MATT BK

DIMENSION D75x115mm	CUTOUT ASYMMETRIC	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K	PRICE(on/off) 5100/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




BRAVO

POWER 8W **FEATURE SURFACE**

BODY CLR
BROWN/MATT BK

DIMENSION D80x67mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 800LM±5%	CCT 3K/4K/5K	PRICE(on/off) 3400/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




BRAVO

POWER 15W **FEATURE SURFACE**

BODY CLR
BROWN/MATT BK

DIMENSION D80x85mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K/5K	PRICE(on/off) 3900/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




ZENITH-S

POWER 12W **FEATURE SURFACE**

BODY CLR
WH+WH/BK+MATT BK

DIMENSION D102x42x57mm	CUTOUT N/A	BEAM ANGLE 50°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K	PRICE(on/off) 3050/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



ZENITH-S

POWER 18W **FEATURE SURFACE**

BODY CLR
WH+WH/BK+MATT BK

DIMENSION D152x42x57mm	CUTOUT N/A	BEAM ANGLE 50°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K/5K	PRICE(on/off) 4150/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



BEAM

POWER 7W **FEATURE SURFACE**

BODY CLR
WH+GUN BK
SS GREY+GUN BK
BROWN+GUN BK

DIMENSION D58xH67mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K	PRICE(on/off) 1525/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



BEAM

POWER 12W **FEATURE SURFACE**

BODY CLR
WH+GUN BK
SS GREY+GUN BK
BROWN+GUN BK

DIMENSION D72xH80mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K	PRICE(on/off) 2085/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



BEAM

POWER 18W **FEATURE** SURFACE

BODY CLR
WH+GUN BK
SS GREY+GUN BK
BROWN+GUN BK

DIMENSION D85xH88mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K	PRICE(on/off) 2990/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



HANGING KIT

POWER - **FEATURE** N/A

BODY CLR -

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 550/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



RADIANT

POWER 10W **FEATURE** SURFACE

BODY CLR
WH+WH+WH /
BK+BK+SAND GD

DIMENSION D60xH93mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 900LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1395/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



RADIANT

POWER 15W **FEATURE** SURFACE

BODY CLR
WH+WH+WH /
BK+BK+SAND GD

DIMENSION D75xH103mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1815/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



CURVE

POWER 7W **FEATURE** SURFACE

BODY CLR
GUN BK / BRASS
GUN BK+AB
GUN BK+SS GREY

DIMENSION D63xH53mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K	PRICE(on/off) 1850/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CURVE

POWER 12W **FEATURE** SURFACE

BODY CLR
GUN BK / BRASS
GUN BK+AB
GUN BK+SS GREY

DIMENSION D84xH60mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K	PRICE(on/off) 2400/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



HANGING KIT

POWER - **FEATURE** N/A

BODY CLR -

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 550/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



BETA SF

POWER 8W **FEATURE** SURFACE

BODY CLR
WH/GUN BK/BRASS

DIMENSION D58xH57mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 720LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1305/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BETA SF

POWER 15W **FEATURE** SURFACE

BODY CLR
WH/GUN BK/BRASS

DIMENSION D72xH69mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1715/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BETA SF

POWER 20W **FEATURE** SURFACE

BODY CLR WH/GUN BK/BRASS

DIMENSION	CUTOUT	BEAM ANGLE
D85xH77mm	N/A	90°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1800LM±5%	3K/4K/5K/6K	2600/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



DRUM-R

POWER 3W **FEATURE** SURFACE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D46xH57mm	N/A	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
270LM±5%	3K/4K/6K	895/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



DRUM-R

POWER 7W **FEATURE** SURFACE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D55xH60mm	N/A	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/6K	1030/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



DRUM-R

POWER 12W **FEATURE** SURFACE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D68xH68mm	N/A	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/6K	1575/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



DRUM-S

POWER 7W **FEATURE** SURFACE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D55x55xH57mm	N/A	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/6K	1030/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



DRUM-S

POWER 2x7W **FEATURE** SURFACE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D110x55xH57mm	N/A	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
1260LM±5%	3K/4K/6K	2060/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



DRUM-S

POWER 12W **FEATURE** SURFACE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D70x70xH70mm	N/A	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/6K	1575/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



DRUM-S

POWER 2x12W **FEATURE** SURFACE

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D140x70xH70mm	N/A	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2160LM±5%	3K/4K/6K	3150/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




GRACE CR SF

POWER 7W **FEATURE** SURFACE

BODY CLR WH/BK
REFLECTOR MATT GD /CH.GD
MATT WH/COPPER(RG)
MATT BK/GUN BK

DIMENSION	CUTOUT	BEAM ANGLE
D60xH85mm	N/A	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
700LM±5%	3K/4K/5K/6K	1000/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



GRACE CR SF

POWER 12W **FEATURE** SURFACE
BODY CLR WH/BK
REFLECTOR MATT GD /CH.GD
MATT WH/COPPER(RG)
MATT BK/GUN BK


DIMENSION D75xH95mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1300/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE CR SF

POWER 20W **FEATURE** SURFACE
BODY CLR WH/BK
REFLECTOR MATT GD /CH.GD
MATT WH/COPPER(RG)
MATT BK/GUN BK


DIMENSION D86xH110mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1795/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE CR SF

POWER 30W **FEATURE** SURFACE
BODY CLR WH/BK
REFLECTOR MATT GD /CH.GD
MATT WH/COPPER(RG)
MATT BK/GUN BK


DIMENSION D107xH165mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 3000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3155/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE DR SF

POWER 7W **FEATURE** SURFACE
BODY CLR WH/BK
REFLECTOR MATT WH/COPPER(RG)
MATT BK/CROME


DIMENSION D60xH85mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1405/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE DR SF

POWER 12W **FEATURE** SURFACE
BODY CLR WH/BK
REFLECTOR MATT WH/COPPER(RG)
MATT BK/CROME


DIMENSION D75xH95mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1695/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE DR SF

POWER 20W **FEATURE** SURFACE
BODY CLR WH/BK
REFLECTOR MATT WH/COPPER(RG)
MATT BK/CROME

DIMENSION D86xH110mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2268/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER 9W **FEATURE** SURFACE
BODY CLR WH/BK

DIMENSION D90xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 855LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1335/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER 9W **FEATURE** SURFACE
BODY CLR BRASS

DIMENSION D90xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 855LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1770/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER 16W **FEATURE** SURFACE
BODY CLR WH/BK

DIMENSION D120xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1520LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1800/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER
16W **FEATURE**
SURFACE

BODY CLR
BRASS

DIMENSION D120xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1520LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2378/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER
24W **FEATURE**
SURFACE

BODY CLR
WH/BK

DIMENSION D140xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2280LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2360/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER
24W **FEATURE**
SURFACE

BODY CLR
BRASS

DIMENSION D140xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2280LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3055/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



SPIN

POWER
7W **FEATURE**
SURFACE
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D70xH87mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1415/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



SPIN

POWER
12W **FEATURE**
SURFACE
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D85xH106mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1775/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



SPIN

POWER
18W **FEATURE**
SURFACE
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D100xH122mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2560/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-S

POWER 7W
FEATURE SURFACE
BODY CLR SS GREY/AB/BROWN

DIMENSION 45xH100mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K	PRICE(on/off) 1275/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-S

POWER 12W
FEATURE SURFACE
BODY CLR SS GREY/AB/BROWN

DIMENSION 55xH120mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K	PRICE(on/off) 1740/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-S

POWER 18W
FEATURE SURFACE
BODY CLR SS GREY/AB/BROWN

DIMENSION 65xH140mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K	PRICE(on/off) 2115/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-W

POWER 7W
FEATURE SURFACE
ADJUSTABLE
BODY CLR SS GREY/AB/BROWN

DIMENSION 45xH100mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K	PRICE(on/off) 1712/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-W

POWER 12W
FEATURE SURFACE
ADJUSTABLE
BODY CLR SS GREY/AB/BROWN

DIMENSION 55xH120mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K	PRICE(on/off) 2250/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-W

POWER 18W
FEATURE SURFACE
ADJUSTABLE
BODY CLR SS GREY/AB/BROWN

DIMENSION 65xH140mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K	PRICE(on/off) 2685/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-T

POWER 7W
FEATURE TRACK
ADJUSTABLE
BODY CLR SS GREY/AB/BROWN

DIMENSION 45xH100mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K	PRICE(on/off) 1870/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-T

POWER 12W
FEATURE TRACK
ADJUSTABLE
BODY CLR SS GREY/AB/BROWN

DIMENSION 55xH120mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K	PRICE(on/off) 2250/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-T

POWER 18W
FEATURE TRACK
ADJUSTABLE
BODY CLR SS GREY/AB/BROWN

DIMENSION 65xH140mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K	PRICE(on/off) 2685/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORE

POWER 7W
FEATURE SURFACE ADJUSTABLE
BODY CLR GUN BK/ SHINING GD COPPER

DIMENSION D55xH63mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K	PRICE(on/off) 1995/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORE

POWER 12W
FEATURE SURFACE ADJUSTABLE
BODY CLR GUN BK/ SHINING GD COPPER

DIMENSION D65xH63mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K	PRICE(on/off) 2410/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



ROSA

POWER 8W
FEATURE SURFACE ADJUSTABLE
BODY CLR BRASS/SS SILVER/GUN BK

DIMENSION 45xH160mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 720LM±5%	CCT 3K/4K	PRICE(on/off) 3165/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



ROSA

POWER 15W
FEATURE SURFACE ADJUSTABLE
BODY CLR BRASS/SS SILVER/GUN BK

DIMENSION 45xH180mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K	PRICE(on/off) 4040/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



EVO

POWER 2x8W
FEATURE SURFACE ADJUSTABLE
BODY CLR SHINING GOLD CHAMPAGNE

DIMENSION W155xH350mm D40x163mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1600LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 6200/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



BOLT

POWER 12W
FEATURE SURFACE ADJUSTABLE
BODY CLR WH / BK

DIMENSION D55xH210MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1020LM±5%	CCT 3K/4K	PRICE(on/off) 3265/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



IGNIS-W

POWER 6W
FEATURE SURFACE ADJUSTABLE
BODY CLR MATT BK/GUN BK BROWN

DIMENSION D35xH80MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 600LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1555/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



IGNIS-W

POWER 10W
FEATURE SURFACE ADJUSTABLE
BODY CLR MATT BK/GUN BK BROWN

DIMENSION D45xH100MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1000LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2080/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



IGNIS-W

POWER 15W
FEATURE SURFACE ADJUSTABLE
BODY CLR MATT BK/GUN BK BROWN

DIMENSION D55xH100MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1500LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2950/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



IGNIS-R

POWER 6W
FEATURE SURFACE ADJUSTABLE
BODY CLR MATT BK/GUN BK BROWN

DIMENSION D35xH80MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 600LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1555/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



IGNIS-R

POWER 10W
FEATURE SURFACE ADJUSTABLE
BODY CLR MATT BK/GUN BK BROWN

DIMENSION D45xH100MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1000LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2080/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



IGNIS-R

POWER 15W
FEATURE SURFACE ADJUSTABLE
BODY CLR MATT BK/GUN BK BROWN

DIMENSION D55xH100MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2950/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BULLET

POWER 7W
FEATURE SURFACE ADJUSTABLE
BODY CLR WH/BK

DIMENSION D50xH75MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1455/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BULLET

POWER 7W
FEATURE SURFACE ADJUSTABLE
BODY CLR COPPER

DIMENSION D50xH75MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1725/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BULLET

POWER 12W
FEATURE SURFACE ADJUSTABLE
BODY CLR WH/BK

DIMENSION D50xH90MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1715/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BULLET

POWER 12W
FEATURE SURFACE ADJUSTABLE
BODY CLR COPPER

DIMENSION D50xH90MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2015/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CANNON

(Ceiling & Track Base)
POWER 12W
FEATURE CEILING & TRACK ADJUSTABLE
BODY CLR WH/BK

DIMENSION D64xH115MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1365/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CANNON

(Ceiling & Track Base)
POWER 20W
FEATURE CEILING & TRACK ADJUSTABLE
BODY CLR WH/BK

DIMENSION D80xH135MM	CUTOUT N/A	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1660/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CANNON

(Ceiling & Track Base)

POWER 30W **FEATURE**
CEILING & TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D90xH155MM	CUTOUT N/A	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2120/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MAGNUM

POWER 20W **FEATURE**
TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D158x80xH110MM	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2018/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MAGNUM

POWER 30W **FEATURE**
TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D170xH100xH140MM	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2700LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2700/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



APEX-T

POWER 25W **FEATURE**
TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D90xH172xH207MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 3125LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3690/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



APEX-T

POWER 35W **FEATURE**
TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D97xH172xH204MM	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 4375LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 4190/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature

Signature



TRACK PATTI
(E-CLASS & 1MTR)

POWER N/A
FEATURE 2 WIRE TRACK PATTI
BODY CLR WH/BK

DIMENSION 220GM FOR 1MTR	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 375/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRACK PATTI
(E-CLASS & 2MTR)

POWER N/A
FEATURE 2 WIRE TRACK PATTI
BODY CLR WH/BK

DIMENSION 220GM FOR 1MTR	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 750/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRACK PATTI
(S-CLASS & 1MTR)

POWER N/A
FEATURE 2 WIRE TRACK PATTI
BODY CLR WH/BK

DIMENSION 310GM FOR 1MTR	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 592/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRACK PATTI
(S-CLASS & 2MTR)

POWER N/A
FEATURE 2 WIRE TRACK PATTI
BODY CLR WH/BK

DIMENSION 310GM FOR 1MTR	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 1184/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRACK ACCESSORIES

POWER N/A
FEATURE L SHAPE TRACK CONNECTOR
BODY CLR WH/BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 225/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRACK ACCESSORIES

POWER N/A
FEATURE I SHAPE TRACK CONNECTOR
BODY CLR WH/BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 225/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




PRIME

POWER 12W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D85x45mm	Ø75mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1200LM±5%	3K/4K/5K/6K	712/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




PRIME

POWER 18W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D115x45mm	Ø105mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1800LM±5%	3K/4K/5K/6K	1115/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRIME

POWER 24W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D165x46mm	Ø155mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
2400LM±5%	3K/4K/6K	1550/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




JAZZ(AIR-003)

POWER 12W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D82xH43mm	Ø75mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1200LM±5%	3K/4K/5K/6K	735/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
1765/-	2110/-	2830/-
Dali DIM(DT-6)	Dali TW (DT-8)	
2910/-	4300/-	



JAZZ(AIR-003)

POWER 18W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D102xH47mm	Ø95mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1800LM±5%	3K/4K/5K/6K	1060/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2205/-	2505/-	3255/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3535/-	4940/-	



JAZZ

POWER 24W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D132xH55.5mm	Ø125mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
2400LM±5%	3K/4K/5K/6K	1575/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
4050/-	N/A	



JAZZ

POWER 32W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D162xH61mm	Ø155mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
3200LM±5%	3K/4K/5K/6K	2680/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NOBLE(AIR-005)

POWER 15W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D120xH53mm	Ø112mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1500LM±5%	3K/4K/5K/6K	1235/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2375/-	2675/-	3425/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3410/-	5110/-	



NOBLE(AIR-005)

POWER 22W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D155xH60mm	Ø147mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
2200LM±5%	3K/4K/5K/6K	1635/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2950/-	3250/-	4000/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4110/-	7535/-	



AQUA (RD)(AIR-011)

POWER 12W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D110xH50mm	Ø102mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1140LM±5%	3K/4K/5K/6K	800/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
1760/-	2105/-	2824/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4295/-	



AQUA (RD)(AIR-011)

POWER 18W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D145xH50mm	Ø137mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1710LM±5%	3K/4K/5K/6K	1030/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2300/-	2600/-	3350/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5035/-	




AQUA (RD)(AIR-011)

POWER 24W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D168xH50mm	155mm	Ø110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
2280LM±5%	3K/4K/5K/6K	1475/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2965/-	3265/-	4115/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	7150/-	




AQUA (SQ)

POWER 12W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D110x110xH50mm	Ø102x102mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1140LM±5%	3K/4K/5K/6K	980/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




AQUA (SQ)

POWER 18W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D145x145xH50mm	Ø137x137mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1710LM±5%	3K/4K/5K/6K	1280/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




AQUA (SQ)

POWER 24W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D168x168xH50mm	Ø155x155mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
2280LM±5%	3K/4K/5K/6K	1925/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




CREST

POWER 12W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D115xH24mm	Ø105mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1200LM±5%	4K/5K/6K	685/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




CREST

POWER 18W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D135xH24mm	Ø125mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1800LM±5%	4K/5K/6K	925/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




CREST

POWER 24W **FEATURE RECESSED**

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D165xH24mm	Ø155mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
2400LM±5%	4K/5K/6K	1240/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




CREST

POWER 32W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D215xH24mm	Ø205mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
3200LM±5%	4K/5K/6K	2100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




IRIS (RD&SQ)

POWER 8W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D95x95xH32mm	Ø89x89mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
720LM±5%	3K/4K/6K	800/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




IRIS (RD&SQ)

POWER 15W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D145x145xH32mm	Ø139x139mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1350LM±5%	3K/4K/6K	1170/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




IRIS (RD&SQ)

POWER 22W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D170x170xH32mm	Ø163x163mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1980LM±5%	3K/4K/6K	1570/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXUS (RD&SQ)

POWER 6W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D105x105mm	Ø95x95mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
540LM±5%	3K/4K/6K	545/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXUS (RD&SQ)

POWER 12W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D155x155mm	Ø130x130mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/6K	770/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXUS (RD&SQ)

POWER 18W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D170x170mm	Ø155x155mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/6K	1055/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




OPERA (RD&SQ)

POWER 8W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D111xH111mm	Ø94x94mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
720LM±5%	3K/4K/6K	510/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




OPERA (RD&SQ)

POWER 15W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D140xH140mm	Ø123x123mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1350LM±5%	3K/4K/6K	675/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




OPERA (RD&SQ)

POWER 22W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D160xH160mm	Ø143x143mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1980LM±5%	3K/4K/6K	800/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEO (RD&SQ)

POWER 6W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D115xH115mm	Ø105x105mm	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
540LM±5%	3K/4K/6K	400/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEO (RD&SQ)

POWER 12W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D145xH145mm	Ø135x135mm	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/6K	490/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEO (RD&SQ)

POWER 18W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D165xH165mm	Ø155x155mm	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/6K	670/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




JOY (RD&SQ)

POWER 8W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D90x90mm	Ø75x75mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
680LM±5%	3K/4K/6K	525/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




JOY (RD&SQ)

POWER 15W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D145x145mm	Ø125x125mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1275LM±5%	3K/4K/6K	835/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




JOY (RD&SQ)

POWER 22W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D170x170mm	Ø155x155mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1870LM±5%	3K/4K/6K	1115/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




JOY (RD&SQ)

POWER 30W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D225x225mm	Ø205x205mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
2550LM±5%	3K/4K/6K	2180/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXA (RD&SQ)

POWER 8W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D120xH120mm	Ø100x100mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
680LM±5%	3K/4K/6K/3IN1	440/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXA (RD&SQ)

POWER 15W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D170x170mm	Ø155x155mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1275LM±5%	3K/4K/6K/3IN1	620/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXA (RD&SQ)

POWER 22W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D225x225mm	Ø205x205mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1870LM±5%	3K/4K/6K/3IN1	905/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXA (RD&SQ)

POWER 30W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D300x300mm	Ø280x280mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
2550LM±5%	3K/4K/6K/3IN1	1860/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXA 3in1 (RD & SQ)

POWER 8W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D120x120mm	Ø100x100mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
640LM±5%	3IN1	725/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXA 3in1 (RD&SQ)

POWER 15W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D170x170mm	Ø155x155mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1200LM±5%	3IN1	960/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXUS 2x2

POWER 48W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION	CUTOUT	BEAM ANGLE
D595x595mm	Ø590x590mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
3840LM±5%	3K/4K/6K	2765/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NEXUS (SURFACE FRAME)

POWER N/A **FEATURE** N/A

BODY CLR -

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	800/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




2 IN 1

POWER 3W+3W **FEATURE** RECESSED

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D105x105mm	Ø70x70mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
N/A	WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	434/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




2 IN 1

POWER 6W+3W **FEATURE** RECESSED

BODY CLR WH / BK

DIMENSION	CUTOUT	BEAM ANGLE
D145x145mm	Ø105x105mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
N/A	WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	625/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




2 IN 1

POWER
12W+4W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION	CUTOUT	BEAM ANGLE
D195x195mm	Ø155x155mm	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE _(on/off)
N/A	WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	869/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




JOY SF (RD&SQ)

POWER 8W **FEATURE SURFACE**

BODY CLR WH

DIMENSION D90xH90mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 720LM±5%	CCT 3K/4K/6K	PRICE(on/off) 730/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




JOY SF (RD&SQ)

POWER 15W **FEATURE SURFACE**

BODY CLR WH

DIMENSION D145xH145mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1350LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1090/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




JOY SF (RD&SQ)

POWER 22W **FEATURE SURFACE**

BODY CLR WH

DIMENSION D170xH170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1980LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1465/-
NP Air (TW) -	BT-Mesh (TW) -	Zigbee (TW) -
Dali DIM(DT-6) -	Dali TW (DT-8) -	




IRIS SF (RD&SQ)

POWER 8W **FEATURE SURFACE**

BODY CLR WH / BK

DIMENSION D95x95xH32mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 720LM±5%	CCT 3K/4K/6K	PRICE(on/off) 940/-
NP Air (TW) N/A	BT-Mesh (TW) -	Zigbee (TW) -
Dali DIM(DT-6) -	Dali TW (DT-8) -	



IRIS SF (RD&SQ)

POWER 15W **FEATURE SURFACE**

BODY CLR WH / BK

DIMENSION D153x153xH35mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1350LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1465/-
NP Air (TW) -	BT-Mesh (TW) -	Zigbee (TW) -
Dali DIM(DT-6) -	Dali TW (DT-8) -	



IRIS SF (RD&SQ)

POWER 22W **FEATURE SURFACE**

BODY CLR WH/BK

DIMENSION D178x178xH35mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1980LM±5%	CCT 3K/5K/6K	PRICE(on/off) 1860/-
NP Air (TW) -	BT-Mesh (TW) -	Zigbee (TW) -
Dali DIM(DT-6) -	Dali TW (DT-8) -	



2 IN 1 SF (RD&SQ)

POWER 3W+3W **FEATURE SURFACE**

BODY CLR WH

DIMENSION D105xH105mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS -	CCT WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	PRICE(on/off) 590/-
NP Air (TW) -	BT-Mesh (TW) -	Zigbee (TW) -
Dali DIM(DT-6) -	Dali TW (DT-8) -	




2 IN 1 SF (RD&SQ)

POWER 6W+3W **FEATURE SURFACE**

BODY CLR WH

DIMENSION D145x145mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS -	CCT WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	PRICE(on/off) 853/-
NP Air (TW) -	BT-Mesh (TW) -	Zigbee (TW) -
Dali DIM(DT-6) -	Dali TW (DT-8) -	




2 IN 1 SF (RD&SQ)

POWER 12W+4W **FEATURE SURFACE**

BODY CLR WH

DIMENSION D195x195mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS -	CCT WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	PRICE(on/off) 1180/-
NP Air (TW) -	BT-Mesh (TW) -	Zigbee (TW) -
Dali DIM(DT-6) -	Dali TW (DT-8) -	




NEXA SF^(RD&SQ)

POWER 8W **FEATURE SURFACE**

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D120x120mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
720LM±5%	3K/4K/6K	575/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
-	-	-
Dali DIM(DT-6)	Dali TW (DT-8)	
-	-	



NEXA SF^(RD&SQ)

POWER 15W **FEATURE SURFACE**

BODY CLR WH

DIMENSION	CUTOUT	BEAM ANGLE
D170x170mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1350LM±5%	3K/4K/6K	825/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
-	-	-
Dali DIM(DT-6)	Dali TW (DT-8)	
-	-	




NEXA SF^(RD&SQ)

POWER 22W **FEATURE SURFACE**

BODY CLR WH


DIMENSION	CUTOUT	BEAM ANGLE
D225x225mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1980LM±5%	3K/4K/6K	1125/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
-	-	-
Dali DIM(DT-6)	Dali TW (DT-8)	
-	-	



MICRO-05-SM(5mm)

POWER N/A **FEATURE** SURFACE
BODY CLR MATT BK 1 MTR TRACK


DIMENSION	LENGTH	BEAM ANGLE
1000x12x20.7mm	1M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	2100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-SM(5mm)

POWER N/A **FEATURE** SURFACE
BODY CLR MATT BK 2MTR TRACK

DIMENSION	LENGTH	BEAM ANGLE
2000x12x20.7mm	2M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	4200/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-SM(5mm)

POWER N/A **FEATURE** SURFACE
BODY CLR MATT BK 3 MTR TRACK

DIMENSION	LENGTH	BEAM ANGLE
3000x12x20.7mm	3M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	6300/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-SM(5mm)
(C TO C CORNER)

POWER N/A **FEATURE** JOINTER FOR TRACK
BODY CLR BK

DIMENSION	LENGTH	BEAM ANGLE
50X50mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	1150/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-SM(5mm)
(W TO C CORNER)

POWER N/A **FEATURE** JOINTER FOR TRACK
BODY CLR BK


DIMENSION	LENGTH	BEAM ANGLE
50x50mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	1900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-SM(5mm)
(3SIDE T JOINTER)

POWER N/A **FEATURE** JOINTER FOR TRACK
BODY CLR BK


DIMENSION	LENGTH	BEAM ANGLE
50x100mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	2000/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-SM(5mm)
(4SIDE + JOINTER)

POWER N/A **FEATURE** JOINTER FOR TRACK
BODY CLR BK


DIMENSION	LENGTH	BEAM ANGLE
100x100mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	2650/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05(5mm)
HALF ROUND 600 SM

POWER N/A **FEATURE** SURFACE HALF ROUND TRACK
BODY CLR BK (C TO C)


DIMENSION	LENGTH	BEAM ANGLE
L100xD600xL100	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	10100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05(5mm)
HALF ROUND 1000 SM

POWER N/A **FEATURE** SURFACE HALF ROUND TRACK
BODY CLR BK (C TO C)


DIMENSION	LENGTH	BEAM ANGLE
L100xD1000xL100	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	14900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
ARC 600-SM

POWER N/A
FEATURE SURFACE ARC TRACK (C TO C)
BODY CLR BK


DIMENSION	LENGTH	BEAM ANGLE
L100xD600xL100	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	6000/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
ARC 1000-SM

POWER N/A
FEATURE SURFACE ARC TRACK (C TO C)
BODY CLR BK

DIMENSION	LENGTH	BEAM ANGLE
L100xD1000xL100	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	8600/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
ARC 600-SM

POWER N/A
FEATURE SURFACE ARC TRACK (W TO C)
BODY CLR BK

DIMENSION	LENGTH	BEAM ANGLE
L100xD600xL100	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	7000/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
FULL CIRCLE 600-SM

POWER N/A
FEATURE SURFACE ROUND TRACK
BODY CLR BK

DIMENSION	LENGTH	BEAM ANGLE
D600XW11XH20.7mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	16600/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
HANGING KIT

POWER N/A
FEATURE HANGING KIT
BODY CLR BK


DIMENSION	LENGTH	BEAM ANGLE
2MTR	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	1250/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
ONE TRACK HANGER

POWER N/A
FEATURE TRACK HANGER
BODY CLR BK

DIMENSION	LENGTH	BEAM ANGLE
D33mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	4100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
TWO TRACK HANGER

POWER N/A
FEATURE TRACK HANGER
BODY CLR BK

DIMENSION	LENGTH	BEAM ANGLE
D33mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	6500/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-RM^(5mm)

POWER N/A
FEATURE CONCEAL 1 MTR TRACK
BODY CLR MATT BK

DIMENSION	LENGTH	BEAM ANGLE
1000x47x20.7mm	1M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	2300/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-RM^(5mm)

POWER N/A
FEATURE CONCEAL 2 MTR TRACK
BODY CLR MATT BK


DIMENSION	LENGTH	BEAM ANGLE
2000x47x20.7mm	2M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	4600/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-RM^(5mm)

POWER
N/A
FEATURE
CONCEAL
3 MTR
TRACK
BODY CLR
MATT BK


DIMENSION	LENGTH	BEAM ANGLE
3000x47x20.7mm	3M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	6900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-RM^(5mm)
(C TO C CORNER)

POWER
N/A
FEATURE
C TO C CORNER
FOR TRACK
BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
50x50mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	1150/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-RM^(5mm)
(W TO C CORNER)

POWER
N/A
FEATURE
W TO C CORNER
FOR TRACK
BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
50x50mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	1900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
HALF ROUND 600 RM

POWER
N/A
FEATURE
RECESSED HALF
ROUND TRACK
(C TO C)
BODY CLR
BK


DIMENSION	LENGTH	BEAM ANGLE
L100xD600xL100	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	10100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
HALF ROUND 1000 RM

POWER
N/A
FEATURE
RECESSED HALF
ROUND TRACK
(C TO C)
BODY CLR
BK


DIMENSION	LENGTH	BEAM ANGLE
L100xD1000xL100	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	14900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
ARC 600 RM

POWER
N/A
FEATURE
RECESSED
ARC TRACK
(C TO C)
BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
L100xD600xL100	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	6000/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
ARC 1000 RM

POWER
N/A
FEATURE
RECESSED
ARC TRACK
(C TO C)
BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
L100xD1000xL100	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	8600/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
(INPUT MODULE)

POWER
N/A
FEATURE
INPUT MODULE
FOR TRACK
BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	780/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
(STRAIGHT MODULE)

POWER
N/A
FEATURE
STARAIGHT MODULE
FOR TRACK
BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	750/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
(CORNER MODULE)

POWER
N/A
FEATURE
CORNER MODULE
FOR TRACK
BODY CLR
BK


DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	1060/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
((T)3 SIDE MODULE)

POWER
N/A
FEATURE
(T)3 SIDE MODULE
FOR TRACK
BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	1650/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
((+)4 SIDE MODULE)

POWER
N/A
FEATURE
(+)4 SIDE MODULE
FOR TRACK
BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	3175/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05^(5mm)
(POWER SUPPLY)

POWER
150W
FEATURE
POWER SUPPLY-RD
FOR TRACK
BODY CLR
BK
OUTPUT
DC 48V, 3.1A

DIMENSION	CUTOUT	BEAM ANGLE
D85xH25MM	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	5800/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-105^(5mm)

POWER
7W
FEATURE
LINEAR
INTERNAL
FOR TRACK
BODY CLR
MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L274xW4.8xH15MM	N/A	100°
IP RATING	CRI	LED TYPE
IP 20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K	2330/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-115^(5mm)

POWER
7W
FEATURE
GRILLE
INTERNAL
FOR TRACK
BODY CLR
MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L274xW4.8xH15MM	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K	2610/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-125^(5mm)

POWER
14W
FEATURE
SMD
LINEAR
FOR TRACK
BODY CLR
MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L388xW11.5xH32MM	N/A	100°
IP RATING	CRI	LED TYPE
IP 20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
1260LM±5%	3K/4K	2330/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-135^(5mm)

POWER
14W
FEATURE
COB
GRILLE
FOR TRACK
BODY CLR
MATT BK

DIMENSION	LENGTH	BEAM ANGLE
L388xW11.5xH32MM	N/A	24°
IP RATING	CRI	LED TYPE
IP20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
1260LM±5%	3K/4K	3360/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-145^(5mm)

POWER
9W
FEATURE
SILICON
LINEAR
FOR TRACK
BODY CLR
WH

DIMENSION	LENGTH	BEAM ANGLE
L1000xW5xH15MM	1M	360°
IP RATING	CRI	LED TYPE
IP20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
810LM±5%	3K/4K	2450/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-145^(5mm)

POWER 18W
FEATURE SILICON LINEAR FOR TRACK
BODY CLR WH

DIMENSION	LENGTH	BEAM ANGLE
L2000xW5xH15MM	2M	360°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K	3650/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	<i>Signature</i>
N/A	N/A	



MICRO-05-155^(5mm)

POWER 7W
FEATURE COB GRILLE FOR TRACK
BODY CLR MATT BK

DIMENSION	LENGTH	BEAM ANGLE
L196xH67xW11MM	N/A	24°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K	3750/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	<i>Signature</i>
N/A	N/A	



MICRO-05-165^(5mm)

POWER 5W
FEATURE COB SPOT FOR TRACK
BODY CLR MATT BK

DIMENSION	LENGTH	BEAM ANGLE
D30xL80MM	N/A	24°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
450LM±5%	3K/4K	2800/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	<i>Signature</i>
N/A	N/A	



MICRO-05-165^(5mm)

POWER 10W
FEATURE COB SPOT FOR TRACK
BODY CLR MATT BK

DIMENSION	LENGTH	BEAM ANGLE
D45x100MM	N/A	24°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K	4500/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	<i>Signature</i>
N/A	N/A	



MICRO-05-175^(5mm)

POWER 7W
FEATURE COB DOWNLIGHT FOR TRACK
BODY CLR MATT BK

DIMENSION	LENGTH	BEAM ANGLE
D62x38MM	N/A	24°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K	4450/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	<i>Signature</i>
N/A	N/A	



MICRO-05-185^(5mm)

POWER 8W
FEATURE SMD DOWN FOR TRACK
BODY CLR BK

DIMENSION	LENGTH	BEAM ANGLE
D96x30MM	N/A	24°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
720LM±5%	3K/4K	3000/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	<i>Signature</i>
N/A	N/A	



MICRO-05-195^(5mm)

POWER 7W
FEATURE CONE TRACK FOR TRACK
BODY CLR MATT BK

DIMENSION	LENGTH	BEAM ANGLE
D100xH60MM	N/A	24°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K	4400/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	<i>Signature</i>
N/A	N/A	



MICRO-05-205^(5mm)

POWER 7W
FEATURE PENDANT FOR TRACK
BODY CLR BK

DIMENSION	LENGTH	BEAM ANGLE
D100xH60MM	N/A	24°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K	4800/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	<i>Signature</i>
N/A	N/A	



MICRO-05-215^(5mm)

POWER 10W
FEATURE TUBE FOR TRACK
BODY CLR WH

DIMENSION	LENGTH	BEAM ANGLE
D30xL300MM	N/A	270°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K	2900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	<i>Signature</i>
N/A	N/A	



MICRO-05-225^(5mm)

POWER
5W

FEATURE
SPHERE
FOR TRACK

BODY CLR
WH

DIMENSION	LENGTH	BEAM ANGLE
D100x173MM	N/A	360°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
450LM±5%	3K/4K	5700/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>



MICRO-05-235^(5mm)


POWER
5W

FEATURE
COB DOWN
LIGHT FOR
TRACK

BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
D33x74MM	N/A	24°
IP RATING	CRI	LED TYPE
Ip20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
450LM±5%	3k/4k	4900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>


MICRO (10MM) SM SURFACE



POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK


BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
17X18.4X1000mm	1M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	1950/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature


MICRO (10MM) SM SURFACE



POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK


BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
17X18.4X2000mm	2M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	3900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature


MICRO (10MM) SM SURFACE



POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK


BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
17X18.4X3000mm	3M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	5850/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature


MICRO(10MM) W TO C CORNER (SURFACE)



POWER
N/A

FEATURE
SURFACE


BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
70X70mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	1090/-	N/A

Signature


MICRO(10MM) C TO C CORNER (SURFACE)



POWER
N/A

FEATURE
SURFACE


BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
70X70mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	1090/-	N/A

Signature


MICRO(10MM) CURVE CORNER (SURFACE)



POWER
N/A

FEATURE
SURFACE


BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
100mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	2950/-	N/A

Signature


MICRO(10MM) CURVE CORNER (SURFACE)



POWER
N/A

FEATURE
SURFACE


BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
300mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	5500/-	N/A

Signature

MICRO(10MM) TRACK JOINTER



POWER
N/A

FEATURE
SURFACE

BODY CLR
BK

SURFACE

DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	150/-	N/A

Signature

MICRO(10MM) T-CORNER SF-02



POWER
N/A

FEATURE
N/A

BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	2510/-	N/A

Signature

MICRO(10MM) T-CORNER SF-03



POWER
N/A


FEATURE
N/A

BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	3125/-	N/A

Signature

MICRO(10MM) HANGING KIT



POWER
N/A

FEATURE
N/A



BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
N/A	1.2MTR.	N/A
IP RATING	PRICE	NP.AIR
N/A	1225/-	N/A

Signature

MICRO (10MM) RM RECESSED

POWER N/A
FEATURE CONCEAL TRACK
BODY CLR BK





DIMENSION	LENGTH	BEAM ANGLE
50X33X1000mm	1M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	2100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

MICRO (10MM) RM RECESSED

POWER N/A
FEATURE CONCEAL TRACK
BODY CLR BK






DIMENSION	LENGTH	BEAM ANGLE
50X33X2000mm	2M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	4200/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

MICRO (10MM) RM RECESSED

POWER N/A
FEATURE CONCEAL TRACK
BODY CLR BK






DIMENSION	LENGTH	BEAM ANGLE
50X33X3000mm	3M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	6300/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

MICRO(10MM) W TO C CORNER (RECESSED)

POWER N/A
BODY CLR BK






DIMENSION	LENGTH	BEAM ANGLE
70X70mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	1090/-	N/A

Signature

MICRO(10MM) C TO C CORNER (RECESSED)

POWER N/A
BODY CLR BK






DIMENSION	LENGTH	BEAM ANGLE
70X70mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	1090/-	N/A

Signature

MICRO(10MM) CURVE CORNER (RECESSED)

POWER N/A
BODY CLR BK






DIMENSION	LENGTH	BEAM ANGLE
100mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	2950/-	N/A

Signature

MICRO (10MM) CURVE CORNER (RECESSED)

POWER N/A
BODY CLR BK





DIMENSION	LENGTH	BEAM ANGLE
300mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	5500/-	N/A

Signature

MICRO (10MM) TRACK JOINTER (RECESSED)

POWER N/A
FEATURE RECESSED
BODY CLR BK




DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	150/-	N/A

Signature

MICRO (10MM) INPUT MODULE

POWER N/A
FEATURE N/A
BODY CLR BK




DIMENSION	LENGTH	BEAM ANGLE
110X10.5mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	580/-	N/A

Signature

MICRO (10MM) STRAIGHT MODULE

POWER N/A
FEATURE N/A
BODY CLR BK




DIMENSION	LENGTH	BEAM ANGLE
80X10.5mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	580/-	N/A

Signature

MICRO (10MM) CORNER MODULE

POWER N/A
FEATURE N/A
BODY CLR BK



DIMENSION	LENGTH	BEAM ANGLE
200X10.5mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	880/-	N/A

Signature


MICRO (10MM) CURVE MODULE

POWER N/A
FEATURE N/A
BODY CLR BK



DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	900/-	N/A

Signature




**MICRO(10MM)
POWER SUPPLY**

POWER 100W
FEATURE ROUND
BODY CLR BK

Signature

DIMENSION	LENGTH	BEAM ANGLE
100XH30mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	2750/-	N/A




**MICRO(10MM)
POWER SUPPLY**

POWER 100W
FEATURE SQUARE
BODY CLR BK

Signature

DIMENSION	LENGTH	BEAM ANGLE
195X30X63mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	2750/-	N/A




**MICRO(10MM)
POWER SUPPLY**

POWER 200W
FEATURE SQUARE
BODY CLR BK

Signature

DIMENSION	LENGTH	BEAM ANGLE
280X30X63mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	4900/-	N/A




MICRO END CAP
(10MM)

POWER N/A
FEATURE N/A
BODY CLR BK

Signature

DIMENSION	LENGTH	BEAM ANGLE
33X17mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	175/-	N/A



MICRO END CAP
(10MM)

POWER N/A
FEATURE N/A
BODY CLR BK

Signature

DIMENSION	LENGTH	BEAM ANGLE
18.4X17mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	175/-	N/A




MAGNETIC TRACK
10MM



MICRO-1001
(10MM) (AIR-MICRO 1001)

POWER 12W
FEATURE DIFFUSER
LINEAR
BODY CLR FOR TRACK
BK

DIMENSION	CUTOUT	BEAM ANGLE
L450XW10XH40mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K	2100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3500/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5000/-	<i>Signature</i>



MICRO-1001
(10MM) (AIR-MICRO 1001)

POWER 16W
FEATURE DIFFUSER
LINEAR
BODY CLR FOR TRACK
BK

DIMENSION	CUTOUT	BEAM ANGLE
L600XW10XH40mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1440LM±5%	3K/4K/5K	2500/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4000/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5500/-	<i>Signature</i>



MICRO-1002
(10MM) (AIR-MICRO 1002)

POWER 10W
FEATURE LINEAR
FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L196XW10XH40mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K/5K	2165/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3700/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4700/-	<i>Signature</i>



MICRO-1003
(10MM) (AIR-MICRO 1003)

POWER 5W
FEATURE SPOT
FOR TRACK
BODY CLR BK


DIMENSION	CUTOUT	BEAM ANGLE
35X80mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
450LM±5%	3K/4K/5K	2550/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3350/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4550/-	<i>Signature</i>



MICRO-1003
(10MM) (AIR-MICRO 1003)

POWER 10W
FEATURE SPOT
FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
42X100mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K/5K	3050/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3950/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5050/-	<i>Signature</i>



MICRO-1004
(10MM) (AIR-MICRO 1004)

WATT 10W
FEATURE LINEAR ADJ.
FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L196xW10xH70mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K/5K	4200/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5080/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5500/-	<i>Signature</i>



MICRO-1005
(10MM)

WATT 12W
FEATURE MOVABLE
FOR TRACK
BODY CLR BK


DIMENSION	CUTOUT	BEAM ANGLE
113mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K	4450/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5700/-	<i>Signature</i>



MICRO-1006
(10MM)

WATT 6W
FEATURE HANGING
FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
80x90mm	N/A	40°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
540LM±5%	3K/4K	5080/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	<i>Signature</i>




MTS 20(20MM)


POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
L1000xW25.5xH50mm	1M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1500/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




MTS 20(20MM)


POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
L2000xW25.5xH50mm	2M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	3000/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




MTS 20(20MM)


POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
L3000xW25.5xH50mm	3M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	4500/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




CORNER^(NL-MTS20)
(C TO C SF) (20MM)

POWER
N/A

FEATURE
SF CORNER
FOR TRACK

BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
L100xW100xH50mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	700/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




CORNER^(NL-MTS20)
(W TO C SF) (20MM)

POWER
N/A

FEATURE
SF CORNER
FOR TRACK

BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L100xW62xH100mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	700/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




CURVE CORNER
(20MM)

WATT
N/A

FEATURE
SURFACE

BODY CLR
BK



DIMENSION	CUTOUT	BEAM ANGLE
L100xW30xH25mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	3050/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



RECESSED KIT
(20MM)

POWER
N/A

FEATURE
SURFACE

BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
W14xH25xW15mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	450/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




TRACK JOINTER
(SF)

POWER
N/A

FEATURE
SURFACE

BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L70xW12mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	155/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




HANGING KIT
(20MM)

WATT
N/A

FEATURE
SURFACE

BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
L100xW62xH100mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	450/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



MT-FULL CIRCLE
600-SM (20MM)

POWER
N/A
FEATURE
SURFACE
FULL CIRCLE
TRACK

BODY CLR
BK

DIMENSION 600mm	OUTPUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 13500/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MT-QUOTER CURVE
600-SM (20MM)

WATT
N/A
FEATURE
SURFACE
QUOTER
CURVE TRACK

BODY CLR
BK

DIMENSION 600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 7150/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




MT-HALF ROUND
600-SM (20MM)

WATT
N/A
FEATURE
SURFACE
HALF ROUND
TRACK

BODY CLR
BK


DIMENSION 600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 7550/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MTR 20(20MM)

POWER
N/A
FEATURE
CONCEAL
TRACK

BODY CLR
BK




DIMENSION L1000xW62xH50mm	LENGTH 1M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 1725/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MTR 20(20MM)

POWER
N/A
FEATURE
CONCEAL
TRACK

BODY CLR
BK




DIMENSION L2000xW62xH50mm	LENGTH 2M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 3450/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




MTR 20(20MM)

POWER
N/A
FEATURE
CONCEAL
TRACK

BODY CLR
BK



DIMENSION L3000xW62xH50mm	LENGTH 3M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 5175/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORNER(NL-MTR20)
(20MM)

POWER
N/A
FEATURE
C to C
RECESSED

BODY CLR
BK

DIMENSION L100XW100XH50mm	OUTPUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 700/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORNER(NL-MTR20)
(20MM)

WATT
N/A
FEATURE
W to C
RECESSED

BODY CLR
BK


DIMENSION L100XW60XH100mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 700/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




CURVE CORNER
(20MM)

WATT
N/A
FEATURE
RECESSED

BODY CLR
BK



DIMENSION L100XW30XH25mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 3050/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MT-FULL CIRCLE
600-RM^(20MM)

POWER
N/A
FEATURE
RECESSED
FULL CIRCLE
TRACK
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
600mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	13500/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



MT-QUOTER CURVE
600-RM^(20MM)

POWER
N/A
FEATURE
RECESSED
QUOTER
CURVE TRACK
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
600mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	7150/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



MT-HALF ROUND
600-RM^(20MM)

WATT
N/A
FEATURE
RECESSED
HALF ROUND
TRACK
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
600mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	7550/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



INPUT MODULE
(20MM)

POWER
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
L500mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	400/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



STRAIGHT MODULE
(20MM)

POWER
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L197XW17XH17mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	465/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CORNER CONNECT MODULE
(20MM)

POWER
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
L390mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	525/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CURVE CORNER MODULE
(20MM)

WATT
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



POWER SUPPLY
(20MM)

POWER
100W
FEATURE
DRIVER
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L220XW20XH45mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1815/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



POWER SUPPLY
(20MM)

POWER
200W
FEATURE
DRIVER
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L300XW22XH45mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



MT-CURVE
POWER SUPPLY^(20MM)
POWER 100W
FEATURE POWER SUPPLY FOR CURVE TRACK
BODY CLR BK
OUTPUT DC 48V, 2.1AMP

DIMENSION	CUTOUT	BEAM ANGLE
-	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	6100/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NL-MT 01^(20MM)
(AIR-MT01)
POWER 10W
FEATURE DIFFUSER
BODY CLR LINEAR FOR TRACK
BK

DIMENSION	CUTOUT	BEAM ANGLE
L300xW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM+-5%	3K/4K/5K	1300/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2600/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	3200/-	



NL-MT 01^(20MM)
(AIR-MT01)
POWER 20W
FEATURE DIFFUSER
BODY CLR LINEAR FOR TRACK
BK

DIMENSION	CUTOUT	BEAM ANGLE
L600xW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1800LM+-5%	3K/4K/5K	1770/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3375/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4000/-	



NL-MT 01^(20MM)
POWER 30W
FEATURE DIFFUSER
BODY CLR LINEAR FOR TRACK
BK

DIMENSION	CUTOUT	BEAM ANGLE
L900XW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
2700LM+-5%	3K/4K/5K	2950/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NL-MT 02^(20MM)
(AIR-MT02)
POWER 6W
FEATURE LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L113xW22xH25mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
540LM+-5%	3K/4K/5K	870/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2090/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	2900/-	



NL-MT 02^(20MM)
(AIR-MT02)
POWER 12W
FEATURE LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L220xW22xH25mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	3K/4K/5K	1305/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2650/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	3700/-	



NL-MT 03^(20MM)
(AIR-MT03)
POWER 7W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
35x80mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
630LM+-5%	3K/4K/5K	1583/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3020/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4100/-	



NL-MT 03^(20MM)
(AIR-MT03)
POWER 12W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
45x100mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	3K/4K/5K	1895/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3600/-	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4600/-	



NL-MT 03^(20MM)
(AIR-MT03)
POWER 20W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
60x120mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1800LM+-5%	3K/4K/5K	2980/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NL-MT 04 ^(20MM)
(AIR-MT04)

POWER
6W
BODY CLR
BK

FEATURE
ADJUSTABLE
LINEAR FOR
TRACK

DIMENSION L113xW24xH108mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 540LM+-5%	CCT 3K/4K/5K	PRICE(on/off) 1940/-
NP Air (TW) 3450/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) 3900/-	



NL-MT 04 ^(20MM)
(AIR-MT04)

WATT
12W
BODY CLR
BK

FEATURE
ADJUSTABLE
LINEAR FOR
TRACK

DIMENSION L221xW24xH125mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K/5K	PRICE(on/off) 2717/-
NP Air (TW) 4600/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) 5500/-	



NL-MT 05 ^(20MM)

POWER
7W
BODY CLR
BK

FEATURE
HANGING
FOR TRACK

DIMENSION 40xL300mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 630LM+-5%	CCT 3K/4K	PRICE(on/off) 2920/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-MT 06 ^(20MM)

POWER
12W
BODY CLR
BK

FEATURE
MOVABLE
FOR TRACK

DIMENSION 90x90xH35mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K	PRICE(on/off) 3600/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-MT 07 ^(20MM)

POWER
7W
BODY CLR
BK

FEATURE
HANGING
FOR TRACK

DIMENSION 70xL50mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 630LM+-5%	CCT 3K/4K	PRICE(on/off) 3000/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-MT-CURVE-02 ^(20MM)

WATT
12W
BODY CLR
BK

FEATURE
GRILLE LIGHT
FOR CURVE
TRACK

DIMENSION W22xH25xL360mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP20	CRI Ra>90+	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K	PRICE(on/off) 4250/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-MT-CURVE-03 ^(20MM)

POWER
12W
BODY CLR
BK

FEATURE
SPOT LIGHT
FOR CURVE
TRACK

DIMENSION D50xH140mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP20	CRI Ra>90+	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K	PRICE(on/off) 3350/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-USM30 (30MM)


WATT
N/A

FEATURE
TRACK

BODY CLR
BK



DIMENSION W30x1000mm	LENGTH 1M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 850/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-USM30 (30MM)


POWER
N/A

FEATURE
TRACK

BODY CLR
BK



DIMENSION W30x2000mm	LENGTH 2M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 1700/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-USM30 (30MM)

POWER
N/A

FEATURE
TRACK

BODY CLR
BK



DIMENSION W30x3000mm	LENGTH 3M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 2550/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

STRAIGHT MODULE
(30MM)




POWER
N/A

FEATURE
N/A

BODY CLR
BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 475/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

CORNER MODULE
(30MM) (C TO C)




POWER
N/A

FEATURE
L-CONNECT

BODY CLR
BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 565/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

T TYPE MODULE
(30MM)



POWER
N/A

FEATURE
T-CONNECT

BODY CLR
BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 790/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

W CORNER MODULE
(30MM) (W TO C)




POWER
N/A

FEATURE
IN&OUT CONNECT

BODY CLR
BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 640/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

POWER SUPPLY
(30MM)



POWER
100W

FEATURE
N/A

BODY CLR
BK

DIMENSION L150XW30XH35mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 2450/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

POWER SUPPLY
(30MM)



POWER
200W

FEATURE
N/A

BODY CLR
BK

AVAILABLE AIR SMART

DIMENSION L300XW30XH35mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 3670/-
NP Air (TW) 5710/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




USM 01 (30MM)

POWER 8W **FEATURE DIFFUSER**
BODY CLR BK **FOR TRACK**




DIMENSION	CUTOUT	BEAM ANGLE
L150XW30XH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
680LM+-5%	[3K/4K/6K/AIR SMART] 4in1	1300/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



USM 01 (30MM)

POWER 16W **FEATURE DIFFUSER**
BODY CLR BK **FOR TRACK**



DIMENSION	CUTOUT	BEAM ANGLE
L290XW30XH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1360LM+-5%	[3K/4K/6K/AIR SMART] 4in1	2040/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



USM 02 (30MM)

POWER 6W **FEATURE LINEAR**
BODY CLR BK **FOR TRACK**



DIMENSION	CUTOUT	BEAM ANGLE
L150XW30XH25mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
510LM+-5%	[3K/4K/6K/AIR SMART] 4in1	1370/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



USM 02 (30MM)

POWER 12W **FEATURE LINEAR**
BODY CLR BK **FOR TRACK**




DIMENSION	CUTOUT	BEAM ANGLE
L290XW30XH25mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1020LM+-5%	[3K/4K/6K/AIR SMART] 4in1	2090/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



USM 03 (30MM)

POWER 7W **FEATURE SPOT LIGHT**
BODY CLR BK **FOR TRACK**



DIMENSION	CUTOUT	BEAM ANGLE
D35X80mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
595LM+-5%	[3K/4K/6K/AIR SMART] 4in1	1827/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




USM 03 (30MM)

POWER 12W **FEATURE SPOT LIGHT**
BODY CLR BK **FOR TRACK**




DIMENSION	CUTOUT	BEAM ANGLE
D42X100mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1020LM+-5%	[3K/4K/6K/AIR SMART] 4in1	2250/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




USM 03 (30MM)

POWER 18W **FEATURE SPOT LIGHT**
BODY CLR BK **FOR TRACK**




DIMENSION	CUTOUT	BEAM ANGLE
D55X115mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1530LM+-5%	[3K/4K/6K/AIR SMART] 4in1	2690/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




USM 04 (30MM)

POWER 12W **FEATURE ADJUSTABLE LINEAR**
BODY CLR BK **FOR TRACK**




DIMENSION	CUTOUT	BEAM ANGLE
L90XW30XH50mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1020LM+-5%	[3K/4K/6K/AIR SMART] 4in1	2260/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



USM 05 (30MM)

POWER 12W **FEATURE HANGING**
BODY CLR BK **FOR TRACK**



DIMENSION	CUTOUT	BEAM ANGLE
D40XL300mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1020LM+-5%	[3K/4K/6K/AIR SMART] 4in1	3825/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



DISC 72

POWER 40W
FEATURE N/A

BODY CLR
GUN BK / BRASS

DIMENSION 600x40x150mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 3200LM+5%	CCT 	PRICE(on/off) 25300/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




DISC 72

POWER 60W
FEATURE N/A

BODY CLR
GUN BK / BRASS

DIMENSION 800x40x180mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 4800LM+5%	CCT 	PRICE(on/off) 33600/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




DISC 74

POWER 30W
FEATURE N/A

BODY CLR
GUN BK / BRASS

DIMENSION 600x35x150mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 2400LM+5%	CCT 	PRICE(on/off) 23000/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




DISC 74

POWER 40W
FEATURE N/A

BODY CLR
GUN BK / BRASS

DIMENSION 800x35x150mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 3200LM+5%	CCT 	PRICE(on/off) 33600/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



DISC 74

POWER 60W
FEATURE N/A

BODY CLR
GUN BK / BRASS

DIMENSION 1000x40x180mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 4800LM+5%	CCT 	PRICE(on/off) 44000/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



NL-HX01

POWER 20W
FEATURE N/A

BODY CLR
BK

DIMENSION 400x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS NA	CCT 	PRICE(on/off) 4762/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-HX01

POWER 40W
FEATURE N/A

BODY CLR
BK

DIMENSION 600x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 5637/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-HX02

POWER 25W
FEATURE N/A

BODY CLR
BK

DIMENSION 400x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 4730/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-HX02

POWER 35W
FEATURE N/A

BODY CLR
BK

DIMENSION 600x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 5590/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-RD03

POWER 25W **FEATURE** N/A

BODY CLR BK

DIMENSION 400x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3k 4k 6k	PRICE(on/off) 4770/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-RD03

POWER 40W **FEATURE** N/A

BODY CLR BK

DIMENSION 600x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3k 4k 6k	PRICE(on/off) 5870/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-RD03

POWER 60W **FEATURE** N/A

BODY CLR BK

DIMENSION 900x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3k 4k 6k	PRICE(on/off) 15730/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-RD04

POWER 25W **FEATURE** N/A

BODY CLR BK

DIMENSION 400x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3k 4k 6k	PRICE(on/off) 4727/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD04

POWER 35W **FEATURE** N/A

BODY CLR BK

DIMENSION 600x100x70mm	CUTOUT NA	BEAM ANGLE NA
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3k 4k 6k	PRICE(on/off) 5650/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-RD04

POWER 60W **FEATURE** N/A

BODY CLR BK

DIMENSION 900x100x70mm	CUTOUT NA	BEAM ANGLE NA
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS NA	CCT 3k 4k 6k	PRICE(on/off) 15730/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-RD-901

POWER 30W **FEATURE** N/A

BODY CLR BK / WH

DIMENSION 460x60mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3k 4k 6k	PRICE(on/off) 9350/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD-901

POWER 40W **FEATURE** N/A

BODY CLR BK / WH

DIMENSION 600x60mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3k 4k 6k	PRICE(on/off) 12500/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-RD-902

POWER 30W **FEATURE** N/A

BODY CLR BK+WOOD


DIMENSION 480x80mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3k 4k 6k	PRICE(on/off) 12200/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-RD-902

POWER 35W **FEATURE** N/A

BODY CLR
BK + WOOD


DIMENSION	CUTOUT	BEAM ANGLE
580x80mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		15400/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-RD-903

POWER 30W **FEATURE** N/A

BODY CLR
BK / WH


DIMENSION	CUTOUT	BEAM ANGLE
500x50mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		13300/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-RD-903

POWER 40W **FEATURE** N/A

BODY CLR
BK / WH


DIMENSION	CUTOUT	BEAM ANGLE
600x50mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		15550/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-RD-904

POWER 30W **FEATURE** N/A

BODY CLR
BK / WH


DIMENSION	CUTOUT	BEAM ANGLE
450x140mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		15150/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-RD-904

POWER 35W **FEATURE** N/A

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
550x140mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		16900/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-LL037

POWER 36W **FEATURE** N/A

BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
1184x27.5x65mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K/4K/6K	4900/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-LL050

POWER 24W **FEATURE** N/A

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
600x50x75mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K/4K/6K	3700/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-LL050

POWER 50W **FEATURE** N/A

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
1200x50x75mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K/4K/6K	4440/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-LL050

POWER 100W **FEATURE** N/A

BODY CLR
BK / WH


DIMENSION	CUTOUT	BEAM ANGLE
2400x50x75mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K/4K/6K	9500/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-LL57

POWER 45W **FEATURE** N/A

BODY CLR
BK / WH


DIMENSION	CUTOUT	BEAM ANGLE
1183x33x56mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		3960/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-LL68

POWER 42W **FEATURE** N/A

BODY CLR
BK


DIMENSION	CUTOUT	BEAM ANGLE
L1183xW33xH56mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		4782/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	





NL-LL84

POWER 48W **FEATURE** N/A

BODY CLR
BK / WH


DIMENSION	CUTOUT	BEAM ANGLE
1195x75x50mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		4615/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	






NL-LL46

POWER 40W **FEATURE** N/A

BODY CLR
BK+GUN BK / WH+RGD


DIMENSION	CUTOUT	BEAM ANGLE
L1150xW32xH45mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		3205/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	






NL-LL56

POWER 40W **FEATURE** N/A

BODY CLR
BK+GUN BK / WH+RGD


DIMENSION	CUTOUT	BEAM ANGLE
L1150xW32xH45mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		3980/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	






NL-LL76

POWER 40W **FEATURE** N/A

BODY CLR
BK+GUN BK / WH+RGD


DIMENSION	CUTOUT	BEAM ANGLE
L1180xW40xH40mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		3360/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	





NL-LL77

POWER 40W **FEATURE** N/A



BODY CLR
BK+GUN BK / WH+RGD

DIMENSION	CUTOUT	BEAM ANGLE
L1180xW40xH40mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A		3520/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




NL-APL-001

BODY CLR SILVER+WH
FEATURE 17MM SURFACE (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	150/-




NL-APL-001

BODY CLR SILVER+WH
FEATURE 17MM SURFACE (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	167/-




NL-APL-001

BODY CLR BK+WH
FEATURE 17MM SURFACE (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	192/-




NL-APL-001

BODY CLR BK+WH
FEATURE 17MM SURFACE (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	215/-




NL-APL-002

BODY CLR SILVER+WH
FEATURE 17MM CONCEAL (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	150/-




NL-APL-002

BODY CLR SILVER+WH
FEATURE 17MM CONCEAL (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	167/-




NL-APL-002

BODY CLR BK+WH
FEATURE 17MM CONCEAL (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	192/-




NL-APL-002

BODY CLR BK+WH
FEATURE 17MM CONCEAL (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	215/-




NL-APL-003

BODY CLR SILVER+WH
FEATURE 16MM CORNER (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	168/-




NL-APL-003

BODY CLR BK+WH
FEATURE 16MM CORNER (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	250/-




NL-APL-004

BODY CLR SILVER+WH
FEATURE 1714 DEEP CONCEAL (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	250/-




NL-APL-004

BODY CLR BK+WH
FEATURE 1714 DEEP CONCEAL (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	350/-




NL-APL-005

BODY CLR SILVER+WH
FEATURE 1714 DEEP SURFACE (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	250/-




NL-APL-005

BODY CLR BK+WH
FEATURE 1714 DEEP SURFACE (3MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	350/-




NL-APL-006

BODY CLR SILVER+WH
FEATURE 2310 CONCEAL (25MM) (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	230/-




NL-APL-006

BODY CLR BK+WH
FEATURE 2310 CONCEAL (25MM) (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	330/-




NL-APL-007

BODY CLR SILVER+WH
FEATURE 2310 SURFACE (25MM) (2MTR.)






DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	230/-



NL-APL-007

BODY CLR BK+WH
FEATURE 2310 SURFACE (25MM) (2MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	330/-

NL-APL-008

BODY CLR SILVER+WH
FEATURE 1207 CONCEAL (2MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	150/-

NL-APL-008

BODY CLR BK+WH
FEATURE 1207 CONCEAL (2MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	205/-

NL-APL-009

BODY CLR SILVER+WH
FEATURE 1207 SURFACE (2MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	150/-

NL-APL-009

BODY CLR BK+WH
FEATURE 1207 SURFACE (2MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	205/-

NL-APL-010

BODY CLR SILVER+WH
FEATURE 18MM BUNDABLE (2MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	158/-

NL-APL-010

BODY CLR BK+WH
FEATURE 18MM BUNDABLE (2MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	235/-

NL-APL-012

BODY CLR SILVER+WH
FEATURE 3512 CONCEAL (3MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	360/-

NL-APL-012


BODY CLR BK+WH
FEATURE 3512 CONCEAL (3MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	550/-

NL-APL-013


BODY CLR SILVER+WH
FEATURE 3512 SURFACE (3MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	360/-




NL-APL-013

BODY CLR BK+WH
FEATURE 3512 SURFACE (3MTR.)




DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	550/-




NL-APL-014

BODY CLR SILVER+WH
FEATURE 5012 CONCEAL (3MTR.)




DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	560/-




NL-APL-014

BODY CLR BK+WH
FEATURE 5012 CONCEAL (3MTR.)




DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	800/-




NL-APL-015

BODY CLR SILVER+WH
FEATURE 5012 SURFACE (3MTR.)




DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	560/-




NL-APL-015

BODY CLR BK+WH
FEATURE 5012 SURFACE (3MTR.)




DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	800/-




NL-APL-016

BODY CLR GREY+ SILICONE
FEATURE UPDOWN SURFACE FURNITURE & CABINET PROFILE




DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	410/-




NL-APL-017

BODY CLR GREY + SILICONE
FEATURE FURNITURE 4MM SLIM PROFILE




DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	255/-




NL-APL-018

BODY CLR GREY + SILICONE
FEATURE 12MM 45° CORNER SF PROFILE




DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	345/-



NL-APL-019




BODY CLR GREY+WH
FEATURE ASYMMETRIC FURNITURE PROFILE



DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	415/-

NL-APL-020




BODY CLR GREY+WH **FEATURE** WARDROBE HANGER PROFILE

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	990/-

NL-APL-021




BODY CLR GREY+WH **FEATURE** 8MM GLASS SHELF PROFILE

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	320/-

NL-APL-022




BODY CLR SILVER+WH **FEATURE** 0708 CON

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	118/-

NL-APL-022




BODY CLR BK+WH **FEATURE** 0708 CON

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	190/-

NL-APL-023




BODY CLR SILVER+WH **FEATURE** 0708 SF

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	118/-

NL-APL-023




BODY CLR BK+WH **FEATURE** 0708 SF

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	190/-

NL-APL-024




BODY CLR SILVER+WH **FEATURE** 1010 CON

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	132/-

NL-APL-024




BODY CLR BK+WH **FEATURE** 1010 CON

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	205/-

NL-APL-025




BODY CLR SILVER+WH **FEATURE** 1010 SF

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	132/-

NL-APL-025




BODY CLR BK+WH **FEATURE** 1010 SF

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	205/-

NL-APL-026




BODY CLR SILVER+WH **FEATURE** 3535 CON

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	793/-

NL-APL-026




BODY CLR BK+WH **FEATURE** 3535 CON

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	1140/-

NL-APL-027




BODY CLR SILVER+WH **FEATURE** 3535 SF

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	793/-

NL-APL-027




BODY CLR BK+WH **FEATURE** 3535 SF

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	1140/-

NL-APL-028




BODY CLR SILVER+WH **FEATURE** SURFACE SKIRTING WALL MOUNTED PROFILE

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	1850/-

NL-APL-028




BODY CLR BK+WH **FEATURE** SURFACE SKIRTING WALL MOUNTED PROFILE

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	2250/-

NL-APL-029




BODY CLR SILVER+WH **FEATURE** WALL RECESSED SKIRTING PROFILE

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	775/-

NL-APL-029




BODY CLR BK+WH **FEATURE** WALL RECESSED SKIRTING PROFILE

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	940/-

NL-APL-030




BODY CLR WH+WH
FEATURE TOP CORNER DOUBLE SIDE PROFILE

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	1725/-

NL-APL-031




BODY CLR BK+WH
FEATURE 40MM CORNER PROFILE


DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	655/-

NL-APL-032

BODY CLR GREY+WH
FEATURE LENS PROFILE WITH ADJ BEAM ANGLE WITH TRAY








DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	945/-



NL-APL-033




BODY CLR WH+WH
FEATURE TRIMLESS CEILING COVE

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	1980/-

NL-APL-034




BODY CLR WH+WH
FEATURE TRIMLESS WALL WASHER


DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	1200/-

NL-APL-035

BODY CLR WH+WH
FEATURE UPWARD WALL WASHER PROFILE







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	645/-




NL-APL-036

BODY CLR GREY+WH
FEATURE ASYMMETRIC FURNITURE PROFILE





DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 370/-




SKYLINE (SET OF 5 MTR)

POWER N/A FEATURE N/A

BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	7500/-
NP Air	BT-Mesh	Zigbee
N/A	-	-
Dali DIM(DT-6)	Dali TW (DT-8)	
-	-	



SKYLINE (ACCESSORIES)

POWER N/A FEATURE N/A

BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	5800/-
NP Air	BT-Mesh	Zigbee
N/A	-	-
Dali DIM(DT-6)	Dali TW (DT-8)	
-	-	



SKYLINE (STILL BELT ONLY)

POWER N/A FEATURE N/A

BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	550/- (1 MTR PRICE)
NP Air	BT-Mesh	Zigbee
N/A	-	-
Dali DIM(DT-6)	Dali TW (DT-8)	
-	-	




NL-SL2835 1212

TOP VIEW

POWER 10W (PER MTR)
FEATURE SILICON NEON TOP

BODY CLR VIEW WH



DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip65
LENGTH 50MTR. ROLL	CCT 1800K	PRICE(1 MTR) 610/-
LUMENS N/A	CCT 2700/ 4000K/6500K	PRICE(1 MTR) 555/-

END CAP 40/-	MOUNTING CLIP 20/-	CORD WIRE 80/-	JOINTER 100/-




NL-SL2835 1616

TOP VIEW


POWER 10W (PER MTR)
FEATURE SILICON NEON TOP

BODY CLR VIEW WH



DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip65
LENGTH 50MTR. ROLL	CCT 1800K	PRICE(1 MTR) 700/-
LUMENS N/A	CCT 2700/ 4000K/6500K	PRICE(1 MTR) 660/-

END CAP 50/-	MOUNTING CLIP 30/-	CORD WIRE 90/-	JOINTER 100/-




NL-SL2835 1010

SIDE VIEW


POWER 10W (PER MTR)
FEATURE SILICON NEON SIDE

BODY CLR VIEW WH



DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip65
LENGTH 50MTR. ROLL	CCT 1800K	PRICE(1 MTR) 635/-
LUMENS N/A	CCT 2700/ 4000K/6500K	PRICE(1 MTR) 585/-

END CAP 40/-	MOUNTING CLIP 20/-	CORD WIRE 90/-	JOINTER 100/-




NL-SL2835 0612

SIDE VIEW

POWER 10W (PER MTR)
FEATURE SILICON NEON SIDE


BODY CLR VIEW WH



DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip65
LENGTH 50MTR. ROLL	CCT 1800K	PRICE(1 MTR) 575/-
LUMENS N/A	CCT 2700/ 4000K/6500K	PRICE(1 MTR) 525/-

END CAP 40/-	MOUNTING CLIP 20/-	CORD WIRE 90/-	JOINTER 100/-


NL-SL1010



POWER
N/A


FEATURE
SILICON
PROFILE

BODY CLR
N/A




DIMENSION 5MM PCB	CRI N/A	IP RATING N/A
LENGTH 100MTR. ROLL	CCT N/A	PRICE(1 MTR) 139/-
LUMENS N/A	CCT N/A	PRICE N/A

END CAP **58/-** MOUNTING CLIP **28/-** FLEXIBLE CLIP **625/-**




NL-SL1414



POWER
N/A


FEATURE
SILICON
PROFILE

BODY CLR
N/A




DIMENSION 8MM PCB	CRI N/A	IP RATING N/A
LENGTH 100MTR. ROLL	CCT N/A	PRICE(1 MTR) 254/-
LUMENS N/A	CCT N/A	PRICE N/A

END CAP **67/-** MOUNTING CLIP **40/-** FLEXIBLE CLIP **650/-**




NL-SL2014



POWER
N/A


FEATURE
SILICON
PROFILE

BODY CLR
N/A




DIMENSION 10MM PCB	CRI N/A	IP RATING N/A
LUMENS N/A	CCT N/A	PRICE(1 MTR) 357/-
LENGTH 100MTR. ROLL	CCT N/A	PRICE N/A

END CAP **78/-** MOUNTING CLIP **51/-** FLEXIBLE CLIP **750/-**




NL-SL1616F



POWER
N/A


FEATURE
SILICON
PROFILE

BODY CLR
N/A




DIMENSION 8MM PCB	CRI N/A	IP RATING N/A
LUMENS N/A	CCT N/A	PRICE(1 MTR) 263/-
LENGTH 100MTR. ROLL	CCT N/A	PRICE N/A

END CAP **83/-** MOUNTING CLIP **53/-** CORD WIRE **N/A**




NL-SL3020F



POWER
N/A


FEATURE
SILICON
PROFILE

BODY CLR
N/A




DIMENSION 10/2MM PCB	CRI N/A	IP RATING N/A
LUMENS N/A	CCT N/A	PRICE(1 MTR) 558/-
LENGTH 100MTR. ROLL	CCT N/A	PRICE N/A

END CAP **134/-** MOUNTING CLIP **67/-** CORD WIRE **N/A**



2835-120D-12V




POWER 10W **FEATURE** LED STRIP

OUTPUT
12V-DC
(120LED PER MTR)

DIMENSION	CRI	IP RATING
8MM PCB	Ra>80+	Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 102/-
LUMENS N/A	CCT BLUE/GREEN/RED/ PINK/ICE BLUE	PRICE(1 MTR) 134/-
LUMENS N/A	CCT 5K	PRICE(1 MTR) 150/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

2835-180D-12V




POWER 15W **FEATURE** LED STRIP

OUTPUT
12V-DC
(180LED PER MTR)

DIMENSION	CRI	IP RATING
10MM PCB	Ra>80+	Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 198/-
LUMENS N/A	CCT 5K	PRICE(1 MTR) 274/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

2835-240D-12V




POWER 20W **FEATURE** LED STRIP

OUTPUT
12V-DC
(240LED PER MTR)

DIMENSION	CRI	IP RATING
10MM PCB	Ra>80+	Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 250/-
LUMENS N/A	CCT 5K	PRICE(1 MTR) 330/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

2835-120D-12V




POWER 10W **FEATURE** LED STRIP

OUTPUT
12V-DC
(120LED PER MTR)

DIMENSION	CRI	IP RATING
5MM PCB	Ra>80+	Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 125/-
LUMENS N/A	CCT 5K	PRICE(1 MTR) 140/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

2835-180D-12V




POWER 15W **FEATURE** LED STRIP

OUTPUT
12V-DC
(180LED PER MTR)

DIMENSION	CRI	IP RATING
5MM PCB	Ra>80+	Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 224/-
LUMENS N/A	CCT 5K	PRICE(1 MTR) 245/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

2835-120V-24V




POWER 10W **FEATURE** LED STRIP

OUTPUT
24V-DC
(120LED PER MTR)

DIMENSION	CRI	IP RATING
8MM PCB	Ra>80+	Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 124/-
LUMENS N/A	CCT 5K	PRICE(1 MTR) 155/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

2835-180D-24V




POWER 15W **FEATURE** LED STRIP

OUTPUT
24V-DC
(180LED PER MTR)

DIMENSION	CRI	IP RATING
10MM PCB	Ra>80+	Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 232/-
LUMENS N/A	CCT 5K	PRICE(1 MTR) 310/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

2835-240D-24V




POWER 20W **FEATURE** LED STRIP

OUTPUT
24V-DC
(240LED PER MTR)

DIMENSION	CRI	IP RATING
10MM PCB	Ra>80+	Ip20
LENGTH 5 MTR. ROLL	CCT WH+WWW(3IN1)	PRICE(1 MTR) 275/-
LUMENS N/A	CCT 5K	PRICE(1 MTR) 375/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

2835-180D-24V




POWER 15W **FEATURE** LED STRIP

OUTPUT
24V-DC
(180LED PER MTR)

DIMENSION	CRI	IP RATING
5MM PCB	Ra>80+	Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 242/-
LUMENS N/A	CCT 5K	PRICE(1 MTR) 275/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

2835-216D-24V




POWER
20W

FEATURE
3IN1
LED STRIP

OUTPUT
24V-DC
(216LED PER MTR)

DIMENSION 10MM PCB	CRI Ra>80+	IP RATING Ip20
LENGTH 5 MTR. ROLL	CCT WH+WW,3IN1	PRICE(1 MTR) 341/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

2835-120D-24V




POWER
10W

FEATURE
LED STRIP

OUTPUT
24V-DC
(120LED PER MTR)

DIMENSION 5MM PCB	CRI Ra>80+	IP RATING Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 140/-
LUMENS N/A	CCT 5K	PRICE(1 MTR) 155/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

5050-60D-12V




POWER
N/A

FEATURE
LED STRIP

OUTPUT
12V-DC
(60LED PER MTR)

DIMENSION 8MM PCB	CRI Ra>80+	IP RATING Ip20
LENGTH 5 MTR. ROLL	CCT 3K/6K/BLUE	PRICE(1 MTR) 93/-
LUMENS N/A	CCT N/A	PRICE(1 MTR) N/A
LUMENS N/A	CCT N/A	PRICE(1 MTR) N/A

5050-60D-12V



POWER
N/A


FEATURE
LED STRIP

OUTPUT
12V-DC
(60LED PER MTR)

DIMENSION 8MM PCB	CRI Ra>80+	IP RATING Ip20
LENGTH 5 MTR. ROLL	CCT RED/GREEN/PINK	PRICE(1 MTR) 111/-
LUMENS N/A	CCT N/A	PRICE(1 MTR) N/A
LUMENS N/A	CCT RGB	PRICE(1 MTR) 155/-

5050-60D-12V

RGB



POWER
N/A


FEATURE
LED STRIP

OUTPUT
12V-DC
(60LED PER MTR)

DIMENSION 8MM PCB	CRI Ra>80+	IP RATING Ip20
LENGTH 5 MTR. ROLL	CCT RGB	PRICE(1 MTR) 155/-
LUMENS N/A	CCT N/A	PRICE(1 MTR) N/A
LUMENS N/A	CCT RGB	PRICE(1 MTR) 155/-

5050-60D-24V

RGB




POWER
N/A

FEATURE
LED STRIP

OUTPUT
24V-DC
(60LED PER MTR)

DIMENSION 10MM PCB	CRI Ra>80+	IP RATING Ip20
LENGTH 5 MTR. ROLL	CCT 4IN1 (RGB+WW)	PRICE(1 MTR) 465/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

5050-60D-24V




POWER
N/A

FEATURE
LED STRIP

OUTPUT
24V-DC
(60LED PER MTR)

DIMENSION 10MM PCB	CRI Ra>80+	IP RATING Ip20
LENGTH 5 MTR. ROLL	CCT 5in1 (RGB+WW+CW)	PRICE(1 MTR) 776/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

COB STRIP-480D-24V




POWER
14W

FEATURE
COB STRIP

OUTPUT
24V-DC
(480LED PER MTR)

DIMENSION 5MM PCB	CRI Ra>80+	IP RATING Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K	PRICE(1 MTR) 285/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

COB STRIP-480D-24V




POWER
14W

FEATURE
COB STRIP

OUTPUT
24V-DC
(480LED PER MTR)

DIMENSION 8MM PCB	CRI Ra>80+	IP RATING Ip20
LENGTH 5 MTR. ROLL	CCT 3K/4K	PRICE(1 MTR) 259/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




NL-GZL-2210
24V-DC,42LED

POWER 24W/MTR. **FEATURE** GRAZER LED STRIP

OUTPUT 24V-DC (42 LED PER MTR)

SINGLE LED CUT

DIMENSION 22mm PCB	CRI Ra>90+	IP RATING Ip68
BEAMANGLE 30°	CCT 2000K	PRICE(1 MTR) 1750/-
LENGTH 5 MTR. ROLL	CCT 3000K	PRICE(1 MTR) 1750/-
LUMENS N/A	CCT 4000K	PRICE(1 MTR) 1750/-



NL-GZL-1610
24V-DC,48LED

POWER 14W/MTR. **FEATURE** GRAZER LED STRIP

OUTPUT 24V-DC (48 LED PER MTR)

SINGLE LED CUT

DIMENSION 16mm PCB	CRI Ra>90+	IP RATING Ip68
BEAMANGLE 30°	CCT 2000K	PRICE(1 MTR) 1320/-
LENGTH 5 MTR. ROLL	CCT 3000K	PRICE(1 MTR) 1320/-
LUMENS N/A	CCT 4000K	PRICE(1 MTR) 1320/-



NL-90-2835-120D-24V

POWER 12W **FEATURE** LED STRIP

OUTPUT 24V-DC (120LED PER MTR)

DIMENSION 8MM PCB	CRI Ra>90+	IP RATING Ip20
LENGTH 10 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 235/-
LUMENS N/A	CCT 2700/4000K/6500K	PRICE(1 MTR) 260/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-90-2835-240D-24V

POWER 24W **FEATURE** LED STRIP

OUTPUT 24V-DC (240LED PER MTR)

DIMENSION 10MM PCB	CRI Ra>90+	IP RATING Ip20
LENGTH 10 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 385/-
LUMENS N/A	CCT 2700K / 5000K	PRICE(1 MTR) 430/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-90-2835-168D-24V

POWER 16W **FEATURE** LED STRIP

OUTPUT 24V-DC (168LED PER MTR)

DIMENSION 5MM PCB	CRI Ra>90+	IP RATING Ip20
LENGTH 10 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 270/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-IP2835 120 WATERPROOF

POWER 10W **FEATURE** WATERPROOF LED STRIP

OUTPUT 24V-DC (120LED PER MTR)

DIMENSION 8MM/10x3.8MM PCB	CRI Ra>80+	IP RATING IP68
LENGTH 10 MTR. ROLL	CCT 2700/4000K	PRICE(1 MTR) 450/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-IP2835 204 WATERPROOF

POWER 14W **FEATURE** WATERPROOF LED STRIP

OUTPUT 24V-DC (204LED PER MTR)

DIMENSION 10MM/12x4MM PCB	CRI Ra>80+	IP RATING IP68
LENGTH 10 MTR. ROLL	CCT 2700/4000K	PRICE(1 MTR) 605/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




STRAIGHT CONNECTOR
(FOR LED STRIP)

POWER N/A **FEATURE** N/A

BODY CLR N/A

DIMENSION	CRI	IP RATING
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	35/-
LUMENS	CCT	PRICE
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A




L - CONNECTOR
(FOR LED STRIP)

POWER N/A **FEATURE** N/A

BODY CLR N/A

DIMENSION	CRI	IP RATING
N/A	N/A	Ip20
LUMENS	CCT	PRICE
N/A	N/A	75/-
LUMENS	CCT	PRICE
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A




WIRE CONNECTOR
(FOR LED STRIP)

POWER N/A **FEATURE** N/A

BODY CLR N/A

DIMENSION	CRI	IP RATING
N/A	N/A	Ip20
LUMENS	CCT	PRICE
N/A	N/A	45/-
LUMENS	CCT	PRICE
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A





COB ROPE LIGHT-288D
220V-DC

POWER 8W / MTR. **FEATURE** N/A

OUTPUT
220V
(288LED PER MTR)

DIMENSION	CRI	IP RATING
N/A	N/A	IP65
LENGTH	CCT	PRICE(1 MTR)
50 MTR. ROLL	3000/4000K 6000K	170/-
LUMENS	CCT	PRICE
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	120/-







2835-ROPE -220V

POWER 8W **FEATURE ROPE LIGHT**

OUTPUT
220V
(120LED PER MTR)
WW/NW/WH/BLUE

DIMENSION N/A	CRI Ra>80+	IP RATING Ip20
LENGTH 50 MTR. ROLL	CCT WW/NW/WH/BLUE	PRICE(1 MTR) 130/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE 84/-






2835-ROPE -220V

POWER 8W **FEATURE ROPE LIGHT**

OUTPUT
220V
(120LED PER MTR)
RED/GREEN/PINK/
ICEBLUE/AMBER

DIMENSION N/A	CRI Ra>80+	IP RATING Ip20
LENGTH 50 MTR. ROLL	CCT RED/GREEN/PINK/ ICEBLUE/AMBER	PRICE(1 MTR) 170/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE 84/-






2835-NEON-220V

POWER 8W **FEATURE ROPE LIGHT**

OUTPUT
220V
(120LED PER MTR)
WW/NW/WH/BLUE

DIMENSION N/A	CRI N/A	IP RATING Ip20
LENGTH 50 MTR. ROLL	CCT WW/NW/WH/ BLUE	PRICE(1 MTR) 233/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE 118/-






2835-NEON-220V

POWER 8W **FEATURE ROPE LIGHT**

OUTPUT
220V
(120LED PER MTR)
RED/GREEN/PINK/
ICEBLUE/AMBER

DIMENSION N/A	CRI N/A	IP RATING Ip20
LENGTH 50 MTR. ROLL	CCT RED/GREEN/PINK/ ICEBLUE/AMBER	PRICE(1 MTR) 264/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE 118/-






3014-ROPE-220V

POWER 7W **FEATURE ROPE LIGHT**

OUTPUT
220V
(120LED PER MTR)
WW/WH/BLUE

DIMENSION N/A	CRI Ra>80+	IP RATING Ip20
LENGTH 100 MTR. ROLL	CCT WW/WH/BLUE	PRICE(1 MTR) 78/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE 68/-






3014-ROPE-220V

POWER 7W **FEATURE ROPE LIGHT**

OUTPUT
220V
(120LED PER MTR)
RED/GREEN

DIMENSION N/A	CRI Ra>80+	IP RATING Ip20
LENGTH 100 MTR. ROLL	CCT RED/GREEN	PRICE(1 MTR) 84/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE 68/-






3014-ROPE-220V

POWER 7W **FEATURE ROPE LIGHT**

OUTPUT
220V
(120LED PER MTR)

DIMENSION N/A	CRI Ra>80+	IP RATING Ip20
LENGTH 100 MTR. ROLL	CCT PINK/RGB	PRICE(1 MTR) 90/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE 68/-






5730-ROPE-220V

POWER 8W **FEATURE ROPE LIGHT**

OUTPUT
220V
(120LED PER MTR)

DIMENSION N/A	CRI N/A	IP RATING Ip20
LENGTH 100 MTR. ROLL	CCT WW/WH/BLUE	PRICE(1 MTR) 102/-
LUMENS N/A	CCT RED/GREEN	PRICE(1 MTR) 109/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE 84/-





5730-ROPE-220V


POWER 8W **FEATURE ROPE LIGHT**

OUTPUT
220V
(120LED PER MTR)

DIMENSION N/A	CRI N/A	IP RATING Ip20
LENGTH 100 MTR. ROLL	CCT PINK	PRICE(1 MTR) 115/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE 84/-



SLIM




POWER
60W

FEATURE
POWER SUPPLY

OUTPUT
12V, 5AMP

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	605/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

ULTRA SLIM




POWER
24W

FEATURE
POWER SUPPLY

OUTPUT
12V, 2AMP

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	400/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

ULTRA SLIM




POWER
36W

FEATURE
POWER SUPPLY

OUTPUT
12V, 3AMP

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	593/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

ULTRA SLIM




POWER
60W

FEATURE
POWER SUPPLY

OUTPUT
12V, 5MP

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	720/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

THIN PRO




POWER
60W

FEATURE
POWER SUPPLY

OUTPUT
12V, 5AMP

DIMENSION	CRI	IP RATING
L115xW25xH50MM	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	690/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

THIN PRO




POWER
120W

FEATURE
POWER SUPPLY

OUTPUT
12V, 10AMP

DIMENSION	CRI	IP RATING
L138xW25xH50MM	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	985/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

THIN PRO




POWER
200W

FEATURE
POWER SUPPLY

OUTPUT
12V, 16.6AMP

DIMENSION	CRI	IP RATING
L205xW25xH50MM	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1500/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

THIN PRO



POWER
300W

FEATURE
POWER SUPPLY

OUTPUT
12V, 25AMP

DIMENSION	CRI	IP RATING
L240xW25xH50MM	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2326/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

THIN PRO




POWER
400W

FEATURE
POWER SUPPLY

OUTPUT
12V, 33.33AMP

DIMENSION	CRI	IP RATING
L226xW28xH60MM	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2700/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

THIN PRO




POWER
60W

FEATURE
POWER SUPPLY

OUTPUT
24V, 2.5AMP

DIMENSION L115xW25xH50MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 690/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

THIN PRO




POWER
120W

FEATURE
POWER SUPPLY

OUTPUT
24V, 5AMP

DIMENSION L138xW25xH50MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 985/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

THIN PRO




POWER
200W

FEATURE
POWER SUPPLY

OUTPUT
24V, 8.3AMP

DIMENSION L205xW25xH50MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1500/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

THIN PRO




POWER
300W

FEATURE
POWER SUPPLY

OUTPUT
24V, 12.5MP

DIMENSION L240xW25xH50MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 2326/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

THIN PRO



POWER
400W

FEATURE
POWER SUPPLY

OUTPUT
24V, 16.66AMP

DIMENSION L226xW28xH60MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 2700/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SPARK



POWER
60W

FEATURE
POWER SUPPLY

OUTPUT
12V, 5AMP

DIMENSION L147xH23xW32MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 915/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SPARK



POWER
100W

FEATURE
POWER SUPPLY

OUTPUT
12V, 8.33AMP

DIMENSION L177xH23xW32MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1295/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SPARK



POWER
200W

FEATURE
POWER SUPPLY

OUTPUT
12V, 16.66AMP

DIMENSION L217xH23xW32MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1660/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SPARK



POWER
300W

FEATURE
POWER SUPPLY

OUTPUT
12V, 25AMP

DIMENSION L257xH23xW32MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 2700/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SPARK

POWER
60W

FEATURE
POWER SUPPLY

OUTPUT
24V, 2.5AMP

DIMENSION L147xH23xW32MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 915/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




SPARK

POWER
100W

FEATURE
POWER SUPPLY

OUTPUT
24V, 4.16AMP

DIMENSION L177xH23xW32MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1295/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




SPARK

POWER
200W

FEATURE
POWER SUPPLY

OUTPUT
24V, 8.33AMP

DIMENSION L217xH23xW32MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1660/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SPARK

POWER
300W

FEATURE
POWER SUPPLY

OUTPUT
24V, 12.5MP

DIMENSION L257xW23xH32MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 2700/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SPARK

POWER
100W

FEATURE
POWER SUPPLY

OUTPUT
48V, 2.1AMP

DIMENSION L177xW23xH32MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1295/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




SPARK

POWER
200W

FEATURE
POWER SUPPLY

OUTPUT
48V, 4.2AMP

DIMENSION L217xW23xH32MM	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1660/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




IP67

POWER
60W

FEATURE
POWER SUPPLY

OUTPUT
12V, 5AMP

DIMENSION L180xW26xH70MM	CRI N/A	IP RATING IP67
LUMENS N/A	CCT N/A	PRICE(on/off) 1785/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




IP67

POWER
100W

FEATURE
POWER SUPPLY

OUTPUT
12V, 8.33AMP

DIMENSION L230xW26xH70MM	CRI N/A	IP RATING IP67
LUMENS N/A	CCT N/A	PRICE(on/off) 2250/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




IP67

POWER
200W

FEATURE
POWER SUPPLY

OUTPUT
12V, 16.66AMP

DIMENSION L280xW26xH70MM	CRI N/A	IP RATING IP67
LUMENS N/A	CCT N/A	PRICE(on/off) 3730/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




Ip67

POWER
300W

FEATURE
POWER SUPPLY

OUTPUT
12V, 25AMP

DIMENSION L280xW26xH70MM	CRI N/A	IP RATING IP67
LUMENS N/A	CCT N/A	PRICE(on/off) 4885/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




IP67

POWER
60W

FEATURE
POWER SUPPLY

OUTPUT
24V, 2.5AMP

DIMENSION L180xW26xH70MM	CRI N/A	IP RATING IP67
LUMENS N/A	CCT N/A	PRICE(on/off) 1785/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




IP67

POWER
100W

FEATURE
POWER SUPPLY

OUTPUT
24V, 4.16AMP

DIMENSION L230xW26xH70MM	CRI N/A	IP RATING IP67
LUMENS N/A	CCT N/A	PRICE(on/off) 2250/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




IP67

POWER
200W

FEATURE
POWER SUPPLY

OUTPUT
24V, 8.33AMP

DIMENSION L280xW26xH70MM	CRI N/A	IP RATING IP67
LUMENS N/A	CCT N/A	PRICE(on/off) 3730/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



IP67


POWER
300W

FEATURE
POWER SUPPLY

OUTPUT
24V, 12.5AMP

DIMENSION L280xW32xH95MM	CRI N/A	IP RATING IP67
LUMENS N/A	CCT N/A	PRICE(on/off) 4885/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

DALI-DT6



POWER
8W

FEATURE
DALI
DRIVER

OUTPUT
100-200MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2130/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

DALI-DT6




POWER
15W

FEATURE
DALI
DRIVER

OUTPUT
250-350MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2285/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

DALI-DT6




POWER
30W

FEATURE
DALI
DRIVER

OUTPUT
400-750MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2550/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

DALI-DT8




POWER
12W

FEATURE
DALI
DRIVER

OUTPUT
100-300MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	3770/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

DALI-DT8




POWER
20W

FEATURE
DALI
DRIVER

OUTPUT
300-500MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	4260/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

DALI-DT8




POWER
30W

FEATURE
DALI
DRIVER

OUTPUT
400-750MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	6180/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

DALI-DT8CV




POWER
75W

FEATURE
DALI
DRIVER

OUTPUT
0-3.125

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	6355/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

DALI-DT8CV



POWER
150W

FEATURE
DALI
DRIVER

OUTPUT
0-6.250

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)(1 MTR)
N/A	N/A	9820/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



**AIR SMART
CONTROLLER FOR
LED STRIP**

POWER 120W
FEATURE DALI DRIVER

BODY CLR N/A

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1800/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



AIR REMOTE

POWER 120W
FEATURE REMOTE CONTROL FOR NP AIR

BODY CLR N/A

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2200/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



AIR DRIVER

POWER 7W
FEATURE NP AIR DRIVER

OUTPUT 36V-165MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	900/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



AIR DRIVER

POWER 12W
FEATURE NP AIR DRIVER

OUTPUT 36V-300MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1055/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



AIR DRIVER

POWER 18W
FEATURE NP AIR DRIVER

OUTPUT 36V-450MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1290/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



AIR DRIVER

POWER 24W
FEATURE NP AIR DRIVER

OUTPUT 36V-600MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1685/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



**CCT LED
CONTROLLER**

POWER 130/260W
FEATURE CONTROLLER CCT STRIP (WH+WW)

OUTPUT 12V/24V

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2125/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



**RGB+WW
CONTROLLER**

(4IN1STRIP-5050)

POWER N/A
FEATURE CONTROLLER 4IN1 RGB W (5050)

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1538/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



**RGB+WW+CW
CONTROLLER**

(5IN1STRIP-5050)

POWER N/A
FEATURE CONTROLLER 5IN1 RGB WW (5050)

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1725/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



RF REMOTE CONTROLLER

POWER
N/A

FEATURE
CONTROLLER FOR RGB STRIP (5050)

BODY CLR
N/A

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 405/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



WARDROBE SENSOR

POWER
N/A

FEATURE
SINGLE DOOR

BODY CLR
N/A

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 700/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



WARDROBE SENSOR

POWER
N/A

FEATURE
DOUBLE DOOR

BODY CLR
N/A

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1090/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



MOTION SENSOR

POWER
N/A

FEATURE
MICROWAVE

BODY CLR
N/A

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 550/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




MOTION SENSOR RECESSED

POWER
N/A

FEATURE
MICROWAVE RECESSED

BODY CLR
N/A

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1450/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SWIVEL-11

POWER
9W

FEATURE
MIRROR
LIGHT

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
L330xW42xH55MM	Ra>80+	IP20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1295/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-11

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
L417xW42xH55MM	Ra>80+	IP20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1552/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-11

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
L533xW42xH55MM	Ra>80+	IP20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1792/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-16

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
WH+RGB/BK+RGB

DIMENSION	CRI	IP RATING
L420xW43x100mm	Ra>80+	IP20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1650/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-16

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
WH+RGB/BK+RGB

DIMENSION	CRI	IP RATING
L550xW43x100mm	Ra>80+	IP20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1855/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-17

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
WH+RGB/BK+RGB

DIMENSION	CRI	IP RATING
L420xW43x100mm	Ra>80+	IP20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1728/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-17

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
WH+RGB/BK+RGB

DIMENSION	CRI	IP RATING
K550xW43x100mm	Ra>80+	IP20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1960/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-18

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
BK

DIMENSION	CRI	IP RATING
420mm	Ra>80+	IP20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1755/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-18

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
BK

DIMENSION	CRI	IP RATING
530mm	Ra>80+	IP20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1925/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-19

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
BK

MIRROR
LIGHT

DIMENSION	CRI	IP RATING
418mm	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1755/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-19

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
BK

DIMENSION	CRI	IP RATING
528mm	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1900/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-22

POWER
9W

FEATURE
MIRROR
LIGHT

BODY CLR
WH

DIMENSION	CRI	IP RATING
L336xW38xH93MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1440/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-22

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
WH

DIMENSION	CRI	IP RATING
L436xW38xH93MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1730/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-22

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
WH

DIMENSION	CRI	IP RATING
L546xW38xH93MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	2080/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-44

POWER
9W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L305xW83xH46MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1500/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-44

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L455xW83xH46MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1918/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-44

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L605xW83xH46MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	2300/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



SWIVEL-77

POWER
9W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L305xW83xH46MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1280/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

SWIVEL-77



POWER
12W
FEATURE
MIRROR
LIGHT
BODY CLR
SILVER

DIMENSION L455xW83xH46MM	CRI Ra>80+	IP RATING Ip20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1555/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SWIVEL-77



POWER
18W
FEATURE
MIRROR
LIGHT
BODY CLR
SILVER

DIMENSION L605xW83xH46MM	CRI Ra>80+	IP RATING Ip20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1855/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SWIVEL-88



POWER
9W
FEATURE
MIRROR
LIGHT
BODY CLR
SILVER

DIMENSION L316xW76xH35MM	CRI Ra>80+	IP RATING Ip20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1485/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SWIVEL-88



POWER
12W
FEATURE
MIRROR
LIGHT
BODY CLR
SILVER

DIMENSION L450xW76xH35MM	CRI Ra>80+	IP RATING Ip20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1825/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SWIVEL-88



POWER
18W
FEATURE
MIRROR
LIGHT
BODY CLR
SILVER

DIMENSION L552xW76xH35MM	CRI Ra>80+	IP RATING Ip20
LUMENS N/A	CCT 3K	PRICE(on/off) 2235/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-BL91

POWER 3W **FEATURE** BED SIDE LAMP

BODY CLR WH/BK

DIMENSION 30x300x69MM	CRI Ra>80+	IP RATING Ip20
BEAM ANGLE 60	CCT 3K	PRICE(on/off) 1340/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-BL92

POWER 3W **FEATURE** BED SIDE LAMP

BODY CLR WH/BK

DIMENSION 60x300x67MM	CRI Ra>80+	IP RATING Ip20
BEAM ANGLE 60	CCT 3K	PRICE(on/off) 1340/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




NL-BL95

POWER 3W+5W+1W **FEATURE** BED SIDE LAMP

BODY CLR WH/BK

DIMENSION H590x83MM	CRI Ra>80+	IP RATING Ip20
BEAM ANGLE 60	CCT 3K	PRICE(on/off) 4635/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




NL-FL551

POWER 3W **FEATURE** FOOT LIGHT (WITH MODUL BOX)

BODY CLR WH/BK

DIMENSION L42xW35xH26MM	CRI Ra>80+	IP RATING Ip20
LUMENS -	CCT 3K	PRICE(on/off) 550/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-FL552

POWER 3W **FEATURE** FOOT LIGHT (WITH MODUL BOX)

BODY CLR WH/BK

DIMENSION L42xW35xH26MM	CRI Ra>80+	IP RATING IP20
LUMENS N/A	CCT 3K	PRICE(on/off) 550/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




NL-FL553

POWER 3W **FEATURE** FOOT LIGHT (WITH MODUL BOX)

BODY CLR WH/BK

DIMENSION L42xW35xH26MM	CRI Ra>80+	IP RATING Ip20
LUMENS N/A	CCT 3K	PRICE(on/off) 550/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-FL554

POWER 3W **FEATURE** FOOT LIGHT (WITH MODUL BOX)

BODY CLR WH/BK

DIMENSION L42xW35xH26MM	CRI Ra>80+	IP RATING Ip20
LUMENS N/A	CCT 3K	PRICE(on/off) 550/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



MODULAR BOX

POWER N/A **FEATURE** N/A

BODY CLR WH/BK

DIMENSION 60x39MM	CRI Ra>80+	IP RATING Ip20
LUMENS N/A	CCT 3K	PRICE(on/off) 70/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



CL-35T-CLEAR

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E14/E27

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT 2200K/2700K 4000K	PRICE(on/off) 165/-



CL-35A-AMBER

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E14/E27

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 195/-



CL-35A(DIMMABLE)

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E14/E27

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 330/-



CL-35A-CLEAR

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E14/E27

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT 2200K/2700K	PRICE(on/off) 165/-



CL-64M-CLEAR

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT 2200K/2700K 4000K	PRICE(on/off) 230/-



CL-64M-AMBER

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 330/-



CL-64M-CLEAR

POWER 8W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 570/-



CL-64M-AMBER

POWER 8W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 730/-



CL-64M(DIMMABLE)

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 570/-




CL-45G-CLEAR

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E14/E27

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT 2200K/2700K 4000K	PRICE(on/off) 178/-



CL-45G-AMBER

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E14/E27

DIMENSION N/A	CRI N/A	IP RATING -
LUMENS N/A	CCT 2700K	PRICE(on/off) 210/-




CL-45G (DIMMABLE)

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E14/E27

DIMENSION N/A	CRI N/A	IP RATING -
LUMENS N/A	CCT 2700K	PRICE(on/off) 357/-



CL-45G-SILVER

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION	CRI	IP RATING
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	2700K	345/-



CL-80G-CLEAR

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION	CRI	IP RATING
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	2200K/2700K	260/-




CL-80G-CLEAR

POWER 8W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION	CRI	IP RATING
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	2200K/2700K	558/-



CL-80G-SILVER

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION	CRI	IP RATING
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	2700K	450/-



CL-95G-CLEAR

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION	CRI	IP RATING
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	2700K	403/-



CL-95G-CLEAR

POWER 8W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION	CRI	IP RATING
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	2700K	900/-



CL-125G-CLEAR

POWER 4W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION	CRI	IP RATING
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	2700K	838/-




CL-125G-CLEAR

POWER 8W **FEATURE** LED BULB

HOLDER TYPE E27

DIMENSION	CRI	IP RATING
N/A	N/A	-
LUMENS	CCT	PRICE(on/off)
N/A	2700K	1676/-




NL-4009SNS

POWER
16W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT



Motion Sensor

DIMENSION	CUTOUT	BEAM ANGLE
D170xH40mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 54	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	1365/-	N/A



NL-4009SNS

POWER
24W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT



Motion Sensor

DIMENSION	CUTOUT	BEAM ANGLE
D225xH40mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 54	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/6K	1940/-	N/A



NL-4008(RD)

POWER
8W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D90x46mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1450/-	NP Air (TW) N/A



NL-4008(SQ)

POWER
8W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D90x90x46mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1450/-	NP Air (TW) N/A



NL-4008(RD)

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D140xH46mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2350/-	NP Air (TW) N/A



NL-4008(SQ)

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D140x140xH46mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2350/-	NP Air (TW) N/A



NL-3030

POWER
5W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D68xH30mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1150/-	NP Air (TW) N/A



NL-2525

POWER
3W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION D60x15mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 425/-	NP Air (TW) N/A



NL-2626

POWER
5W

BODY CLR
WOOD/GUN BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D60xH14.5mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K	PRICE(on/off) 450/-	NP Air (TW) N/A



NL-3535

POWER
10W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D70xH95mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1800/-	NP Air (TW) N/A



NL-3535

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D75xH110mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2330/-	NP Air (TW) N/A



NL-3545

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION 60x64mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1690/-	NP Air (TW) N/A



NL-3545

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION 75x77mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2100/-	NP Air (TW) N/A



NL-3545

POWER
18W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION 90x92mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2800/-	NP Air (TW) N/A



NL-6565

POWER
10W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
62x76mm	N/A	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K	1420/-	N/A



NL-6565

POWER
18W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
83x88mm	N/A	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K	1910/-	N/A



NL-6565

POWER
24W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
105x105mm	N/A	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K	2740/-	N/A



NL-6575

POWER
7W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
62x58mm	Ø55mm	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	1130/-	N/A



NL-6575

POWER
12W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
83x62mm	Ø75mm	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	1495/-	N/A/N/A



NL-6575

POWER
18W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
105x75mm	Ø95mm	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	-

CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	2295/-	N/A



NL-PR301

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD



NL-PR301

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

NL-PR301 P

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
HANGING

DIMENSION 315x110mm	CUTOUT N/A	BEAM ANGLE 35°
IP RATING IP 65	CRI Ra>90+	LED TYPE -
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 4790/-	NP Air (TW) N/A

DIMENSION 315x110mm	CUTOUT N/A	BEAM ANGLE 35°
IP RATING IP 65	CRI Ra>90+	LED TYPE -
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 5760/-	NP Air (TW) N/A

DIMENSION 1200x90mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE -
CCT 3K	PRICE(on/off) 7100/-	NP Air (TW) N/A



NL-PR302 HL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
HANGING



NL-PR302 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD



NL-PR302 WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 1200x90mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE -
CCT 3K	PRICE(on/off) 7100/-	NP Air (TW) N/A

DIMENSION 600x65mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE -
CCT 3K	PRICE(on/off) 7825/-	NP Air (TW) N/A

DIMENSION 190x135mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE -
CCT 3K	PRICE(on/off) 6370/-	NP Air (TW) N/A

NL-PR302 P

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
HANGING



NL-PR303

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT



NL-PR303 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
1200x90mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	7100/-	N/A

DIMENSION	CUTOUT	BEAM ANGLE
65x290x106mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	6270/-	N/A

DIMENSION	CUTOUT	BEAM ANGLE
65x600mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	7360/-	N/A

NL-PR303 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD




NL-PR304

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD




NL-PR304

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD



DIMENSION	CUTOUT	BEAM ANGLE
65x900mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	8615/-	N/A

DIMENSION	CUTOUT	BEAM ANGLE
265x120x60mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	5620/-	N/A

DIMENSION	CUTOUT	BEAM ANGLE
450x120x60mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	7715/-	N/A

NL-PR305 WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT



NL-PR305 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD



NL-PR305 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD



DIMENSION	CUTOUT	BEAM ANGLE
120x225x135mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	6475/-	N/A

DIMENSION	CUTOUT	BEAM ANGLE
120x65x600mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	8015/-	N/A


DIMENSION	CUTOUT	BEAM ANGLE
120x65x900mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	9115/-	N/A

NL-PR306

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT




NL-PR306

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT



NL-PR307

POWER
8W

BODY CLR
DARK GREY

FEATURES / DESCRIPTION
WALL LIGHT



DIMENSION	CUTOUT	BEAM ANGLE
75x130mm	N/A	130°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	4841/-	N/A

DIMENSION	CUTOUT	BEAM ANGLE
75x130mm	N/A	130°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	5665/-	N/A

DIMENSION	CUTOUT	BEAM ANGLE
240x95x70mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	5140/-	N/A



NL-PR307

POWER
8W

BODY CLR
DARK GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
240x95x70mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	5140/-	N/A



NL-PR307

POWER
8W

BODY CLR
DARK GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
360x95x70mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	5860/-	N/A



NL-PR307

POWER
8W

BODY CLR
DARK GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
460x95x70mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	6570/-	N/A



NL-PR308

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
365x95x70mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	7675/-	N/A



NL-PR309

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
450x30x44x70mm	N/A	130°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	5300/-	N/A




NL-PR309

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
590x30x44x70mm	N/A	130°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	5765/-	N/A




NL-PR310

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL & CEILING LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
100x70mm	N/A	130°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	5300/-	N/A



NL-PR310

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL & CEILING LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x90mm	N/A	130°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	6850/-	N/A



NL-PR311

POWER
8W

BODY CLR
SAND GREY

FEATURES / DESCRIPTION
WALL & GARDEN LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
200x60x235mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	5970/-	N/A



NL-PR312 S

POWER
4W

BODY CLR
SAND GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
115x81x30mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	2410/-	N/A



NL-PR312 L

POWER
8W

BODY CLR
SAND GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x103x30mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	2910/-	N/A



NL-PR313

POWER
8W

BODY CLR
SAND GREY/GLASS:SMOKE

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
120x165xH145mm	N/A	220°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	6120/-	N/A



NL-PR314-1

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
650x200x200mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	9500/-	N/A



NL-PR314-2

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
750x200x200mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	-
CCT	PRICE(on/off)	NP Air (TW)
3K	16500/-	N/A



NL-PR451

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
103x103x63mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	8900/-	N/A



NL-PR451

POWER
20W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
148x148x56mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	15100/-	N/A



NL-PR452

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
102x102x56mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	8200/-	N/A



NL-PR452

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
148x148x56mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	12000/-	N/A



NL-PR453

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
95x65x100mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>90	-
CCT	PRICE(on/off)	NP Air (TW)
3K	6300/-	N/A



NL-PR453

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>90	-
CCT	PRICE(on/off)	NP Air (TW)
3K	9750/-	N/A



NL-PR453

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
95x65x100mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>90	-
CCT	PRICE(on/off)	NP Air (TW)
3K	6300/-	N/A



NL-PR453

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>90	-
CCT	PRICE(on/off)	NP Air (TW)
3K	9750/-	N/A



NL-PR454

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
193x140x65mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	11500/-	N/A



NL-PR454

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
272x140x65mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	13500/-	N/A



NL-PR455 5D

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
65x95x65mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	11500/-	N/A




NL-PR455 25D

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
65x95x65mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	11500/-	N/A



NL-PR471


POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
295x35x45mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	7800/-	N/A



NL-PR471


POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
495x35x45mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	13200/-	N/A



NL-PR471


POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
990x35x45mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
CCT	PRICE(on/off)	NP Air (TW)
3K	24500/-	N/A



NL-PR472


POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
D495x35x45mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
LUMENSE	CCT	PRICE(on/off)
1800LM±5%	3K	5000/-



NL-PR472


POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
D990x35x45mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
LUMENSE	CCT	PRICE(on/off)
3600LM±5%	3K	7550/-



NL-PR472


POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V

DIMENSION	CUTOUT	BEAM ANGLE
D495x35x45mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
LUMENSE	CCT	PRICE(on/off)
1800LM±5%	3K	4100/-



NL-PR472

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V

DIMENSION	CUTOUT	BEAM ANGLE
D990x35x45mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	-
LUMENSE	CCT	PRICE(on/off)
3600LM±5%	3K	7000/-



NL-FL03

POWER
3W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D54x54mm	Ø45x45mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	-
CCT	PRICE(on/off)	NP Air (TW)
3K	750/-	N/A



NL-FL05

POWER
5W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D84x84mm	70x70mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	-
CCT	PRICE(on/off)	NP Air (TW)
3K	980/-	N/A



NL-FL06

POWER
1W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
45x78	42mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	-
CCT	PRICE(on/off)	NP Air (TW)
3K	1500/-	N/A



NL-FL07

POWER
3W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
50x90mm	45mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	-
CCT	PRICE(on/off)	NP Air (TW)
3K	1500/-	N/A




NL-FL19(RD)

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
45mm	Ø40mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	-
CCT	PRICE(on/off)	NP Air (TW)
3K	1040/-	N/A




NL-FL19(SQ)

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
45x45mm	Ø40mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1040/-	N/A




NL-FL29(RD)

POWER
1W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
45mm	Ø40mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1040/-	N/A




NL-FL29(SQ)

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
45x45mm	Ø40mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1040/-	N/A



NL-FL1204 S

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
75x75x62mm	Ø70x70mm	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1450/-	N/A



NL-FL1204 M

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
92x70x52mm	Ø85x65mm	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1450/-	N/A




NL-FL1204 L

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x70x54mm	Ø145x65mm	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2075/-	N/A



NL-2009M

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D160x100mm	Ø125x75mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1550/-	N/A



NL-2009S

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D145X70mm	Ø105X50mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1450/-	N/A



NL-2013

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D210X60X55mm	Ø205X55X50mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1500/-	N/A



NL-2802

POWER
2W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D114x114x65	110x90x60mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1850/-	N/A



NL-2802

POWER
4W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D170x114x65	165x90x60mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2550/-	N/A



NL-2802

POWER
6W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D226x114x65	205x90x60mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3600/-	N/A



NL-2008

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D104x60x53mm	99x54x48mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	830/-	N/A




NL-2010

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D104x59x53mm	99x54x48mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	830/-	N/A




NL-2005

POWER
3W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D103x58x55mm	98x53x50mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1200/-	N/A



NL-0206

POWER
2x3W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D130x60mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1925/-	N/A



NL-2104

POWER
4W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D93x71x45mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	855/-	N/A



NL-2108

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x71x45mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1030/-	N/A



NL-2202
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
148x35	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2525/-	N/A



NL-2203
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
148x35x148mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2750/-	N/A



NL-3202
POWER
5W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D102xH35mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1500/-	N/A



NL-3203
POWER
5W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
102x102x35mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1500/-	N/A



NL-2204
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
200x35x90mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2975/-	N/A



NL-2204
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x100x40mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3850/-	N/A




NL-1204
POWER
3W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D92x70xH32mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1250/-	N/A



NL-1204
POWER
6W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x70xH32mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1725/-	N/A



NL-5085
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
220x80x110mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3100/-	N/A



NL-5086
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
220x80x110mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3100/-	N/A



NL-5087
POWER
10W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
111x111x105mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2700/-	N/A



NL-5089
POWER
10W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
111x111x105mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2700/-	N/A



NL-4070(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D108x82mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1850/-	N/A



NL-4070(RD)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D108x80mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1850/-	N/A



NL-5040

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
180x115x60mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2690/-	N/A



NL-5060

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D165x35mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2190/-	N/A



NL-5065

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
220x135mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2622/-	N/A



NL-5065

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
280x135mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4070/-	N/A



NL-5075

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3170/-	N/A



NL-5075

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3400/-	N/A



NL-5075

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4125/-	N/A



NL-3037

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT



DIMENSION	CUTOUT	BEAM ANGLE
121x63x60mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3100/-	N/A




NL-3038

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT



DIMENSION	CUTOUT	BEAM ANGLE
121x75x75mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3100/-	N/A



NL-8109

POWER
9W

BODY CLR
GREY/WH

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D125x92xH39mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
2700K	2640/-	N/A



NL-8509

POWER
9W

BODY CLR
GREY/WH

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D85x85xH68	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
2700K	2640/-	N/A




NL-8209

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D140x130xH60	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3475/-	N/A



NL-2007
POWER
3W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D25x25xH75	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1350/-	N/A



NL-2007
POWER
2x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D60x40xH120mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1640/-	N/A



NL-3303
POWER
3W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
74x50x109mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1290/-	N/A



NL-3303
POWER
2x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
50x74x142mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2050/-	N/A



NL-3304
POWER
3W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
74x50x109	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1290/-	N/A



NL-3304
POWER
2x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
50x74x142mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2050/-	N/A



NL-5005
POWER
5W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH100mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1575/-	N/A



NL-5010
POWER
2x5W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2225/-	N/A



NL-6005
POWER
5W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH100mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1575/-	N/A



NL-6010
POWER
2x5W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D68x80xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2225/-	N/A



NL-2503
POWER
3W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D75x80x63mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	790/-	N/A



NL-2506
POWER
2x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D142x80x63mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	--	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	955/-	N/A



NL-1506

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D200x95x55mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE --
CCT 3K	PRICE(on/off) 1825/-	NP Air (TW) N/A



NL-3019

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D85x65xH100mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1560/-	NP Air (TW) N/A



NL-3019

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D85x65xH130mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1940/-	NP Air (TW) N/A



NL-3019

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D90x120xH130mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2900/-	NP Air (TW) N/A



NL-3019

POWER
2X9W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D90x120xH130mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 3650/-	NP Air (TW) N/A



NL-3001

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D65x95xH100mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1760/-	NP Air (TW) N/A



NL-3001

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D65x100xH110mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2285/-	NP Air (TW) N/A



NL-3001

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D90x120xH138mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2900/-	NP Air (TW) N/A



NL-3001

POWER
2X9W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D90x120xH155mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 3729/-	NP Air (TW) N/A



NL-5017

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D54x66x56mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1050/-	NP Air (TW) N/A



NL-5017

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D54x100x56mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1560/-	NP Air (TW) N/A



NL-6019

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D54x66x56mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1050/-	NP Air (TW) N/A



NL-6019

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D54x100x56mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1560/-	N/A




NL-3503

POWER
1x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D53x42xH80mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	940/-	N/A



NL-3503

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D53x42xH135mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1400/-	N/A



NL-252

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D55x89x161mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1575/-	N/A



NL-3007

POWER
2x3W

BODY CLR
WH

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D100x75.6xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2250/-	N/A



NL-202

POWER
3W

BODY CLR
WH

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
80x60x35mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1140/-	N/A




NL-202

POWER
2x3W

BODY CLR
WH

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
80x60x35mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1480/-	N/A



NL-204

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D85x56xH90mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1620/-	N/A



NL-2068

POWER
1x3W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D45x12xH50mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	970/-	N/A




NL-2068

POWER
2x3W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D45x12xH50mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1050/-	N/A



NL-4032

POWER
1W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
50x35mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1102/-	N/A



NL-4032

POWER
2W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
50x35mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1265/-	N/A



NL-1616
POWER
16W
BODY CLR
GREY
FEATURES / DESCRIPTION
360°LIGHT DISTRIBUTION
16 SIDE

DIMENSION D134x43mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 3275/-	NP Air (TW) N/A



NL-4030
POWER
2x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 85x82x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1980/-	NP Air (TW) N/A




NL-4004
POWER
1x2W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 70x70x51	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 855/-	NP Air (TW) N/A



NL-4004
POWER
1x4W
BODY CLR
GREY
FEATURES / DESCRIPTION
4 SIDE

DIMENSION 70x70x51	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 950/-	NP Air (TW) N/A



NL-6006
POWER
1x6W
BODY CLR
GREY
FEATURES / DESCRIPTION
6 SIDE

DIMENSION D120xH50mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1900/-	NP Air (TW) N/A



NL-8012
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
360°LIGHT DISTRIBUTION
12 SIDE

DIMENSION 120x56MM	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2460/-	NP Air (TW) N/A




NL-2012SQ
POWER
4x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
4 SIDE

DIMENSION D100x100xH51mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2400/-	NP Air (TW) N/A




NL-7007
POWER
1x4+3W
BODY CLR
GREY
FEATURES / DESCRIPTION
4 SIDE

DIMENSION D100x100xH65mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2370/-	NP Air (TW) N/A



NL-4012
POWER
4x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
4 SIDE

DIMENSION D100x90mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2250/-	NP Air (TW) N/A




NL-4014
POWER
5x1W
BODY CLR
GREY
FEATURES / DESCRIPTION
5 SIDE

DIMENSION D95x85mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1800/-	NP Air (TW) N/A



NL-4094
POWER
4W
BODY CLR
WH/GREY
FEATURES / DESCRIPTION
4 SIDE

DIMENSION 45x45mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1600/-	NP Air (TW) N/A



NL-6106
POWER
3x1W
BODY CLR
GREY
FEATURES / DESCRIPTION
3 SIDE

DIMENSION D50xH30mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1400/-	NP Air (TW) N/A



NL-6106
POWER
6x1W
BODY CLR
GREY
FEATURES / DESCRIPTION
6 SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D83xH30mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2300/-	N/A



NL-1004
POWER
1x4W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D115x38xH78mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	--
CCT	PRICE(on/off)	NP Air (TW)
3K	1150/-	N/A



NL-1004
POWER
1x6W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
D168x45xH78mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	--
CCT	PRICE(on/off)	NP Air (TW)
3K	1450/-	N/A



NL-1044
POWER
4x1W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
35x20x96mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1525/-	N/A



NL-1044
POWER
8x1W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
35x20x203mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2475/-	N/A



NL-1044
POWER
12x1W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
35x20x290mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3150/-	N/A



NL-6020
POWER
2x6W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
114x28x90mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1725/-	N/A



NL-6020
POWER
2x8W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
174x28x90mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2070/-	N/A



NL-4504
POWER
1x2W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
80x38x70mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1100/-	N/A



NL-4504
POWER
1x4W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
115x38x78mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1750/-	N/A



NL-4504
POWER
1x6W
BODY CLR
WH/GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION	CUTOUT	BEAM ANGLE
168x38x58mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2340/-	N/A



NL-4022
POWER
1x1W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE

DIMENSION	CUTOUT	BEAM ANGLE
33x45x35mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1100/-	N/A



NL-4022

POWER
2x1W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 33x45x35mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1200/-	NP Air (TW) N/A



NL-999

POWER
2x3W
BODY CLR
WH/BKGREY
FEATURES / DESCRIPTION
TWO SIDE


DIMENSION D100x100xH100mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2080/-	NP Air (TW) N/A



NL-8003

POWER
1x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
3 SIDE


DIMENSION D160x50mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1790/-	NP Air (TW) N/A



NL-6021

POWER
6W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE


DIMENSION 25x25xH145mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 1525/-	NP Air (TW) N/A



NL-6021

POWER
10W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 25x25xH205mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2165/-	NP Air (TW) N/A



NL-6021

POWER
15W
BODY CLR
GREY
FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 25x25xH300mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 3120/-	NP Air (TW) N/A



NL-4060(SQ)

POWER
2x6W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE


DIMENSION D90x80x110mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2300/-	NP Air (TW) N/A



NL-4060(RD)

POWER
2x6W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 83x110mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2300/-	NP Air (TW) N/A



NL-4050(SQ)

POWER
2x6W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 90x69x110MM	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2925/-	NP Air (TW) N/A



NL-4050(RD)

POWER
2x6W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 69x110MM	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE --
CCT 3K	PRICE(on/off) 2925/-	NP Air (TW) N/A



NL-6003

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION D65x230mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2350/-	NP Air (TW) N/A



NL-6065

POWER
12W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 72x65x230mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 4250/-	NP Air (TW) N/A



NL-6303

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 170x100x192mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 3950/-	NP Air (TW) N/A



NL-6018

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 160x156x220mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 4400/-	NP Air (TW) N/A



NL-7003

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 121x152x465mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 2950/-	NP Air (TW) N/A



NL-7003(S)

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT (WITH SENSOR)

DIMENSION 121x152x465mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 3600/-	NP Air (TW) N/A



NL-9003

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 168x150x124mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 3150/-	NP Air (TW) N/A




NL-6001

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 195x75x170mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 3990/-	NP Air (TW) N/A



NL-6001

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 170x75x170mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 3990/-	NP Air (TW) N/A



NL-3921 WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 180x81mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 3770/-	NP Air (TW) N/A



NL-3921 AL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 230x185mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 4850/-	NP Air (TW) N/A



NL-3712WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 180x111mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE --
CCT 3K	PRICE(on/off) 3750/-	NP Air (TW) N/A



NL-3712AL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
230x212mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4825/-	N/A



NL-36WL(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x150xH45mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3050/-	N/A




NL-36WL(RD)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH45mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3050/-	N/A




NL-5505

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
80x91x288mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
GREEN	1250/-	N/A



NL-5505

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
88x105x300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
GREEN	1710/-	N/A



NL-5505

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
80x91x288mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1165/-	N/A




NL-5505

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
88x105x300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1560/-	N/A




NL-7788

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
100x45xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1410/-	N/A




NL-7788

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1890/-	N/A




NL-7788

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2525/-	N/A




NL-7788 B

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WALL & FLOOR BASE

DIMENSION	CUTOUT	BEAM ANGLE
100x45xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1800/-	N/A




NL-7788 B

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WALL & FLOOR BASE

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2230/-	N/A



NL-7788 B

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WALL & FLOOR BASE

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2865/-	N/A



NL-7788 X

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE WITH HOOD

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1960/-	N/A



NL-7788 X

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE WITH HOD

DIMENSION	CUTOUT	BEAM ANGLE
100x66xH160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2550/-	N/A




SPIKE
POWER
3W
BODY CLR
BK
FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
42xH72mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
WW/WH	885/-	N/A




SPIKE
POWER
3W
BODY CLR
BK
FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
42xH72mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
BL/RD/GR/PK/AR	1075/-	N/A




SPIKE
POWER
7W
BODY CLR
BK
FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
50xH78mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
WW/WH	1275/-	N/A



SPIKE
POWER
7W
BODY CLR
BK
FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
50xH78mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
BL/RD/GR/PK/AR	1475/-	N/A



SPIKE
POWER
12W
BODY CLR
BK
FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
63xH83mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
WW/WH	1765/-	N/A



NL-SPIKE
POWER
12W
BODY CLR
BK
FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
63xH83mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
BL/RD/GR/PK/AR	2075/-	N/A



NL-5088
POWER
3W
BODY CLR
GREY
FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
45x88x75mm	N/A	15°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1710/-	N/A



NL-5088
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
57x105x88.5mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2330/-	N/A



NL-5088
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
57x115x88.5mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2900/-	N/A



NL-9988
POWER
3W
BODY CLR
GREY
FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
70x106MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1510/-	N/A



NL-9988
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
70x106MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2025/-	N/A



NL-9988
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
91.5X115MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3300/-	N/A



NL-9988

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
91.5X115MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3950/-	N/A



NL-1166 SPIKE

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
37x105x262MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1770/-	N/A



NL-1166 SPIKE

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
52x142x277MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2500/-	N/A



NL-1166 SURFACE

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
37x105x155x60MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2050/-	N/A



NL-1166 SURFACE

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
54X142X175X80MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2850/-	N/A



NL-7744

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D42xH105MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1340/-	N/A



NL-7744

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D79xH153MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2480/-	N/A



NL-7744

POWER
20W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D80xH190MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3130/-	N/A



NL-7744(X)

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
110x140x380mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3765/-	N/A



NL-GB221

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D110xH112mm	Ø105x115mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3155/-	N/A



NL-GB222

POWER
1*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(1 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2880/-	N/A



NL-GB222

POWER
2*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(2 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3060/-	N/A



NL-GB222

POWER
3*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(3 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3250/-	N/A



NL-GB222

POWER
4*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(4 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3450/-	N/A



NL-GB223/1

POWER
0.5W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(1 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1750/-	N/A



NL-GB223/2

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(2 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1775/-	N/A



NL-GB223/3

POWER
1.5W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(3 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1850/-	N/A



NL-GB223/4

POWER
2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(4 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1890/-	N/A



NL-GB225

POWER
5W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D65xH78mm	Ø60mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1440/-	N/A



NL-GB225

POWER
10W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D105xH80mm	Ø100mm	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2010/-	N/A



NL-GB226

POWER
3W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
65x78mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	RA>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1350/-	N/A



NL-GB226

POWER
7W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
105x80mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	RA>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1950/-	N/A



NL-4082

POWER
12W

BODY CLR
BLACK

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
210x130x270mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5150/-	N/A



NL-9912

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
150x290mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5050/-	N/A



NL-9067

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
170x230x193mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3650/-	N/A



NL-9067WL

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
170x297mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3650/-	N/A



NL-9007

POWER
8W

BODY CLR
BLACK

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
150x290mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3675/-	N/A




NL-9007WL

POWER
8W

BODY CLR
BLACK

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH230mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3675/-	N/A




NL-16002

POWER
B22

BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
210xH375mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 54	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
N/A	3590/-	N/A




NL-16004

POWER
B22

BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
210xH375mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 54	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
N/A	3590/-	N/A



NL-16006

POWER
B22

BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
210xH375mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 54	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
N/A	3590/-	N/A



NL-4090^(SQ)

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D105x105xH108mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1825/-	N/A




NL-4090^(RD)

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D108x105mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1825/-	N/A



NL-4080^(SQ)

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D160x160xH100mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3750/-	N/A



NL-4080 (RD)

POWER
10W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D160xH100mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3750/-	N/A



NL-1064

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
224x225mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6000/-	N/A



NL-9009

POWER
10W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x250x215mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6575/-	N/A



NL-2408

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x175mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2810/-	N/A



NL-2408

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
225X225mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4890/-	N/A



NL-1062

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x160mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2912/-	N/A



NL-1062

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
200x250mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4888/-	N/A



NL-1062

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x265mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5925/-	N/A



NL-1190

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D225x225xH250mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5910/-	N/A



NL-4250

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH230mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3595/-	N/A



NL-15140

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH250mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4075/-	N/A



NL-8203

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH213mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4160/-	N/A



NL-6430

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH250mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5250/-	N/A



NL-7021

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
225x230mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5000/-	N/A



NL-1116

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x213mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3225/-	N/A




NL-1113

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150xH213mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3225/-	N/A




NL-3506

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
175x225mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	7700/-	N/A



NL-5031

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x225mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9050/-	N/A



NL-15370

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x150mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4210/-	N/A



NL-1066

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH225mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3275/-	N/A



NL-0064

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5772/-	N/A



NL-1082

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x200MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2560/-	N/A




NL-7906 WL
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LAMP

DIMENSION	CUTOUT	BEAM ANGLE
72x140x180	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2355/-	N/A




NL-7906
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
L72xW105xH500	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3425/-	N/A



NL-7906
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
L72xW105xH1000	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3855/-	N/A



NL-7906
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
L72xW105xH1500	Ra>80+	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4390/-	N/A



NL-7035
POWER
18W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LAMP

DIMENSION	CUTOUT	BEAM ANGLE
170x340x212mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	10650/-	N/A



NL-7035
POWER
18W
BODY CLR
GREY
FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
170x300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	10750/-	N/A



NL-7035
POWER
18W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
800x170mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	15000/-	N/A



NL-7037
POWER
16W
BODY CLR
GREY
FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
170x300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9250/-	N/A



NL-7037
POWER
16W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LAMP

DIMENSION	CUTOUT	BEAM ANGLE
220x190x170mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	8700/-	N/A



NL-7037
POWER
16W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
170x1000mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	11600/-	N/A




NL-7038
POWER
24W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LAMP

DIMENSION	CUTOUT	BEAM ANGLE
260x340x220mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	11500/-	N/A




NL-7038
POWER
24W
BODY CLR
GREY
FEATURES / DESCRIPTION
GATE LAMP

DIMENSION	CUTOUT	BEAM ANGLE
350x220mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	11500/-	N/A




NL-7038
POWER
24W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
220x1000mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	14500/-	N/A




NL-8164
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
88xH200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2110/-	N/A



NL-8164
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
88xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3710/-	N/A



NL-8164
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH552mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3810/-	N/A



NL-2038
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
H300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2125/-	N/A



NL-2038
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
H600MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3225/-	N/A




NL-2038
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
H750mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3990/-	N/A




NL-1028
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
D200xH200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2288/-	N/A



NL-1028
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
D200xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3265/-	N/A



NL-1028
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
D200xH750mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4215/-	N/A



NL-1404
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
D88xH200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2290/-	N/A



NL-1404
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
D88xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3225/-	N/A



NL-1036
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x275mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2235/-	N/A



NL-1036
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3536/-	N/A




NL-1036
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x750mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4000/-	N/A




NL-1038
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2550/-	N/A




NL-1038
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x250mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3850/-	N/A



NL-1038
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4000/-	N/A



NL-1038
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x750mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4990/-	N/A



NL-8204
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH350mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6970/-	N/A



NL-8204
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH650mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	12110/-	N/A



NL-4031
POWER
24W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
250xH260mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6475/-	N/A



NL-4031
POWER
24W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
250xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	7990/-	N/A




NL-5210
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
123xH300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2915/-	N/A




NL-5210
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
123xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5250/-	N/A



NL-5210
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
123xH800mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6350/-	N/A




NL-1456
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
165x200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1560/-	N/A



NL-1456
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
165x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4240/-	N/A



NL-1270
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
175xH240mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2135/-	N/A



NL-1270
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
175xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4420/-	N/A



NL-71990
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
80xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5250/-	N/A



NL-3712
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6200/-	N/A



NL-3712
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	8200/-	N/A



NL-3712
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x800mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9400/-	N/A



NL-3912
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6350/-	N/A



NL-3912
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	8425/-	N/A




NL-3912
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x800mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9850/-	N/A



NL-10818
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
100xH500mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	8500/-	N/A



NL-25
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
165x300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4750/-	N/A



NL-25
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
165x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5800/-	N/A



NL-7050
POWER
2x12w
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
160x85xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6600/-	N/A



NL-36B(SQ)
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x150xH200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3750/-	N/A



NL-36B(SQ)
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x150xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5100/-	N/A



NL-36B(SQ)
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x150xH800mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6500/-	N/A



NL-36B(RD)
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3750/-	N/A



NL-36B(RD)
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5100/-	N/A



NL-36B(RD)
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH800mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6500/-	N/A



NL-17(RD)
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
108xH200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4200/-	N/A




NL-17(RD)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 6000/-	NP Air (TW) N/A



NL-17(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x108xH200mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 4200/-	NP Air (TW) N/A




NL-17(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x108xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 6000/-	NP Air (TW) N/A



NL-1100

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x300mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 6900/-	NP Air (TW) N/A




NL-1100

POWER
12w

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 8200/-	NP Air (TW) N/A



NL-15

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH200mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 4450/-	NP Air (TW) N/A



NL-15

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 6300/-	NP Air (TW) N/A




NL-1114

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x300mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 6425/-	NP Air (TW) N/A



NL-1114

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 7700/-	NP Air (TW) N/A



NL-32

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x200mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 5400/-	NP Air (TW) N/A



NL-32

POWER
10W

BODY CLR
GERY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 7950/-	NP Air (TW) N/A



NL-4721

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 80x120x600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI N/A	LED TYPE N/A
CCT 3K	PRICE(on/off) 10600/-	NP Air (TW) N/A



NL-4721
POWER
10W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
80x120x800mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	11900/-	N/A



NL-1220
POWER
50W
BODY CLR
GREY
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
400x250MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	12700/-	N/A



NL-1030
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x150xH230mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5040/-	N/A



NL-1030
POWER
50W
BODY CLR
GREY
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
425xH525mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	13900/-	N/A




NL-5180
POWER
50w
BODY CLR
GREY
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D325xH460mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6400/-	N/A



NL-9020
POWER
20W
BODY CLR
GREY
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x350x265	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	11200/-	N/A




FLUXO (S)
POWER
20W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
245x90x53MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1200/-	N/A




FLUXO (S)
POWER
30W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
295x95x53MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1400/-	N/A



FLUXO (S)
POWER
50W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
380x105x73MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1775/-	N/A



FLUXO (S)
POWER
100W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
435x125x73	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	2700/-	N/A



VITARA
POWER
24W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1340/-	N/A



VITARA
POWER
36W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1600/-	N/A



VITARA
POWER
50W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	2550/-	N/A



VITARA
POWER
72W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	3500/-	N/A



VITARA
POWER
100W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	5675/-	N/A



NL-PL7001

POWER
60W
BODY CLR
GREY

FEATURES / DESCRIPTION
POLE

DIMENSION	CUTOUT	BEAM ANGLE
465x422x2500mm <small>(2.5MTR)</small>	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	70000/-	N/A



NL-PL7002

POWER
60W
BODY CLR
GREY

FEATURES / DESCRIPTION
POLE

DIMENSION	CUTOUT	BEAM ANGLE
492x452x2500mm <small>(2.5MTR)</small>	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	70000/-	N/A



XETA
POWER
15W
BODY CLR
—
FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	—
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1150/-	N/A



XETA
POWER
30W
BODY CLR
—
FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1600/-	N/A




XETA
POWER
60W
BODY CLR
—
FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	2150/-	N/A




XETA
POWER
100W
BODY CLR
—
FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	3650/-	N/A




XETA
POWER
150W
BODY CLR
—
FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	5650/-	N/A




XETA
POWER
200W
BODY CLR
—
FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	7600/-	N/A




FLUXO-F
POWER
50W
BODY CLR
—
FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
176x135x25MM	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1125/-	N/A




FLUXO-F
POWER
100W
BODY CLR
—
FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
241x185x25mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	1950/-	N/A



FLUXO-F
POWER
200W
BODY CLR
—
FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
350x225x25mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K/6K	4114/-	N/A



NL-UW01
POWER
6W(DC-24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
180x45mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6000/-	




NL-UW01
POWER
6W(AC-12V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
180x45mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGB	6600/-	N/A



NL-UW01
POWER
12W(DC-24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
230x55mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6600/-	N/A



NL-UW01
POWER
12W(AC-12V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
230x55mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGB	7200/-	N/A



NL-UW01
POWER
18W(DC-24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
295x80mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9150/-	N/A



NL-UW01
POWER
18W(AC-12V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
295x80mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGB	10700/-	N/A



NL-TRANSFORMER
(Power Supply AC-12v) 220v-AC
POWER
60VA
BODY CLR
—
FEATURES / DESCRIPTION
—

INPUT	OUTPUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
N/A	3800/-	N/A



NL-TRANSFORMER
(Power Supply AC-12v) 220v-AC
POWER
80VA
BODY CLR
—
FEATURES / DESCRIPTION
—

INPUT	OUTPUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
N/A	4110/-	N/A



NL-TRANSFORMER
(Power Supply AC-12v) 220v-AC
POWER
150VA
BODY CLR
—
FEATURES / DESCRIPTION
—

INPUT	OUTPUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
N/A	5250/-	N/A



NL-UW02
POWER
07W(DC 24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D120xH105mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5250/-	N/A



NL-UW02
POWER
12W(DC 24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D150xH105mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	7100/-	N/A



NL-UW02
POWER
18W(DC 24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D170xH123mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	8250/-	N/A



NL-UW02

POWER
24W(DC 24V)

BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D180xH123mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	10750/-	N/A



NL-UW02

POWER
12W(AC 12V)

BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D150xH105mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGB	9490/-	N/A



NL-UW02

POWER
18W(AC 12V)

BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D170xH123mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGB	11500/-	N/A



NL-UW03

POWER
07W(DC 24V)

BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D120xH118mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4650/-	N/A



NL-UW03

POWER
12W(DC 24V)

BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D145xH122mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6900/-	N/A



NL-UW03

POWER
18W(DC 24V)

BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D170xH123mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9510/-	N/A



NL-UW03

POWER
24W(DC 24V)

BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D190xH123mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9555/-	N/A



NL-UW03

POWER
12W(AC 12V)

BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D145xH122mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGB	9250/-	N/A



NL-UW03


POWER
18W(AC 12V)

BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION	CUTOUT	BEAM ANGLE
D170xH123mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGB	12750/-	N/A

WATERPROOF JOINTER



POWER
—

BODY CLR
—

FEATURES / DESCRIPTION
—

DIMENSION	CUTOUT	BEAM ANGLE
—	N/A	N/A
IP RATING	CRI	LED TYPE
IP 68	N/A	N/A
CCT	PRICE(on/off)	NP Air (TW)
—	360/-	N/A



WWW.NEPTUNELIGHTSINDIA.COM